

# globus authz Reference Manual

## 0.7

Generated by Doxygen 1.4.4

Sat Feb 6 12:25:04 2010

# Contents

<a href="#">1 globus authz Module Index</a>	<a href="#">1</a>
<a href="#">2 globus authz Module Documentation</a>	<a href="#">1</a>

## 1 globus authz Module Index

### 1.1 globus authz Modules

Here is a list of all modules:

<a href="#">GSI Authorization API</a>	<a href="#">1</a>
<a href="#">GSI Credential Constants</a>	<a href="#">3</a>

## 2 globus authz Module Documentation

### 2.1 GSI Authorization API

#### Initialize Handle

- globus\_result\_t [globus\\_gsi\\_authz\\_handle\\_init](#) (globus\_gsi\_authz\_handle\_t \*handle, const char \*service\_name, const gss\_ctx\_id\_t context, globus\_gsi\_authz\_cb\_t callback, void \*callback\_arg)

#### Authorization decision made here

- globus\_result\_t [globus\\_gsi\\_authorize](#) (globus\_gsi\_authz\_handle\_t handle, const void \*action, const void \*object, globus\_gsi\_authz\_cb\_t callback, void \*callback\_arg)

#### Destroy Handle

- globus\_result\_t [globus\\_gsi\\_authz\\_handle\\_destroy](#) (globus\_gsi\_authz\_handle\_t handle, globus\_gsi\_authz\_cb\_t callback, void \*callback\_arg)

#### Query for authorization identity

- globus\_result\_t [globus\\_gsi\\_authz\\_get\\_authorization\\_identity](#) (globus\_gsi\_authz\_handle\_t handle, char \*\*identity\_ptr, globus\_gsi\_authz\_cb\_t callback, void \*callback\_arg)

#### 2.1.1 Function Documentation

**2.1.1.1 globus\_result\_t globus\_gsi\_authz\_handle\_init** (globus\_gsi\_authz\_handle\_t \* *handle*, const char \* *service\_name*, const gss\_ctx\_id\_t *context*, globus\_gsi\_authz\_cb\_t *callback*, void \* *callback\_arg*)

Initializes a handle.

#### Parameters:

*handle* Pointer to the handle that is to be initialized

*service\_name* Service to authorize access to

*context* Security context used to contact the service  
*callback* Callback function to call when authz handle init completes  
*callback\_arg* Argument to callback function

**Returns:**

GLOBUS\_SUCCESS if successful A Globus error object on failure:

**2.1.1.2 globus\_result\_t globus\_gsi\_authorize (globus\_gsi\_authz\_handle\_t handle, const void \* action, const void \* object, globus\_gsi\_authz\_cb\_t callback, void \* callback\_arg)**

Authorization decision made here.

**Parameters:**

*handle* Pointer to the handle that is to be initialized  
*action* Action to authorize  
*object* Object that the action pertains to.  
*callback* Callback function to call when authorization completes  
*callback\_arg* Argument to callback function

**Returns:**

GLOBUS\_SUCCESS if successful A Globus error object on failure:

**2.1.1.3 globus\_result\_t globus\_gsi\_authz\_handle\_destroy (globus\_gsi\_authz\_handle\_t handle, globus\_gsi\_authz\_cb\_t callback, void \* callback\_arg)**

Destroy a Globus GSI authz handle.

**Parameters:**

*handle* The handle that is to be destroyed  
*callback* Callback function to call when handle is destroyed  
*callback\_arg* Argument to callback function

**Returns:**

GLOBUS\_SUCCESS

**2.1.1.4 globus\_result\_t globus\_gsi\_authz\_get\_authorization\_identity (globus\_gsi\_authz\_handle\_t handle, char \*\* identity\_ptr, globus\_gsi\_authz\_cb\_t callback, void \* callback\_arg)**

Query for authorization identity.

**Parameters:**

*handle* The handle that is to be used for the identity check.  
*identity\_ptr* The authorization identity determined by the authorization handle. This is must be freed by the caller. If the value is NULL (and this function returned GLOBUS\_SUCCESS), the caller should use the authenticated identity.  
*callback* Callback function to call when identity is determined.  
*callback\_arg* Argument to callback function.

**Returns:**

GLOBUS\_SUCCESS

## 2.2 GSI Credential Constants

### Enumerations

- enum `globus_gsi_authz_error_t` {  
    `GLOBUS_GSI_AUTHZ_ERROR_SUCCESS` = 0,  
    `GLOBUS_GSI_AUTHZ_ERROR_ERRNO` = 1,  
    `GLOBUS_GSI_AUTHZ_ERROR_BAD_PARAMETER` = 2,  
    `GLOBUS_GSI_AUTHZ_ERROR_CALLOUT` = 3 }

### 2.2.1 Enumeration Type Documentation

#### 2.2.1.1 enum `globus_gsi_authz_error_t`

GSI Authz Error codes.

#### Enumerator:

***GLOBUS\_GSI\_AUTHZ\_ERROR\_SUCCESS*** Success.

***GLOBUS\_GSI\_AUTHZ\_ERROR\_ERRNO*** Error with system call.

***GLOBUS\_GSI\_AUTHZ\_ERROR\_BAD\_PARAMETER*** Invalid parameter.

***GLOBUS\_GSI\_AUTHZ\_ERROR\_CALLOUT*** Callout returned an error.

## Index

- globus\_gsi\_authorize
  - globus\_gsi\_authz, [2](#)
- globus\_gsi\_authz
  - globus\_gsi\_authorize, [2](#)
  - globus\_gsi\_authz\_get\_authorization\_identity,  
[2](#)
  - globus\_gsi\_authz\_handle\_destroy, [2](#)
  - globus\_gsi\_authz\_handle\_init, [1](#)
- globus\_gsi\_authz\_constants
  - GLOBUS\_GSI\_AUTHZ\_ERROR\_BAD\_-  
PARAMETER, [3](#)
  - GLOBUS\_GSI\_AUTHZ\_ERROR\_-  
CALLOUT, [3](#)
  - GLOBUS\_GSI\_AUTHZ\_ERROR\_ERRNO, [3](#)
  - GLOBUS\_GSI\_AUTHZ\_ERROR\_SUCCESS,  
[3](#)
- globus\_gsi\_authz\_constants
  - globus\_gsi\_authz\_error\_t, [3](#)
- GLOBUS\_GSI\_AUTHZ\_ERROR\_BAD\_-  
PARAMETER
  - globus\_gsi\_authz\_constants, [3](#)
- GLOBUS\_GSI\_AUTHZ\_ERROR\_CALLOUT
  - globus\_gsi\_authz\_constants, [3](#)
- GLOBUS\_GSI\_AUTHZ\_ERROR\_ERRNO
  - globus\_gsi\_authz\_constants, [3](#)
- GLOBUS\_GSI\_AUTHZ\_ERROR\_SUCCESS
  - globus\_gsi\_authz\_constants, [3](#)
- globus\_gsi\_authz\_error\_t
  - globus\_gsi\_authz\_constants, [3](#)
- globus\_gsi\_authz\_get\_authorization\_identity
  - globus\_gsi\_authz, [2](#)
- globus\_gsi\_authz\_handle\_destroy
  - globus\_gsi\_authz, [2](#)
- globus\_gsi\_authz\_handle\_init
  - globus\_gsi\_authz, [1](#)
- GSI Authorization API, [1](#)
- GSI Credential Constants, [3](#)