

# globus gsi cert utils Reference Manual

## 6.4

Generated by Doxygen 1.3.5

Sat Feb 6 10:58:37 2010

## Contents

1	<a href="#">Globus GSI Certificate Handling Utilities</a>	1
2	<a href="#">globus gsi cert utils Module Index</a>	1
3	<a href="#">globus gsi cert utils Module Documentation</a>	1

## 1 Globus GSI Certificate Handling Utilities

The Globus GSI Certificate Handling Utilities library. This library contains helper functions for dealing with certificates.

- [Activation](#)
- [Cert Utils Functions](#)
- [Cert Utils Constants](#)

## 2 globus gsi cert utils Module Index

### 2.1 globus gsi cert utils Modules

Here is a list of all modules:

Activation	1
Cert Utils Functions	2
Cert Utils Constants	4

## 3 globus gsi cert utils Module Documentation

### 3.1 Activation

Globus GSI Cert Utils uses standard Globus module activation and deactivation.

Defines

- `#define` [GLOBUS\\_GSI\\_CERT\\_UTILS\\_MODULE](#)

#### 3.1.1 Detailed Description

Globus GSI Cert Utils uses standard Globus module activation and deactivation.

Before any Globus GSI Cert Utils functions are called, the following function must be called:

```
globus_module_activate(GLOBUS_GSI_CERT_UTILS_MODULE)
```

This function returns GLOBUS\_SUCCESS if Globus GSI Credential was successfully initialized, and you are therefore allowed to subsequently call Globus GSI Cert Utils functions. Otherwise, an error code is returned, and Globus GSI Cert Utils functions should not be subsequently called. This function may be called multiple times.

To deactivate Globus GSI Cert Utils, the following function must be called:

```
globus_module_deactivate(GLOBUS_GSI_CERT_UTILS_MODULE)
```

This function should be called once for each time Globus GSI Cert Utils was activated.

### 3.1.2 De ne Documentation

#### 3.1.2.1 #de ne GLOBUS\_GSI\_CERT\_UTILS\_MODULE

Module descriptor.

## 3.2 Cert Utils Functions

A generic set of utility functions for manipulating OpenSSL objects, such as X509 certificates.

Convert ASN1\_UTCTIME to time\_t

- globus\_result\_t [globus\\_gsi\\_cert\\_utils\\_make\\_time](#)(ASN1\_UTCTIME ctm, time\_t newtime)

Get the X509 certificate type (EEC, CA, proxy type, etc.)

- globus\_result\_t [globus\\_gsi\\_cert\\_utils\\_get\\_cert\\_type](#)(X509 cert, globus\_gsi\_cert\_utils\_cert\_type\_t type)

Get the certificate name

- globus\_result\_t [globus\\_gsi\\_cert\\_utils\\_get\\_x509\\_name](#)(char subject\_string, int length, X509\_NAME\* x509\_name)

Get the base certificate name

- globus\_result\_t [globus\\_gsi\\_cert\\_utils\\_get\\_base\\_name](#)(X509\_NAME subject, STACK\_OF(X509) cert\_chain)

Functions

- globus\_result\_t [globus\\_gsi\\_cert\\_utils\\_get\\_ecc](#)(STACK\_OF(X509) cert\_chain, X509\_ecc)

### 3.2.1 Detailed Description

A generic set of utility functions for manipulating OpenSSL objects, such as X509 certificates.

## 3.2.2 Function Documentation

3.2.2.1 `globus_result_t globus_gsi_cert_utils_make_time (ASN1_UTCTIME ctm, time_t newtime)`

Convert a ASN1\_UTCTIME structure to a time\_t.

Parameters:

ctm The ASN1\_UTCTIME to convert  
newtime The converted time

Returns:

GLOBUS\_SUCCESS or an error captured in a globus\_result\_t

3.2.2.2 `globus_result_t globus_gsi_cert_utils_get_cert_type (X509 cert, globus_gsi_cert_utils_cert_type_t type)`

Determine the type of the given X509 certificate For the list of possible values returned, see globus\_gsi\_cert\_utils\_cert\_type\_t.

Parameters:

cert The X509 certificate  
type The returned X509 certificate type

Returns:

GLOBUS\_SUCCESS or an error captured in a globus\_result\_t

3.2.2.3 `globus_result_t globus_gsi_cert_utils_get_x509_name (char subject_string int length, X509_NAME x509_name)`

Get the X509\_NAME from a subject string.

OpenSSL doesn't provide this function, probably because it shouldn't be used. If you are getting an X509\_NAME from just a string, it's impossible to verify its integrity.

Parameters:

subject\_string The subject in the format: "/O=Grid/OU=..."  
length The length of the subject string  
x509\_name The resulting X509\_NAME object

Returns:

GLOBUS\_SUCCESS unless an error occurred, in which case, a globus error object ID is returned

3.2.2.4 `globus_result_t globus_gsi_cert_utils_get_base_name (X509_NAME subject STACK_OF(X509) cert_chain)`

Get the base name of a proxy certificate.

Given an X509 name, strip off the proxy related /CN components to get the base name of the certificate's subject

Parameters:

subject Pointer to an X509\_NAME object which gets stripped

`cert_chain` The certificate chain used to detect the number of CNs to strip. This is done by figuring out the number of proxies in the chain.

Returns:

`GLOBUS_SUCCESS`

3.2.2.5 `globus_result_t globus_gsi_cert_utils_get_eec (STACK_OF(X509) cert_chain, X509 * eec)`

Get the end-entity certificate associated with a certificate chain.

Parameters:

`cert_chain` Certificate chain to inspect.

`eec` Pointer to be set to the EEC value from within the cert chain. Must freed by the caller.

### 3.3 Cert Utils Constants

Typedefs

- typedef enum `globus_gsi_cert_utils_cert_type` `globus_gsi_cert_utils_cert_type_t`

Enumerations

- enum `globus_gsi_cert_utils_error_t`
  - `GLOBUS_GSI_CERT_UTILS_ERROR_SUCCESS` 0,
  - `GLOBUS_GSI_CERT_UTILS_ERROR_GETTING_NAME_ENTRY_OF_SUBJECT` 1,
  - `GLOBUS_GSI_CERT_UTILS_ERROR_COPYING_SUBJECT` 2,
  - `GLOBUS_GSI_CERT_UTILS_ERROR_GETTING_CN_ENTRY` 3,
  - `GLOBUS_GSI_CERT_UTILS_ERROR_ADDING_CN_TO_SUBJECT` 4,
  - `GLOBUS_GSI_CERT_UTILS_ERROR_OUT_OF_MEMORY` 5,
  - `GLOBUS_GSI_CERT_UTILS_ERROR_UNEXPECTED_FORMAT` 6,
  - `GLOBUS_GSI_CERT_UTILS_ERROR_NON_COMPLIANT_PROXY` 7,
  - `GLOBUS_GSI_CERT_UTILS_ERROR_DETERMINING_CERT_TYPE` 8,
  - `GLOBUS_GSI_CERT_UTILS_ERROR_LAST` 9 }
- enum `globus_gsi_cert_utils_cert_type_t`
  - `GLOBUS_GSI_CERT_UTILS_TYPE_DEFAULT` 0,
  - `GLOBUS_GSI_CERT_UTILS_TYPE_EEC` (1 << 0),
  - `GLOBUS_GSI_CERT_UTILS_TYPE_CA` (1 << 1),
  - `GLOBUS_GSI_CERT_UTILS_TYPE_GSI_2` (1 << 2),
  - `GLOBUS_GSI_CERT_UTILS_TYPE_GSI_3` (1 << 3),
  - `GLOBUS_GSI_CERT_UTILS_TYPE_RFC` (1 << 4),
  - `GLOBUS_GSI_CERT_UTILS_TYPE_FORMAT_MASK`
  - `GLOBUS_GSI_CERT_UTILS_TYPE_IMPERSONATION_PROXY` (1 << 5),
  - `GLOBUS_GSI_CERT_UTILS_TYPE_LIMITED_PROXY` (1 << 6),
  - `GLOBUS_GSI_CERT_UTILS_TYPE_RESTRICTED_PROXY` (1 << 7),

```

GLOBUS_GSI_CERT_UTILS_TYPE_INDEPENDENT_PROXY(1 << 8),
GLOBUS_GSI_CERT_UTILS_TYPE_PROXY_MASK
GLOBUS_GSI_CERT_UTILS_TYPE_GSI_3_IMPERSONATION_PROXY
GLOBUS_GSI_CERT_UTILS_TYPE_GSI_3_INDEPENDENT_PROXY
GLOBUS_GSI_CERT_UTILS_TYPE_GSI_3_LIMITED_PROXY
GLOBUS_GSI_CERT_UTILS_TYPE_GSI_3_RESTRICTED_PROXY
GLOBUS_GSI_CERT_UTILS_TYPE_GSI_2_PROXY
GLOBUS_GSI_CERT_UTILS_TYPE_GSI_2_LIMITED_PROXY
GLOBUS_GSI_CERT_UTILS_TYPE_RFC_IMPERSONATION_PROXY
GLOBUS_GSI_CERT_UTILS_TYPE_RFC_INDEPENDENT_PROXY
GLOBUS_GSI_CERT_UTILS_TYPE_RFC_LIMITED_PROXY
GLOBUS_GSI_CERT_UTILS_TYPE_RFC_RESTRICTED_PROXY

```

### 3.3.1 Typedef Documentation

#### 3.3.1.1 typedef enum globus\_gsi\_cert\_utils\_cert\_type globus\_gsi\_cert\_utils\_cert\_type\_t

Certificate Types.

These certificate types are used to describe some properties of a certificate and to specify what type of proxy should be generated in the proxy core code. There are two non-proxy types of certificates understood by Globus: EEC (End-Entity Certificate) and CA (Certificate Authority Certificates), three proxy formats (GSI 2 "legacy" proxies, GSI 3 "Draft" proxies, and RFC 3820-compliant proxies), and four types of proxy (limited, impersonation "full", restricted, and independent). The latter two types are not expressible in the GSI 2 format.

In addition to enumerations for the concrete renderings of certificate format and type combined, there are default, formats-without-types and types-without-formats so that application logic which uses the proxy library can request default proxy formats which are compatible with the issuing certificate.

### 3.3.2 Enumeration Type Documentation

#### 3.3.2.1 enum globus\_gsi\_cert\_utils\_error\_t

Cert Utils Error Codes.

Enumeration values:

```

GLOBUS_GSI_CERT_UTILS_ERROR_SUCCESS Success - never used.
GLOBUS_GSI_CERT_UTILS_ERROR_GETTING_NAME_ENTRY_OF_SUBJECT Failed to retrieve a
    subcomponent of the subject.
GLOBUS_GSI_CERT_UTILS_ERROR_COPYING_SUBJECT A error occurred while trying to copy a X.509
    subject.
GLOBUS_GSI_CERT_UTILS_ERROR_GETTING_CN_ENTRY Failed to retrieve a CN subcomponent of
    the subject.
GLOBUS_GSI_CERT_UTILS_ERROR_ADDING_CN_TO_SUBJECT Failed to add a CN component to a
    X.509 subject name.
GLOBUS_GSI_CERT_UTILS_ERROR_OUT_OF_MEMORY Out of memory.
GLOBUS_GSI_CERT_UTILS_ERROR_UNEXPECTED_FORMATS Something unexpected happen while
    converting a string subject to a X509_NAME structure.

```

GLOBALBUS\_GSI\_CERT\_UTILS\_ERROR\_NON\_COMPLIANT\_PROXY Proxy does not comply with the expected format.

GLOBALBUS\_GSI\_CERT\_UTILS\_ERROR\_DETERMINING\_CERT\_TYPE Couldn't determine the certificate type.

GLOBALBUS\_GSI\_CERT\_UTILS\_ERROR\_LAST Last marker - never used.

### 3.3.2.2 enum [globus\\_gsi\\_cert\\_utils\\_cert\\_type\\_e](#)

Certificate Types.

These certificate types are used to describe some properties of a certificate and to specify what type of proxy should be generated in the proxy core code. There are two non-proxy types of certificates understood by Globus: EEC (End-Entity Certificate) and CA (Certificate Authority Certificates), three proxy formats (GSI 2 "legacy" proxies, GSI 3 "Draft" proxies, and RFC 3820-compliant proxies), and four types of proxy (limited, impersonation "full", restricted, and independent). The latter two types are not expressible in the GSI 2 format.

In addition to enumerations for the concrete renderings of certificate format and type combined, there are default, formats-without-types and types-without-formats so that application logic which uses the proxy library can request default proxy formats which are compatible with the issuing certificate.

Enumeration values:

GLOBALBUS\_GSI\_CERT\_UTILS\_TYPE\_DEFAULT Default proxy type.

GLOBALBUS\_GSI\_CERT\_UTILS\_TYPE\_EECA end entity certificate.

GLOBALBUS\_GSI\_CERT\_UTILS\_TYPE\_CAA CA certificate.

GLOBALBUS\_GSI\_CERT\_UTILS\_TYPE\_GSI\_2 Legacy Proxy Format.

GLOBALBUS\_GSI\_CERT\_UTILS\_TYPE\_GSI\_3 X.509 Proxy Certificate Profile (draft) Proxy Format.

GLOBALBUS\_GSI\_CERT\_UTILS\_TYPE\_RFC X.509 Proxy Certificate Profile Compliant Proxy Format.

GLOBALBUS\_GSI\_CERT\_UTILS\_TYPE\_FORMAT\_MASK Proxy certificate formats mask.

GLOBALBUS\_GSI\_CERT\_UTILS\_TYPE\_IMPERSONATION\_PROXY Impersonation proxy type.

GLOBALBUS\_GSI\_CERT\_UTILS\_TYPE\_LIMITED\_PROXY Limited proxy type.

GLOBALBUS\_GSI\_CERT\_UTILS\_TYPE\_RESTRICTED\_PROXY Restricted proxy type.

GLOBALBUS\_GSI\_CERT\_UTILS\_TYPE\_INDEPENDENT\_PROXY Independent proxy type.

GLOBALBUS\_GSI\_CERT\_UTILS\_TYPE\_PROXY\_MASK Proxy types mask.

GLOBALBUS\_GSI\_CERT\_UTILS\_TYPE\_GSI\_3\_IMPERSONATION\_PROXY X.509 Proxy Certificate Profile (pre-RFC) compliant impersonation proxy.

GLOBALBUS\_GSI\_CERT\_UTILS\_TYPE\_GSI\_3\_INDEPENDENT\_PROXY X.509 Proxy Certificate Profile (pre-RFC) compliant independent proxy.

GLOBALBUS\_GSI\_CERT\_UTILS\_TYPE\_GSI\_3\_LIMITED\_PROXY X.509 Proxy Certificate Profile (pre-RFC) compliant limited proxy.

GLOBALBUS\_GSI\_CERT\_UTILS\_TYPE\_GSI\_3\_RESTRICTED\_PROXY X.509 Proxy Certificate Profile (pre-RFC) compliant restricted proxy.

GLOBALBUS\_GSI\_CERT\_UTILS\_TYPE\_GSI\_2\_PROXY legacy Globus impersonation proxy.

GLOBALBUS\_GSI\_CERT\_UTILS\_TYPE\_GSI\_2\_LIMITED\_PROXY legacy Globus limited impersonation proxy.

GLOBALBUS\_GSI\_CERT\_UTILS\_TYPE\_RFC\_IMPERSONATION\_PROXY X.509 Proxy Certificate Profile RFC compliant impersonation proxy.

GLOBALBUS\_GSI\_CERT\_UTILS\_TYPE\_RFC\_INDEPENDENT\_PROXY X.509 Proxy Certificate Profile RFC compliant independent proxy.

GLOBUS\_GSI\_CERT\_UTILS\_TYPE\_RFC\_LIMITED\_PROXY X.509 Proxy Certificate Profile RFC compliant limited proxy.

GLOBUS\_GSI\_CERT\_UTILS\_TYPE\_RFC\_RESTRICTED\_PROXY X.509 Proxy Certificate Profile RFC compliant restricted proxy.



# Index

Activation, [1](#)

Cert Utils Constants, [4](#)

Cert Utils Functions, [2](#)

globus\_gsi\_cert\_utils

globus\_gsi\_cert\_utils\_get\_base\_name, [6](#)

globus\_gsi\_cert\_utils\_get\_cert\_type, [2](#)

globus\_gsi\_cert\_utils\_get\_eec, [6](#)

globus\_gsi\_cert\_utils\_get\_x509\_name, [6](#)

globus\_gsi\_cert\_utils\_make\_time, [6](#)

globus\_gsi\_cert\_utils\_activation

GLOBUS\_GSI\_CERT\_UTILS\_MODULE, [2](#)

globus\_gsi\_cert\_utils\_cert\_type\_e

globus\_gsi\_cert\_utils\_constants, [6](#)

globus\_gsi\_cert\_utils\_cert\_type\_t

globus\_gsi\_cert\_utils\_constants, [5](#)

globus\_gsi\_cert\_utils\_constants

GLOBUS\_GSI\_CERT\_UTILS\_ERROR\_-

ADDING\_CN\_TO\_SUBJECT, [5](#)

GLOBUS\_GSI\_CERT\_UTILS\_ERROR\_-

COPYING\_SUBJECT, [5](#)

GLOBUS\_GSI\_CERT\_UTILS\_ERROR\_-

DETERMINING\_CERT\_TYPE, [6](#)

GLOBUS\_GSI\_CERT\_UTILS\_ERROR\_-

GETTING\_CN\_ENTRY, [5](#)

GLOBUS\_GSI\_CERT\_UTILS\_ERROR\_-

GETTING\_NAME\_ENTRY\_OF\_-

SUBJECT, [5](#)

GLOBUS\_GSI\_CERT\_UTILS\_ERROR\_LAST, [6](#)

GLOBUS\_GSI\_CERT\_UTILS\_ERROR\_NON\_-

COMPLIANT\_PROXY, [5](#)

GLOBUS\_GSI\_CERT\_UTILS\_ERROR\_OUT\_-

OF\_MEMORY, [5](#)

GLOBUS\_GSI\_CERT\_UTILS\_ERROR\_-

SUCCESS, [5](#)

GLOBUS\_GSI\_CERT\_UTILS\_ERROR\_-

UNEXPECTED\_FORMAT, [5](#)

GLOBUS\_GSI\_CERT\_UTILS\_TYPE\_CA, [6](#)

GLOBUS\_GSI\_CERT\_UTILS\_TYPE\_-

DEFAULT, [6](#)

GLOBUS\_GSI\_CERT\_UTILS\_TYPE\_EEC, [6](#)

GLOBUS\_GSI\_CERT\_UTILS\_TYPE\_-

FORMAT\_MASK, [6](#)

GLOBUS\_GSI\_CERT\_UTILS\_TYPE\_GSI\_0, [6](#)

GLOBUS\_GSI\_CERT\_UTILS\_TYPE\_GSI\_2\_-

LIMITED\_PROXY, [6](#)

GLOBUS\_GSI\_CERT\_UTILS\_TYPE\_GSI\_2\_-

PROXY, [6](#)

GLOBUS\_GSI\_CERT\_UTILS\_TYPE\_GSI\_6, [6](#)

GLOBUS\_GSI\_CERT\_UTILS\_TYPE\_GSI\_3\_-

IMPERSONATION\_PROXY, [6](#)

GLOBUS\_GSI\_CERT\_UTILS\_TYPE\_GSI\_3\_-

INDEPENDENT\_PROXY, [6](#)

GLOBUS\_GSI\_CERT\_UTILS\_TYPE\_GSI\_3\_-

LIMITED\_PROXY, [6](#)

GLOBUS\_GSI\_CERT\_UTILS\_TYPE\_GSI\_3\_-

RESTRICTED\_PROXY, [6](#)

GLOBUS\_GSI\_CERT\_UTILS\_TYPE\_-

IMPERSONATION\_PROXY, [6](#)

GLOBUS\_GSI\_CERT\_UTILS\_TYPE\_-

INDEPENDENT\_PROXY, [6](#)

GLOBUS\_GSI\_CERT\_UTILS\_TYPE\_-

LIMITED\_PROXY, [6](#)

GLOBUS\_GSI\_CERT\_UTILS\_TYPE\_-

PROXY\_MASK, [6](#)

GLOBUS\_GSI\_CERT\_UTILS\_TYPE\_-

RESTRICTED\_PROXY, [6](#)

GLOBUS\_GSI\_CERT\_UTILS\_TYPE\_RFC, [6](#)

GLOBUS\_GSI\_CERT\_UTILS\_TYPE\_RFC\_-

IMPERSONATION\_PROXY, [6](#)

GLOBUS\_GSI\_CERT\_UTILS\_TYPE\_RFC\_-

INDEPENDENT\_PROXY, [6](#)

GLOBUS\_GSI\_CERT\_UTILS\_TYPE\_RFC\_-

LIMITED\_PROXY, [6](#)

GLOBUS\_GSI\_CERT\_UTILS\_TYPE\_RFC\_-

RESTRICTED\_PROXY, [7](#)

globus\_gsi\_cert\_utils\_constants

globus\_gsi\_cert\_utils\_cert\_type, [6](#)

globus\_gsi\_cert\_utils\_cert\_type, [5](#)

globus\_gsi\_cert\_utils\_error, [5](#)

GLOBUS\_GSI\_CERT\_UTILS\_ERROR\_ADDING\_-

CN\_TO\_SUBJECT

globus\_gsi\_cert\_utils\_constants, [5](#)

GLOBUS\_GSI\_CERT\_UTILS\_ERROR\_-

COPYING\_SUBJECT

globus\_gsi\_cert\_utils\_constants, [5](#)

GLOBUS\_GSI\_CERT\_UTILS\_ERROR\_-

DETERMINING\_CERT\_TYPE

globus\_gsi\_cert\_utils\_constants, [6](#)

GLOBUS\_GSI\_CERT\_UTILS\_ERROR\_-

GETTING\_CN\_ENTRY

globus\_gsi\_cert\_utils\_constants, [5](#)

GLOBUS\_GSI\_CERT\_UTILS\_ERROR\_-

GETTING\_NAME\_ENTRY\_OF\_-

SUBJECT

globus\_gsi\_cert\_utils\_constants, [5](#)

GLOBUS\_GSI\_CERT\_UTILS\_ERROR\_LAST

globus\_gsi\_cert\_utils\_constants, [6](#)

GLOBUS\_GSI\_CERT\_UTILS\_ERROR\_NON\_-

COMPLIANT\_PROXY  
 globus\_gsi\_cert\_utils\_constants, [fs](#)  
 GLOBUS\_GSI\_CERT\_UTILS\_ERROR\_OUT\_OF\_MEMORY  
 globus\_gsi\_cert\_utils\_constants, [fs](#)  
 GLOBUS\_GSI\_CERT\_UTILS\_ERROR\_SUCCESS  
 globus\_gsi\_cert\_utils\_constants, [fs](#)  
 globus\_gsi\_cert\_utils\_error\_t  
 globus\_gsi\_cert\_utils\_constants, [fs](#)  
 GLOBUS\_GSI\_CERT\_UTILS\_ERROR\_UNEXPECTED\_FORMAT  
 globus\_gsi\_cert\_utils\_constants, [fs](#)  
 globus\_gsi\_cert\_utils\_get\_base\_name  
 globus\_gsi\_cert\_utils, [s3](#)  
 globus\_gsi\_cert\_utils\_get\_cert\_type  
 globus\_gsi\_cert\_utils, [s3](#)  
 globus\_gsi\_cert\_utils\_get\_eec  
 globus\_gsi\_cert\_utils, [s4](#)  
 globus\_gsi\_cert\_utils\_get\_x509\_name  
 globus\_gsi\_cert\_utils, [s3](#)  
 globus\_gsi\_cert\_utils\_make\_time  
 globus\_gsi\_cert\_utils, [s3](#)  
 GLOBUS\_GSI\_CERT\_UTILS\_MODULE  
 globus\_gsi\_cert\_utils\_activation, [a](#)  
 GLOBUS\_GSI\_CERT\_UTILS\_TYPE\_CA  
 globus\_gsi\_cert\_utils\_constants, [fs](#)  
 GLOBUS\_GSI\_CERT\_UTILS\_TYPE\_DEFAULT  
 globus\_gsi\_cert\_utils\_constants, [fs](#)  
 GLOBUS\_GSI\_CERT\_UTILS\_TYPE\_EEC  
 globus\_gsi\_cert\_utils\_constants, [fs](#)  
 GLOBUS\_GSI\_CERT\_UTILS\_TYPE\_FORMAT\_MASK  
 globus\_gsi\_cert\_utils\_constants, [fs](#)  
 GLOBUS\_GSI\_CERT\_UTILS\_TYPE\_GSI\_2  
 globus\_gsi\_cert\_utils\_constants, [fs](#)  
 GLOBUS\_GSI\_CERT\_UTILS\_TYPE\_GSI\_2\_LIMITED\_PROXY  
 globus\_gsi\_cert\_utils\_constants, [fs](#)  
 GLOBUS\_GSI\_CERT\_UTILS\_TYPE\_GSI\_2\_PROXY  
 globus\_gsi\_cert\_utils\_constants, [fs](#)  
 GLOBUS\_GSI\_CERT\_UTILS\_TYPE\_GSI\_3  
 globus\_gsi\_cert\_utils\_constants, [fs](#)  
 GLOBUS\_GSI\_CERT\_UTILS\_TYPE\_GSI\_3\_IMPERSONATION\_PROXY  
 globus\_gsi\_cert\_utils\_constants, [fs](#)  
 GLOBUS\_GSI\_CERT\_UTILS\_TYPE\_GSI\_3\_INDEPENDENT\_PROXY  
 globus\_gsi\_cert\_utils\_constants, [fs](#)  
 GLOBUS\_GSI\_CERT\_UTILS\_TYPE\_GSI\_3\_LIMITED\_PROXY  
 globus\_gsi\_cert\_utils\_constants, [fs](#)  
 GLOBUS\_GSI\_CERT\_UTILS\_TYPE\_GSI\_3\_RESTRICTED\_PROXY  
 globus\_gsi\_cert\_utils\_constants, [fs](#)  
 RESTRICTED\_PROXY  
 globus\_gsi\_cert\_utils\_constants, [fs](#)  
 GLOBUS\_GSI\_CERT\_UTILS\_TYPE\_IMPERSONATION\_PROXY  
 globus\_gsi\_cert\_utils\_constants, [fs](#)  
 GLOBUS\_GSI\_CERT\_UTILS\_TYPE\_INDEPENDENT\_PROXY  
 globus\_gsi\_cert\_utils\_constants, [fs](#)  
 GLOBUS\_GSI\_CERT\_UTILS\_TYPE\_LIMITED\_PROXY  
 globus\_gsi\_cert\_utils\_constants, [fs](#)  
 GLOBUS\_GSI\_CERT\_UTILS\_TYPE\_PROXY\_MASK  
 globus\_gsi\_cert\_utils\_constants, [fs](#)  
 GLOBUS\_GSI\_CERT\_UTILS\_TYPE\_RESTRICTED\_PROXY  
 globus\_gsi\_cert\_utils\_constants, [fs](#)  
 GLOBUS\_GSI\_CERT\_UTILS\_TYPE\_RFC  
 globus\_gsi\_cert\_utils\_constants, [fs](#)  
 GLOBUS\_GSI\_CERT\_UTILS\_TYPE\_RFC\_IMPERSONATION\_PROXY  
 globus\_gsi\_cert\_utils\_constants, [fs](#)  
 GLOBUS\_GSI\_CERT\_UTILS\_TYPE\_RFC\_INDEPENDENT\_PROXY  
 globus\_gsi\_cert\_utils\_constants, [fs](#)  
 GLOBUS\_GSI\_CERT\_UTILS\_TYPE\_RFC\_LIMITED\_PROXY  
 globus\_gsi\_cert\_utils\_constants, [fs](#)  
 GLOBUS\_GSI\_CERT\_UTILS\_TYPE\_RFC\_RESTRICTED\_PROXY  
 globus\_gsi\_cert\_utils\_constants, [fs](#)  
 globus\_gsi\_cert\_utils\_constants, [fs](#)