

globus authz

0.7

Generated by Doxygen 1.5.9

Thu May 20 16:33:37 2010

# Contents

<b>1</b>	<b>Module Index</b>	<b>1</b>
1.1	Modules . . . . .	1
<b>2</b>	<b>Module Documentation</b>	<b>1</b>
2.1	GSI Authorization API . . . . .	1
2.1.1	Function Documentation . . . . .	2
2.2	GSI Credential Constants . . . . .	3
2.2.1	Enumeration Type Documentation . . . . .	3

## 1 Module Index

### 1.1 Modules

Here is a list of all modules:

<b>GSI Authorization API</b>	<b>1</b>
<b>GSI Credential Constants</b>	<b>3</b>

## 2 Module Documentation

### 2.1 GSI Authorization API

#### Initialize Handle

- globus\_result\_t [globus\\_gsi\\_authz\\_handle\\_init](#) (globus\_gsi\_authz\_handle\_t \*handle, const char \*service\_name, const gss\_ctx\_id\_t context, globus\_gsi\_authz\_cb\_t callback, void \*callback\_arg)

#### Authorization decision made here

- globus\_result\_t [globus\\_gsi\\_authorize](#) (globus\_gsi\_authz\_handle\_t handle, const void \*action, const void \*object, globus\_gsi\_authz\_cb\_t callback, void \*callback\_arg)

#### Destroy Handle

- globus\_result\_t [globus\\_gsi\\_authz\\_handle\\_destroy](#) (globus\_gsi\_authz\_handle\_t handle, globus\_gsi\_authz\_cb\_t callback, void \*callback\_arg)

#### Query for authorization identity

- globus\_result\_t [globus\\_gsi\\_authz\\_get\\_authorization\\_identity](#) (globus\_gsi\_authz\_handle\_t handle, char \*\*identity\_ptr, globus\_gsi\_authz\_cb\_t callback, void \*callback\_arg)

## 2.1.1 Function Documentation

**2.1.1.1** `globus_result_t globus_gsi_authz_handle_init (globus_gsi_authz_handle_t * handle, const char * service_name, const gss_ctx_id_t context, globus_gsi_authz_cb_t callback, void * callback_arg)`

Initializes a handle.

### Parameters:

*handle* Pointer to the handle that is to be initialized  
*service\_name* Service to authorize access to  
*context* Security context used to contact the service  
*callback* Callback function to call when authz handle init completes  
*callback\_arg* Argument to callback function

### Returns:

GLOBUS\_SUCCESS if successful A Globus error object on failure:

**2.1.1.2** `globus_result_t globus_gsi_authorize (globus_gsi_authz_handle_t handle, const void * action, const void * object, globus_gsi_authz_cb_t callback, void * callback_arg)`

Authorization decision made here.

### Parameters:

*handle* Pointer to the handle that is to be initialized  
*action* Action to authorize  
*object* Object that the action pertains to.  
*callback* Callback function to call when authorization completes  
*callback\_arg* Argument to callback function

### Returns:

GLOBUS\_SUCCESS if successful A Globus error object on failure:

**2.1.1.3** `globus_result_t globus_gsi_authz_handle_destroy (globus_gsi_authz_handle_t handle, globus_gsi_authz_cb_t callback, void * callback_arg)`

Destroy a Globus GSI authz handle.

### Parameters:

*handle* The handle that is to be destroyed  
*callback* Callback function to call when handle is destroyed  
*callback\_arg* Argument to callback function

### Returns:

GLOBUS\_SUCCESS

**2.1.1.4** `globus_result_t globus_gsi_authz_get_authorization_identity (globus_gsi_authz_handle_t handle, char ** identity_ptr, globus_gsi_authz_cb_t callback, void * callback_arg)`

Query for authorization identity.

**Parameters:**

*handle* The handle that is to be used for the identity check.

*identity\_ptr* The authorization identity determined by the authorization handle. This is must be freed by the caller. If the value is NULL (and this function returned GLOBUS\_SUCCESS), the caller should use the authenticated identity.

*callback* Callback function to call when identity is determined.

*callback\_arg* Argument to callback function.

**Returns:**

GLOBUS\_SUCCESS

## 2.2 GSI Credential Constants

**Enumerations**

- enum `globus_gsi_authz_error_t` {  
    GLOBUS\_GSI\_AUTHZ\_ERROR\_SUCCESS = 0,  
    GLOBUS\_GSI\_AUTHZ\_ERROR\_ERRNO = 1,  
    GLOBUS\_GSI\_AUTHZ\_ERROR\_BAD\_PARAMETER = 2,  
    GLOBUS\_GSI\_AUTHZ\_ERROR\_CALLOUT = 3 }

### 2.2.1 Enumeration Type Documentation

#### 2.2.1.1 enum `globus_gsi_authz_error_t`

GSI Authz Error codes.

**Enumerator:**

**GLOBUS\_GSI\_AUTHZ\_ERROR\_SUCCESS** Success.

**GLOBUS\_GSI\_AUTHZ\_ERROR\_ERRNO** Error with system call.

**GLOBUS\_GSI\_AUTHZ\_ERROR\_BAD\_PARAMETER** Invalid parameter.

**GLOBUS\_GSI\_AUTHZ\_ERROR\_CALLOUT** Callout returned an error.

## Index

- globus\_gsi\_authz\_constants
  - GLOBUS\_GSI\_AUTHZ\_ERROR\_BAD\_-  
PARAMETER, [3](#)
  - GLOBUS\_GSI\_AUTHZ\_ERROR\_CALLOUT, [3](#)
  - GLOBUS\_GSI\_AUTHZ\_ERROR\_ERRNO, [3](#)
  - GLOBUS\_GSI\_AUTHZ\_ERROR\_SUCCESS, [3](#)
- GLOBUS\_GSI\_AUTHZ\_ERROR\_BAD\_-  
PARAMETER
  - globus\_gsi\_authz\_constants, [3](#)
- GLOBUS\_GSI\_AUTHZ\_ERROR\_CALLOUT
  - globus\_gsi\_authz\_constants, [3](#)
- GLOBUS\_GSI\_AUTHZ\_ERROR\_ERRNO
  - globus\_gsi\_authz\_constants, [3](#)
- GLOBUS\_GSI\_AUTHZ\_ERROR\_SUCCESS
  - globus\_gsi\_authz\_constants, [3](#)
- globus\_gsi\_authorize
  - globus\_gsi\_authz, [2](#)
- globus\_gsi\_authz
  - globus\_gsi\_authorize, [2](#)
  - globus\_gsi\_authz\_get\_authorization\_identity, [2](#)
  - globus\_gsi\_authz\_handle\_destroy, [2](#)
  - globus\_gsi\_authz\_handle\_init, [1](#)
- globus\_gsi\_authz\_constants
  - globus\_gsi\_authz\_error\_t, [3](#)
- globus\_gsi\_authz\_error\_t
  - globus\_gsi\_authz\_constants, [3](#)
- globus\_gsi\_authz\_get\_authorization\_identity
  - globus\_gsi\_authz, [2](#)
- globus\_gsi\_authz\_handle\_destroy
  - globus\_gsi\_authz, [2](#)
- globus\_gsi\_authz\_handle\_init
  - globus\_gsi\_authz, [1](#)
- GSI Authorization API, [1](#)
- GSI Credential Constants, [3](#)