



Nordic Testbed for Wide Area Computing And Data Handling

23/3/2004

THE HTTP(S,G) AND SOAP SERVER/Framework

*Code and Usage Description**

A.Konstantinov

*Comments to: aleks@fys.uio.no

Contents

1	Introduction	4
2	Classes	4
2.1	HTTPS_Connector	4
2.2	HTTP_Service	5
2.3	HTTP_ServiceAdv	6
2.4	HTTP_Client	8
2.5	HTTP_ClientSOAP	8
3	Server	8
3.1	Overview	8
3.2	Configuration	8
3.3	Logger Service	9
3.4	Storage Element (SE) Service	10
4	Building	10

1 Introduction

THE HTTP(S,G) AND SOAP FRAMEWORK

The HTTP SOAP framework (httpsd) is a set of C++ classes and code to make it easier to write SOAP over HTTP over GSI or SSL services. Pure HTTP is also possible. It also includes HTTP(S,G) server.

The code is provided as part of NorduGrid ARC software and uses some shared pieces of code, including third-party software. It can be obtained from <http://ftp.nordugrid.org/download/> by downloading source. Third-party software include Globus ToolkitTM[1], gSOAP[2], VOMS and GACL (last 2 are included in sources).

The code builds into standalone server which listens on 2 TCP/IP ports for incoming connections and understands subset of HTTP wrapped with GSI or SSL. There are plans to add support for plain HTTP.

There are following C++ classes available:

- Server side:
 - HTTPS_Connector,
 - HTTP_Service,
 - HTTP_ServiceAdv.
- Client side
 - HTTP_Client
 - HTTP_ClientSOAP

2 Classes

2.1 HTTPS_Connector

Defined in httpsd.h

```
class HTTPS_Connector {
public:
    unsigned int pid;
    HTTPS_Connector(globus_io_handle_t *s,const char* url,HTTP_Services& serv,list
<AuthEvaluator*>& auths);
    ~HTTPS_Connector(void);
    operator bool(void);
    size_t read(char* buf, size_t l);
    int write(const char* buf, size_t l);
    size_t readline(char* buf, size_t l);
    void loop(void);
    static void identity(globus_io_handle_t* handle,const char* subject,gss_cred_id_t cred);
    const char* identity_subject(void) const;
    const char* identity_proxy(void) const;
    AuthUser& identity(void);
    list<AuthEvaluator*>& authorizations(void);
    const char* url(void);
};
```

It's purpose is to serve as a socket for accepting data from a client and to send a response from a server. It is implemented as a wrapper over globus_io functions from Globus ToolkitTM libraries and takes care of encoding/decoding data automatically.

size_t HTTPS_Connector::read(char* buf, size_t l)

Reads at most **l** bytes into buffer **buf**. Returns number of read bytes. Returned 0 means it could not read data. This most probably happens due to closed connection.

int HTTPS_Connector::write(const char* buf, size_t l)

Sends *l* bytes from buffer *buf* to network. Returns either 0 if data is sent or 1 otherwise.

size_t HTTPS_Connector::readline(char* buf, size_t l)

Reads line delimited by '\n' character. Characters '\n' and '\r' at end of line are stripped. Returns number of read characters.

void HTTPS_Connector::loop(void)

Waits for a HTTP request coming from the open connection, initiates an instance of requested service and call corresponding methods. Exits after connection is closed.

Useful functions

Following functions return 0 in case of success and 1 otherwise.

int skip_request(HTTPS_Connector &c, int &keep_alive) - reads and skips HTTP header and message body (if available). Variable *keep_alive* will be reset to 0 if information in header does not allow connection to continue.

int skip_header(HTTPS_Connector &c, int &keep_alive) - skips HTTP header. Support for *keep_alive* currently is not implemented.

int send_response_header(HTTPS_Connector &c, int keep_alive, int code, char type, int size)* - creates and sends response HTTP header including first line with response code provided in variable *code*. Variables *type* (if not NULL) and *size* (if not 0) are used to specify Content-Type and Content-Length accordingly. *keep_alive* informs client if server is willing to keep connection open.

int send_file(const char fname, HTTPS_Connector &c)* - sends content of file named *fname* over open connection. Currently it is used to send error responses which contain user-readable information. But together with *send_response_header* and *stat_file* it can be used to implement minimalistic web server.

int stat_file(const char fname, unsigned long long int &size)* - checks for existence of file *fname* and obtains its size.

int send_error_response(HTTPS_Connector &c, int keep_alive, int code, char type, char* content)* - sends response header containing response code *code* with Content-Type set to *type* and with body containing message in *content*. If *content* is NULL then file with name \$NORDUGRID_LOCATION/share/error{value of *code*}.html is used for message body. Otherwise message is sent without body.

2.2 HTTP_Service

Defined in `httpsd.h`

```
class HTTP_Service {
public:
    HTTP_Service(void);
    virtual ~HTTP_Service(void);
    virtual HTTP_Error get(const char* uri, int &keep_alive);
    virtual HTTP_Error put(const char* uri, int &keep_alive);
    virtual HTTP_Error post(const char* uri, int &keep_alive);
};
typedef enum {
    HTTP_OK = 200,
    HTTP_NOT_IMPLEMENTED = 501,
    HTTP_NOT_ALLOWED = 403,
    HTTP_NOT_FOUND = 404,
    HTTP_ERROR = 500,
    HTTP_FAILURE = -1
} HTTP_Error;
```

This is just a template for every service *instance* accessible through the `HTTP_Connector`. All functions return `HTTP_NOT_IMPL`

Implemented services must return HTTP_OK on success. Service is supposed to process and skip whole request (header and body) if it does not return HTTP_NOT_IMPLEMENTED or HTTP_NOT_FOUND. Otherwise calling HTTP_Connector will do that. Also service is supposed to send response to client by itself if it returned HTTP_OK or HTTP_FAILURE.

Following are function prototypes which are called by server code to configure aerver and to create service instance. Each service must have corresponding set of such functions.

```
typedef bool (*service_configurator)(istream& f, const char* uri, HTTP_Service_Properties &prop);
typedef HTTP_Service* (*service_creator)(HTTPS_Connector& c, const char* uri, void* arg);
class HTTP_Service_Properties {
public:
    bool subtree;
    void* arg;
};
```

service_configurator is called during startup of server and is supposed to process configuration available through stream *f* and create service specific data structures. *uri* is URL for this particular service specified in server's configuration (can be relative). It should fill *prop* with information about service. Currently that is *subtree* which tells server code if this service is going to server all URLs starting from one specified in *uri*, and *arg* which should point to service specific information and is then passed to function responsible for creating service instances.

service_creator is called to create service instance when client requests that server. *c* is the HTTP_Connector transport class to be used for communication with client, *uri* contains URL used to call service (absolute) and *arg* is the one filled by *service_configurator*.

2.3 HTTP_ServiceAdv

Defined in service_soap.h

```
class HTTP_ServiceAdv:public HTTP_Service {
protected:
    HTTPS_Connector *c;
    // HTTP Header
    uint64_t range_start[MAX_RANGES];
    uint64_t range_end[MAX_RANGES];
    uint64_t entity_range_start;
    uint64_t entity_range_end;
    uint64_t entity_size;
    int nranges;
    bool range_passed;
    bool failure_parsing;
    uint64_t length;
    bool length_passed;
    bool entity_range_passed;
    bool entity_size_passed;
    bool unsupported_option_passed;
    // SOAP
    bool ignore_soap_output;
    struct soap sp;
    char soap_fbuf[1024];
    int soap_fbuf_n;
public:
    HTTP_ServiceAdv(HTTPS_Connector *c_);
    virtual ~HTTP_ServiceAdv(void);
    HTTP_Error parse_header(int &keep_alive);
    HTTP_Error send_header(int &keep_alive, int code = 200);
    HTTP_Error send_header(int &keep_alive, uint64_t start, uint64_t end, bool partial, uint64_t full_size);
```

```

static int soap_fsend(struct soap *sp, const char* buf, size_t l);
int soap_flush(void);
static size_t soap_frecv(struct soap* sp, char* buf, size_t l);
static int soap_fopen(struct soap*, const char*, const char*, int);
static int soap_fclose(struct soap*);
static int soap_parse(struct soap *sp);
void soap_init(void);
void soap_deinit(void);
HTTP_Error soap_post(const char* uri,int &keep_alive);
virtual void soap_methods(void);
};

```

This is an extension of HTTP_Service class which provides support for integrating gSOAP and few useful methods. HTTP_ServiceAdv takes care of storing pointer to transport class (*c*) and gSOAP struct soap (*sp*).

HTTP_ServiceAdv SOAP capabilities

If You want Your service to use SOAP the it must:

- call *soap_init* in constructor and then set *sp.namespaces* to namespaces of Your SOAP methods and *sp.user* to pointer to pointer to service (this will be changed in a future),
- call *soap_deinit* in destructor,
- call *soap_post* in *post* method after processing HTTP header (You can use *parse_header* for that),
- implement *soap_methods* in a way gSOAP uses to process SOAP requests

```

void HTTP_Your_Service::soap_methods(void) {
    if((sp.error = soap_serve_YourNamespace_YourMethod1(&sp)) != SOAP_NO_METHOD) return;
    if((sp.error = soap_serve_YourNamespace_YourMethod2(&sp)) != SOAP_NO_METHOD) return;
}

```

HTTP_Error HTTP_ServiceAdv::parse_header(int &keep_alive)

This method parses content of HTTP header and places results into following fields:

range_start[],range_end[],nranges,range_passed - data ranges requested by client (Range),

entity_range_start,entity_range_end,entity_range_passed - ranges data presented in body (Content-Range),

entity_size,entity_size_passed - size of data presented in body (Content-Range),

length,length_passed - size of body (Content-Length),

failure_parsing - method failed to parse header,

unsupported_option_passed - there was an option which requires to be processed but method does not support it,

HTTP_Error HTTP_ServiceAdv::send_header(int &keep_alive,int code = 200)

Sends response header which requires no body.

HTTP_Error HTTP_ServiceAdv::send_header(int &keep_alive,uint64_t start,uint64_t end,bool partial,uint64_t full_size)

Sends response header suitable for passing part of data set in body.

2.4 HTTP_Client

```
class HTTP_Client {
public:
    typedef int (*get_callback_t)(unsigned long long offset,unsigned long long size,char* buf,void* arg);
    typedef int (*put_callback_t)(unsigned long long offset,unsigned long long *size,char* buf);
    HTTP_Client(const char* base);
    ~HTTP_Client(void);
    operator bool(void);
    int connect(void);
    int disconnect(void);
    int PUT(const char* path,unsigned long long int offset,unsigned long long int size,const unsigned char*
    int GET(const char* path,unsigned long long int offset,unsigned long long int size,get_callback_t callb
    bool keep_alive(void);
    unsigned long long int size(void);
};
```

This methods allows to connect to remote site using HTTP, HTTPS or HTTPG protocol. Base URL is specified as constructor's argument *base*.

Actual connection is done by calling method *connect*. This method can be called even if connection is already established. It returns) on success. To close connect use *disconnect*.

Method *GET* implements HTTP GET method. It takes *path* relative to base URL, sends GET request to server also providing the range of required data starting at *offset* of *size* length. Each time chunk of data arrives it calls *callback* with *offset* and *size* of data in *buf*. callback can be called multiple times depending on requested and available size.

Method *PUT* implements HTTP PUT method. It sends in body the content of *buf* of length *size* and presents it to server as part of bigger dataset of size *fd_size* starting at *offset*.

2.5 HTTP_ClientSOAP

```
class HTTP_ClientSOAP: public HTTP_Client {
public:
    HTTP_ClientSOAP(const char* base,struct soap *sp);
    ~HTTP_ClientSOAP(void);
};
```

This class takes care of initializing and configuring gSOAP structure *sp* so it can communicate to server through HTTP_Client. Upon creation argument *base* is passed to HTTP_Client's constructor. Then *sp* can be used with gSOAP calls to implement SOAP client.

3 Server

3.1 Overview

Server is accessible from outside through 2 TCP/IP ports. Data is authenticated/wrapped/unwrapped using SSLv3 and GSI (Fig.1).

3.2 Configuration

Server is configured from single configuration file (\$NORDUGRID_LOCATION/etc/httpds.conf by default). That file is regenerated from /etc/nordugrid.conf if You use SysV startup script *httpsd*. Syntax is similar to that of Grid Manager and GridFTP server as described in "The NorduGrid Grid Manager and GridFTP Server" manual in a chapter "Configuration of the Grid Manager".

It accepts generic commands *user*, *logfile*, *pidfile* and *debug* in a same way as described in above mentioned manual. Additionally it accepts commands:

gsiport TCP/IP port for GSI connections,

[h]




Figure 1: Server layout.

sslport TCP/IP port for SSL connections (SSLv3 only).

Authorization is based on specified groups. For more information about groups please look in “The NorduGrid Grid Manager and GridFTP Server” manual in a chapter “Configuration of the GridFTP Server”. Actual configuration of allowed operations for every method is configured using service-specific commands and *HTTPS_Connector::authorizations* method.

Definition of access groups is followed by definitions of services. Each definition starts from command *service* followed by service’s name (predefined in source code) and URL. It is followed by lines containing service-specific commands till line containing command *end*.

```
service name URL
  command1
  command2
end
```

The URL can be either absolute or contain only a path or a port and a path. For example:

```
http://grid.uio.no:8000/logger
:8001/logger
/logger
```

3.3 Logger Service

Logger is a frontend to database server (currently MySQL) which allows to store and to retrieve an information about jobs executed on clusters with NorduGrid software installed.

It supports 2 SOAP methods for adding and retrieving records respectively. It also provides simple web interface through HTTP GET and POST methods. Unfortunately this interface is not very useful because no web browser I know about supports pure SSLv3.

Corresponding client is provided as part of NorduGrid software installed on cluster’s frontend.

It has 2 service-specific commands:

- *acl_read* [group [group [...]]]
- *acl_write* [group [group [...]]]
- *acl_query* [group [group [...]]]

Groups listed in *acl_read* command are allowed to retrieve information about job records. Clients still can only retrieve information about jobs which they are owners of. And those listed in *acl_write* can add new records. Groups in *acl_query* are allowed to retrieve information about all jobs.

Other supported commands are:

- *sqlcontact* [user [password]]
- *sqlcontactsource* path

They provide username and password used to access MySQL database. *sqlcontactsource* points to file which contains username and password in first line.

Logger service can be communicated using utility *logger*.

3.4 Storage Element (SE) Service

This is so called “Smart” SE and is supposed to be capable of:

- providing interface to store and retrieve data
- taking care of automatic registration of incoming content,
- automatic replication of data,
- recovering from failures.

For more information please refer to “Nordugrid Smart Storage Element”.

4 Building

Server with all services is part of Nordugrid toolkit. It is built together with all other components of toolkit if option *-enable-experimental* is supplied to *./configure* script or if built without autotools. Following third-party software is required to build and use server and services:

- gSOAP - for SOAP protocol,
- MySQL - to store information about jobs handled by Logger service,
- libxml - for GACL, which is used by SE service to control access to data.

If You have those components installed in non-standard places, use *./configure -help* to find out how to pass that information to script.

Alternativly if static Makefiles are used to build server edit *grid-manager/Make.inc* file. And run *make* in *grid-manager* directory if You want to build all components of toolkit. Or in *grid-manager/https* directory to build only *httpsd* server and related utilities.

References

[1] <http://www.globus.org/toolkit/>

[2] gSOAP: Generator Tools for Coding SOAP/XML Web Service and Client Applications in C and C++, <http://www.cs.fsu.edu/~engelen/soap.html>