



25/3/2005

THE NORDUGRID/ARC INFORMATION SYSTEM

Technical Description and Reference Manual

Balázs Kónya*

DRAFT

*Comments to: balazs.konya@hep.lu.se

1 Introduction

A stable, robust, scalable, dynamic and reliable information system is a cornerstone of any kind of Grid system. Without a properly working information system it is not possible to construct a production quality Grid. A scalable Grid information system is inherently distributed, a centralized system is not able to cope with the dynamicity of the Grid.

The information system acts as a nervous system of the Grid and its main tasks consist of

- Resource Description: Characterization of Grid resources by specifying static, semi-static and dynamic properties (e.g. information about grid jobs and user quotas are presented as dynamic local resource properties).

Grid clients are relying on the resource description functionality of the information system during their matchmaking and brokering process. Grid monitoring and job status queries also rely on resource description.

- Resource aggregation: Individual resources are connected to an "information mesh" by dynamically registering to some of the information index services. The information index services are responsible for the resource aggregation, they maintain a dynamic list of available grid resources. Furthermore, the index services are connected to each other following a specific topological order. The resulting structure is the "information mesh" of the Grid.

Grid clients performing resource discovery scan the "information mesh" utilizing its topological structure in order to find available grid resources. Therefore resource discovery is delicately coupled to the topological structure of the "information mesh" that is to the resource aggregation process.

The ARC middleware implements a scalable, production quality dynamic distributed information system. The ARC information system has been deployed and being used in a large scale production environment since May 2002. As of writing, the information system aggregates 50 resources providing 5000 CPUs and serves 1000 users and 20 thousands jobs per months.

The ARC information system is an OPENLDAP-based system[2] which makes use of the OPENLDAP modifications provided by the Globus Monitoring and Discovery Services framework[†] [3].

This document presents a technical overview of the ARC grid information system. The document describes the architecture, the implementation of the main components and the NorduGrid/ARC Information model. The document is also intended to serve as reference manual by giving a detailed description of the available Grid information.

2 Overview

The ARC middleware implements a dynamic LDAP-based distributed information system via set of coupled resource lists (index services) and local LDAP databases. The system consists of three main components:

1. the Local Information Trees (LIT)
2. the Index Services (IS)
3. and the Registration Processes (RP)

The local information trees are responsible for resource (computing or storage) description and characterization. The local information is generated on the resource, optionally it is cached. Upon client requests it is presented to the clients via LDAP interface.

[†]ARC aims to replace the Globus MDS modifications by native Openldap functionalities

The main task of the index services is to maintain a dynamic list of resources (LDAP URLs of the local information trees) and index services. The index services are further coupled together implementing a specific topology.

The local information trees make use of the registration processes running locally on the resources in order to list themselves in some of the resource lists maintained by the index services. Registrations are always initiated by the registrants (bottom-up model).

Grid clients such as monitors, web portals or user interfaces perform two type of queries:

1. During the resource discovery process clients query index services in order to collect list of LDAP contact URLs of local information trees describing Grid-connected resources.
2. During a direct resource query the clients directly contact the local information tree by making use of the obtained LDAP contact URLs.

Both type of queries are carried out and served via LDAP protocol.

Figure 1 presents an overview of the ARC information system components.




Figure 1: Overview of the ARC information system components.

3 Local Information Tree

The LIT component of the information system is responsible for generating the dynamic state information, implementing the first-level caching of the local information and providing the requested Grid information to the clients through the LDAP protocol. The LIT is basically nothing more but a specially populated and customized OpenLDAP database.

The dynamic resource state information is generated on the resource. Small and efficient programs, called information providers, are used to collect local state information from the batch system, from the local grid layer (e.g. grid-manager or gridftp server [4]) or from the local operating system (e.g. information available in the /proc area). Currently, ARC is capable interfacing to the following batch systems (or local resource management system LRMS in the ARC terminology): unix fork, the PBS-family (OpenPBS, PBS-Pro, Torque), Condor and Sun Grid Engine.

The output of the information providers (generated in ldif format) is used to populate the local LDAP tree. A special Openldap back-end, the GLOBUS-GRIS provided by the Globus [3], is used to store the LDIF output of the information providers. This custom Openldap back-end implements two things: it is capable caching the providers output and upon client query request it triggers the information providers unless the data is already available in its cache. The cacheing feature of the Openldap backend provides protection against overloading the local resource by continuously triggering the information providers.

The information stored in the LIT follows the NorduGrid-ARC information model. The section 4 gives a detailed technical account of the ARC information model.

3.1 Security considerations

The Local Information Tree is implemented via an LDAP database which implies the security and confidentiality capabilities of the system.

OpenLDAP[2] contains two methods for specifying access control. The first is static, i.e. you define the rights in configuration files. From an operational point of view, the problem of this method is that needs a server restart at every security configuration change. The second method for access control, called as ACI (Access Control Information), inserts access control information inside the directory itself by augmenting every LDAP entry with a dynamically modifiable ACL. Unfortunately the ACI method is still considered to be experimental.

The current ARC setup makes use of the static LDAP access control, the trees are configured to be fully readable by anybody: ARC provides anonymous read access to every information stored in the local trees.

There are considerations to experiment with the ACI access control method or to modify the static configuration and require authentication from the clients.

4 The ARC information model

A Grid information model should be a result of a delicate design process how to represent the resources and what is the best way to structure this information.

ARC implements an LDAP-based information system. In an LDAP-based system the information is being stored as attribute-value pairs grouped together in entries which are organized into a hierarchical tree. Therefore an LDAP-based information model is technically specified via an LDAP schema AND the structure of the LDAP-tree (DIT).

The ARC information model naturally describes the main Grid components:

- computing resources with grid jobs and grid users,
- storage elements
- and metadata catalogues

though the latter two are treated in a rather simplistic manner.

4.1 LDAP technicalities: namespace, OID, objectclasses, attributes

The NorduGrid/ARC LDAP schema (available in appendix C) makes use of the *nordugrid-* namespace, the objectclass and attribute names starts with the *nordurid-* prefix.

NorduGrid is assigned to the 1.3.6.1.4.1.11604 Private Enterprise Number which is utilized according to the Table1.

The OID's used in the LDAP schema are shown in Table2 and are taken from the range 1.3.6.1.4.1.11604.2.* Table2 also serves as a list of the NorduGrid objectclasses. The ARC implementation follows a "one ldap entry = one objectclass" approach, The ARC information system objects such as grid-enabled clusters, queues, storages, grid users and grid jobs are described by specific ldap entry which utilizes a single objectclass. As a result a one-to-one correspondence exists between ARC ldap entries and ARC objectclasses.

Object Identifier	Service area
1.3.6.1.4.1.11604.1	security
1.3.6.1.4.1.11604.2	information system
1.3.6.1.4.1.11604.3	data management
1.3.6.1.4.1.11604.4	user management

Table 1: The OID space utilization within ARC

1.3.6.1.4.1.11604.2.1.1	cluster objectclass
1.3.6.1.4.1.11604.2.1.1.x	cluster attributes
1.3.6.1.4.1.11604.2.1.2	info-group objectclass
1.3.6.1.4.1.11604.2.1.2.x	info-group attributes
1.3.6.1.4.1.11604.2.1.3	queue objectclass
1.3.6.1.4.1.11604.2.1.3.x	queue attributes
1.3.6.1.4.1.11604.2.1.4	job objectclass
1.3.6.1.4.1.11604.2.1.4.x	job attributes
1.3.6.1.4.1.11604.2.1.5	authuser objectclass
1.3.6.1.4.1.11604.2.1.5.x	authuser attributes
1.3.6.1.4.1.11604.2.1.6	se objectclass
1.3.6.1.4.1.11604.2.1.6.x	se attributes
1.3.6.1.4.1.11604.2.1.7	rc objectclass
1.3.6.1.4.1.11604.2.1.7.x	rc attributes

Table 2: The OIDs from the NorduGrid/ARC schema

The detailed description of the objectclasses and attributes are given in the following subsections. First the main purpose behind the objectclass is outlined followed by the one-by-one description of the attributes. The attribute descriptions also contain information about the attribute's role played in the brokering[5], the job submission or the monitoring process. If applicable, the corresponding XRS attribute[6] is displayed. Please notice that the most of the attribute values documented below are not enforced, missconfigured or rough sites can publish incorrect information.

4.2 The structure of the local ldap tree: Arc DIT

The ARC local ldap tree gives a natural representation of a grid-enabled resource. The *mds-vo-name=local,o=grid* top level entry of the tree carries no information, its role is purely structural. This entry accommodates the subtrees of the different grid services offered by the local machine. A grid resource in ARC can host a computing service and several storage or data indexing services. A computing service is described by the cluster subtree, while the storage and data indexing services are characterised by the *se* and *rc* single-entry subtrees, respectively.

Figure 2 shows the local ldap tree of two grid-enabled resources. The first machine *bambi.hep.lu.se* offers both a computing service, a storage service and a data indexing service, therefore the LIT of *bambi.hep.lu.se* contains a cluster subtree under the *nordugrid-cluster-name=bambi.hep.lu.se* entry a storage *nordugrid-se-name=.* and a data indexing *nordugrid-rc-name=.* entry. The second resource *hathi.hep.lu.se* serves as a dedicated storage hosting two storage elements, therefore the LIT of *hathi.hep.lu.se* consists of the two storage entries.

The schematic structure of the cluster subtree is shown enlarged in Fig. 3. The *cluster* top entry of the subtree describes the hardware, software and middleware properties of a cluster. Grid-enabled queues are represented by their *queue* entries. Active grid jobs and authorized grid users are described by their corresponding *job* and *authuser* entries which are located under their hosting queues. The *job* and *authuser* entries belonging to

the same queue are grouped in two distinct subtrees, the branching is accomplished by structural *nordugrid-info-group=job* and *nordugrid-info-group=user* entries.

The storage and data indexing services are represented by their corresponding single ldap entries, currently no ldap subtree is associated to them.

4.3 Grouping authuser and job entries: nordugrid-info-group objectclass

The schema contains a special objectclass the *nordugrid-info-group* whose role is to create structural entries in the ldap tree. The entries *nordugrid-info-group=jobs* and *nordugrid-info-group=users* of the LIT are separating nordugrid-job and nordugrid-authuser entries of a grid queue by grouping them in two separate ldap branches under the queue entry (see Fig. 2).

The objectclass comes with a single attribute.

nordugrid-info-group-name

Attribute value: {users,jobs}

Related XRSI: none

The *nordugrid-info-group-name* attribute is used to distinguish between jobs or users grouping: nordugrid-job entries are grouped under the structural entry *nordugrid-info-group-name=jobs* while nordugrid-authuser entries are grouped under the *nordugrid-info-group-name=users* entry.

4.4 Computing resources: nordugrid-cluster and nordugrid-queue objectclass

The nordugrid schema provides two objectclasses for the description of a computing resource. The *nordugrid-cluster* is used to describe general properties such as ownership, name, location, contact URL, pre-installed software environments, grid scratch space, batch system, node properties such as architecture, CPUs, network connectivity. Dynamic cluster load information, such as number of queued/total jobs, is also part of the objectclass information.

The generalized concept of a computing queue plays a central role in ARC: queues are the job submission targets in an ARC-based grid, during the brokering process clients select a grid-enabled queue on a computing resource. An ARC queue represents either a traditional batch queue of a local resource management system (LRMS) such as the PBS or describes an entire LRMS when the LRMS does not support conventional queues (Condor and SGE is handled this way). The very special LRMS, the unix fork is also described as queue. The *nordugrid-queue* objectclass is designed to describe the generalized concept of a computing queue. Besides




Figure 2: The local information tree on two resources. The first machine bambi.hep.lu.se provides both computing, storage and data indexing services while the second resource hathi.hep.lu.se hosts two storage elements.

the usual queue-specific information (queue status and limits, number of running/queueing jobs) queue-level node attributes are also introduced to describe hardware/software characteristics of computing nodes assigned to a certain queue. Also notice that the schema makes possible the distinction of grid and non-grid jobs being managed by the queue.

The ARC schema introduces cluster- and queue-level node attributes together with two homogeneity attributes in order to handle possible inhomogeneity within a computing resource. The schema is designed to be capable describing inhomogeneous resources with a queue-level homogeneity assumption but higher level inhomogeneity can also be treated with less accuracy.

In case of homogeneous nodes the *nordugrid-cluster-homogeneity=true* is set and the cluster-level node attributes carry the relevant information. If the nodes are inhomogeneous the *nordugrid-cluster-homogeneity=no* is set and the cluster-level node attributes are either not set or their value refers to the smallest/slowest/least powerfull node. Suppose the nodes can be organized into homogeneous subgroups, this case the queue-level node attributes are used to describe the properties of the homogeneous nodes assigned to the same queue. Clients should always treat the queue-level node attributes with higher priority than the cluster-level ones. The *nordugrid-queue-homogeneity=true* attribute value is used to specify the node homogeneity within a queue. The *nordugrid-queue-homogeneity=no* means that if a given queue-level node attribute is set it refers to the smallest/slowest/least powerfull node.

nordugrid-cluster-name

Attribute value: FQDN

Example: `nordugrid-cluster-name: gate1.monstercluster.nordugrid.org`

Related XRSL: none

UI role: ?

Description: The fully qualified domain name of the frontend machine of the cluster. This attribute is used in the Distinguished Name of a cluster ldap entry.

nordugrid-cluster-aliasname

Attribute value: free form text

Example: `nordugrid-cluster-aliasname: Grid Monster`

Related XRSL: none

UI role: ?

Description: A free form text attribute displaying the alias name of the computing resource.




Figure 3: The schematic picture of an LDAP subtree representing a computing resource. The cluster subtree is part of the LIT shown in Fig: 2

nordugrid-cluster-contactstring

Attribute value: URL
Example: `nordugrid-cluster-contactstring: gsiftp://bambi.hep.lu.se:2811/jobs`
Related XRSL: none
UI role: used during the jobsubmission process

Description: The URL of the job submission service running on the cluster frontend. Clients must use this attribute to determine the URL of the job submission gateway available on the cluster.

nordugrid-cluster-support

Attribute value: RFC822 email address
Example: `nordugrid-cluster-support: help@gridcluster.gridcenter.org`
Related XRSL: none
UI role: none

Description: The support email address of the grid-enabled computing resource, users are suggested to use this address in case they need to contact the site.

nordugrid-cluster-location

Attribute value: Postal ZIP code with two letter country prefix
Example: `nordugrid-cluster-location: SE-22100`
Related XRSL: none
UI role: none

Description: The geographical location of the cluster, preferably specified as a postal code with a two letter country prefix.

nordugrid-cluster-owner

Attribute value: free form text
Example: `nordugrid-cluster-owner: Danish Center for Grid Computing`
Example: `nordugrid-cluster-owner: Copenhagen University`
Related XRSL: none
UI role: none

Description: The multivalued attribute is used to display the owner of the resource.

nordugrid-cluster-issuerca

Attribute value: LDAP Distinguished Name
Example: `nordugrid-cluster-issuerca: /C=DE/O=GermanGrid/CN=GridKa-CA`
Related XRSL: none
UI role: used during the job submission, matchmaking

Description: The certificate issuer of the cluster, the DN of the CA which issued the host certificate is shown by the attribute.

nordugrid-cluster-lrms-type

Attribute value: {PBSPro, OpenPBS, torque, SGE,SGEEE, fork, Condor}

Example: `nordugrid-cluster-lrms-type: torque`

Related XRSL: none

UI role: it will be used in the brokering (not implemented yet)

Description: The type of the Local Resource Management System (LRMS) running on the cluster. ARC currently supports the PBS family, the SGE family, the Condor and the unix fork batch systems.

nordugrid-cluster-lrms-version

Attribute value: version string

Example: `nordugrid-cluster-lrms-version: 1.0.1p5`

Related XRSL: none

UI role: none

Description: The vendor specific version string of the Local Resource Management System. The original vendor-provided LRMS version string is displayed without any modification.

nordugrid-cluster-lrms-config

Attribute value: free form text

Example: `Short parallel jobs are prioritised"`

Related XRSL: none

UI role: none

Description: A free form text attribute for additional remarks on the LRMS setup of the cluster. The attribute is purely for 'human consumption'.

nordugrid-cluster-homogeneity

Attribute value: {True, False}

Example: `nordugrid-cluster-homogeneity: False`

Related XRSL: none

UI role: ?

Description: A logical flag indicating the homogeneity of the cluster nodes. The frontend is not needed to be homogeneous with the nodes. If the nodes are declared inhomogeneous on the cluster-level, then the the cluster-level node attributes are referring to the properties of the slowest/smallest/least powerfull node.

nordugrid-cluster-architecture

Attribute value: {i686, x86_64, alpha, sun4u}

Example: `nordugrid-cluster-architecture: i686`

Related XRSL: `architecture`

UI role: used in the matchmaking/brokering

Description: This is a cluster-level node attribute describing the 'hardware type' of the nodes of the cluster. The 'hardware type' is defined as the output of the `uname -m` unix command.

nordugrid-cluster-opsys

Attribute value: fixed format string
Example: `nordugrid-cluster-opsys: Redhat-7.2`
Example: `nordugrid-cluster-opsys: Linux-2.4.21-mypatch`
Example: `nordugrid-cluster-opsys: glibc-2.3.1`
Related XRSL: none
UI role: not yet used in the brokering

Description: The multivalued cluster-level node attribute is meant to describe the operating system of the computing nodes. The attribute describes the operating system via the specification of the software distribution. The same multivalued attribute is also used to specify the kernel or libc version in case those differ from the originally shipped ones. The attribute value follows a *fixed form syntax*: the distribution name is given as `distroname-version.number` where spaces are not allowed. *Kernel* and *libc* versions are specified according to a fixed form: `kernelname-version.number`, `libcname-version.number`.

nordugrid-cluster-nodecpu

Attribute value: fixed format string
Example: `nordugrid-cluster-nodecpu: Dual AMD Athlon(tm) MP Processor 1800+ @ 1500 MHz`
Related XRSL: `gridTime`
UI role: used in the brokering process

Description: This cluster-level node attribute gives the cputype information of the cluster nodes in a fixed format. The string is constructed as `CPU-model-name CPU-frequency MHZ`, where CPU-model-name and CPU-frequency are vendor specified values (on Linux systems the data is taken from the `/proc/cpuinfo`).

nordugrid-cluster-benchmark

Attribute value: fixed format string
Example: `nordugrid-cluster-benchmark: SPECINT2000 @ 222`
Example: `nordugrid-cluster-benchmark: SPECFP2000 @ 333`
Related XRSL: `benchmark`
UI role: used in brokering

Description: The multivalued cluster-level node attribute shows the performance of the computing nodes with respect to specified benchmarks. The attribute value follows a fixed syntax: the benchmark name and value is separated by "@".

nordugrid-cluster-nodememory

Attribute value: a number showing the amount in MBs
Example: `nordugrid-cluster-nodememory: 900`
Related XRSL: `memory`
UI role: used in the matchmaking/brokering

Description: The amount of node memory in MBs which can be guaranteed to be available for the application running on the node. Please note in most cases it is less than the physical memory installed in the nodes.

nordugrid-cluster-totalcpus

Attribute value: number
Example: `nordugrid-cluster-totalcpus: 60`
Related XRSL: `count`
UI role: used in matchmaking/brokering

Description: The total number of cpus of the computing resource being controlled by the LRMS. It is possible that not all of them are available for grid jobs (e.g. the cluster has a non-grid queue with dedicated nodes).

nordugrid-cluster-cpudistribution

Attribute value: fixed format string
Example: `nordugrid-cluster-cpudistribution: 1cpu:36 2cpu:7`
Related XRSL: `none`
UI role: `none`

Description: The CPU distribution over the nodes given in the form of *ncpu:m* where *n* is the number of CPUs per machine and *m* is the number of such computers, an example: *1cpu:3,2cpu:4,4cpu:1* represents a cluster with 3 single CPU machines, 4 dual machines and one computer with 4 CPUs.

nordugrid-cluster-sessiondir-free

Attribute value: number showing the amount in MBs
Example: `nordugrid-cluster-sessiondir-free: 447870`
Related XRSL: `disk`
UI role: used in the matchmaking/brokering

Description: Each grid job has a dedicated grid scratch area called the session directory. This attribute shows the available free disk space in MBs for the session directories. As a minimum protection the broker compares the available disk space to the size of the uploadable input data and rejects the clusters with insufficient free space.

nordugrid-cluster-sessiondir-total

Attribute value: number showing the amount in MBs
Example: `nordugrid-cluster-sessiondir-total: 1447870`
Related XRSL: `none`
UI role: `?`

Description: The total disk space in MB allocated on the cluster to host the grid job's session directories.

nordugrid-cluster-cache-free

Attribute value: number showing the amount in MBs
Example: `nordugrid-cluster-cache-free: 2048`
Related XRSL: `disk`
UI role: used in the matchmaking/brokering process

Description: ARC clusters can provide a cache area to store frequently used input data. Upon user request the input data is placed into the cache instead of the session directory of the job (input data in a session directory is not accessible by a consequent jobs). This attribute shows the available space in the cache in MBs.

nordugrid-cluster-cache-total

Attribute value: number showing the amount in MBs
Example: `nordugrid-cluster-cache-total: 8048`
Related XRSL: `none`
UI role: `none`

Description: The total space in MBs allocated for the cache service.

nordugrid-cluster-runtimeenvironment

Attribute value: Runtime Environment string[7]
Example: `nordugrid-cluster-runtimeenvironment: APPS/MODELCHECK/DUPPAAL`
Related XRSL: `runtimeenvironment`
UI role: used in the matchmaking

Description: Runtime Environments are special preinstalled and preconfigured software packages provided in a standard way by the computing resources. A Runtime Environment Registry [7] maintains a list of available REs with pointers to RE descriptions. The multivalued attribute is used to display the REs available and supported on the cluster.

nordugrid-cluster-locale

Attribute value: URL
Example: `nordugrid-cluster-locale: gsiftp://hypatia.uio.no/scratch/`
Related XRSL: `none`
UI role: used in the brokering

Description: This multivalued parameter tells the broker that certain storage URLs should be considered "locally" available on the cluster. The attribute gives the URL of storage elements considered to be "local" to the cluster.

nordugrid-cluster-middleware

Attribute value: free form string to represent a software package
Example: `nordugrid-cluster-middleware: nordugrid-0.4.4`
Example: `nordugrid-cluster-middleware: globus-2.4.3-15ng`
Related XRSL: `middleware`
UI role: used in the matchmaking

Description: This multivalued attribute specifies the middleware packages installed on the cluster.

nordugrid-cluster-totaljobs

Attribute value: number
Example: `nordugrid-cluster-totaljobs: 580`
Related XRSL: none
UI role: ?

Description: The total number of non-completed jobs in the cluster. Totaljobs includes both grid and non-grid jobs, non-grid jobs are those batch jobs which are directly submitted to the LRMS by a local user. Grid jobs with *FINISHING*, *FINISHED*, *DELETED* status are discarded.

nordugrid-cluster-usedcpus

Attribute value: number
Example: `nordugrid-cluster-usedcpus: 12`
Related XRSL: none
UI role: ?

Description: The total number of occupied cpus in the cluster. The attribute displays the number of busy/used cpus regardless if the cpu is occupied by a grid or a non-grid job.

nordugrid-cluster-queuedjobs

Attribute value: number
Example: `nordugrid-cluster-queuedjobs: 812`
Related XRSL: none
UI role: ?

Description: The total number of jobs (grid and non-grid) not-yet running: preparing (e.g. grid stage-in process) or waiting to run on a cluster. A grid job submitted to the cluster needs to complete several stages before it arrives to the LRMS. All these 'pre-LRMS grid jobs' plus the LRMS queuing jobs are taken into account in the *nordugrid-cluster-queuedjobs* attribute.

nordugrid-cluster-nodeaccess

Attribute value: {inbound,outbound}
Example: `nordugrid-cluster-nodeaccess: inbound`
Example: `nordugrid-cluster-nodeaccess: outbound`
Related XRSL: `nodeaccess`
UI role: used in the matchmaking

Description: The inbound/outbound network accessibility of the nodes determines how the nodes can connect to the internet: *outbound* access means the nodes can connect to the outside world while *inbound* access means the nodes can be connected from outside. Specifying both *inbound*, *outbound* means the nodes are sitting on an open network. If a cluster has not set this attribute then the nodes are assumed to be sitting on a private isolated network.

nordugrid-cluster-comment

Attribute value: free form text

Example: `nordugrid-cluster-comment: This cluster is dedicated for CMS calculations`

Related XRSL: none

UI role: none

Description: The free form attribute displays some additional information about the cluster. Sometimes it contains an URL where more information can be read about the cluster.

nordugrid-cluster-interactive-contactstring

Attribute value: URL

Example: `nordugrid-cluster-interactive-contactstring: gsissh://atlas.hpc.unimelb.edu.au:2200`

Related XRSL: none

UI role: ?

Description: The URL for interactive login to the cluster. Some clusters offer GSI-enabled ssh services, this attribute presents the URL of that service.

nordugrid-queue-name

Attribute value: string representing a queue name

Example: `nordugrid-queue-name: longqueue`

Related XRSL: ?

UI role: used during job submission

Description: The name of the grid-enabled batch queue. The special value *fork* is used for the 'unix fork' system. This attribute constitutes the Distinguished Name of a queue ldap entry.

nordugrid-queue-status

Attribute value: {active
inactive
inactive, grid-manager is down
inactive, gridftp is down}

Example: `nordugrid-queue-status: inactive, grid-manager is down`

Related XRSL: none

UI role: used in brokering

Description: The generalized status of the queue. Besides the usual batch system queue status the attribute also takes into account the status of the grid services such as the *grid-manager* and the *gridftp server* serving the queue. Grid jobs are only submitted to queues with *active* status.

nordugrid-queue-comment

Attribute value: free form text

Example: `nordugrid-queue-comment: Special queue dedicated to BIO Apps`

Related XRSL: none

UI role: none

Description: A free form attribute containing additional information about the queue.

nordugrid-queue-schedulingpolicy

Attribute value: free form text
Example: **nordugrid-queue-schedulingpolicy: SIMPLE FIFO**
Related XRSL: none
UI role: none

Description: The attribute is used to describe the implied scheduling policy of the queue (i.e. FIFO).

nordugrid-queue-homogeneity

Attribute value: {True, False}
Example: **nordugrid-queue-homogeneity: False**
Related XRSL: none
UI role: ?

Description: A logical flag indicating the homogeneity of the queue nodes. If the nodes are declared inhomogeneous on the queue-level, then the queue-level node attributes are referring to the properties of the slowest/smallest/least powerful node within the queue.

nordugrid-queue-nodectpu

Attribute value: fixed format string
Example: **nordugrid-queue-nodectpu: Dual AMD Athlon(tm) MP Processor 1800+ @ 1500 MHz**
Related XRSL: gridTime
UI role: used in the brokering process

Description: This queue-level node attribute gives the cputype information of the queue nodes in a fixed format. The string is constructed as **CPU-model-name CPU-frequency MHZ**, where CPU-model-name and CPU-frequency are vendor specified values (on Linux systems the data is taken from the `/proc/cpuinfo`).

nordugrid-queue-nodememory

Attribute value: a number showing the amount in MBs
Example: **nordugrid-queue-nodememory: 600**
Related XRSL: **memory**
UI role: used in the matchmaking/brokering

Description: The queue-level node attribute shows the amount of node memory in MBs which can be guaranteed to be available for the application running on the node. Please note in most cases it is less than the physical memory installed in the nodes.

nordugrid-queue-architecture

Attribute value: {i686, x86_64, alpha, sun4u}
Example: **nordugrid-queue-architecture: x86_64**
Related XRSL: **architecture**
UI role: used in the matchmaking/brokering

Description: This is a queue-level node attribute describing the 'hardware type' of the nodes of the queue. The 'hardware type' is defined as the output of the `uname -m` unix command.

nordugrid-queue-opsys

Attribute value: fixed format string
Example: `nordugrid-queue-opsys: Redhat-7.2`
Example: `nordugrid-queue-opsys: Linux-2.4.21-mypatch`
Example: `nordugrid-queue-opsys: glibc-2.3.1`
Related XRSL: none
UI role: not yet used in the brokering

Description: The multivalued queue-level node attribute is meant to describe the operating system of the computing nodes. The attribute describes the operating system via the specification of the software distribution. The same multivalued attribute is also used to specify the kernel or libc version in case those differ from the originally shipped ones. The attribute value follows a *fixed form syntax*: the distribution name is given as `distrname-version.number` where spaces are not allowed. *Kernel* and *libc* versions are specified according to a fixed form: `kernelname-version.number, libcname-version.number`.

nordugrid-queue-benchmark

Attribute value: fixed format string
Example: `nordugrid-queue-benchmark: SPECINT2000 @ 111`
Example: `nordugrid-queue-benchmark: SPECFP2000 @ 555`
Related XRSL: `benchmark`
UI role: used in brokering

Description: The multivalued queue-level node attribute shows the performance of the computing nodes with respect to specified benchmarks. The attribute value follows a fixed syntax: the benchmark name and value is separated by "@".

nordugrid-queue-maxrunning

Attribute value: number
Example: `nordugrid-queue-maxrunning: 120`
Related XRSL: none
UI role: ?

Description: The batch queue limit indicating the maximum number of jobs allowed to run from this queue.

nordugrid-queue-maxqueueable

Attribute value: number
Example: `nordugrid-queue-maxqueueable: 500`
Related XRSL: none
UI role: ?

Description: The batch queue limit indicating the maximum number of jobs allowed to reside in the queue (both queuing and running).

nordugrid-queue-maxuserrun

Attribute value: number
Example: **nordugrid-queue-maxuserrun: 12**
Related XRSL: none
UI role: ?

Description: The batch queue limit indicating the maximum number of jobs a user can run at the same time in the queue.

nordugrid-queue-maxcputime

Attribute value: number showing the time interval in minutes
Example: **nordugrid-queue-maxcputime: 120**
Related XRSL: ?
UI role: used in the matchmaking

Description: The batch queue limit gives the maximum cputime (in minutes) a job can use/request within this queue.

nordugrid-queue-mincputime

Attribute value: number showing the time interval in minutes
Example: **nordugrid-queue-mincputime: 10**
Related XRSL: ?
UI role: used in the matchmaking

Description: The queue limit giving the lower value of job cputime requests in minutes allowed in the queue.

nordugrid-queue-defaultcputime

Attribute value: number showing the time interval in minutes
Example: **nordugrid-queue-defaultcputime: 70**
Related XRSL: ?
UI role: ?

Description: The default cputime assigned to this queue in minutes. Jobs not specifying their cputime requests are set to this default cputime value by the LRMS.

nordugrid-queue-running

Attribute value: number
Example: **nordugrid-queue-running: 14**
Related XRSL: none
UI role: ?

Description: The attribute gives the number of running jobs in the queue including both the Grid and non-Grid jobs. Multi-node jobs are counted with their multicplicity: a four-node running job increases the value of *nordugrid-queue-running* by four.

nordugrid-queue-gridrunning

Attribute value: number
Example: **nordugrid-queue-gridrunning: 6**
Related XRSL: none
UI role: ?

Description: The attribute gives the number of running Grid jobs in the queue. Multi-node Grid jobs are counted with their multiplicity: a four-node running job increases the value of *nordugrid-queue-running* by four.

nordugrid-queue-queued

Attribute value: number
Example: **nordugrid-queue-queued: 23**
Related XRSL: none
UI role: ?

Description: The attribute gives the number of jobs, including both Grid and non-Grid, waiting in the queue. Each queuing job counts as one regardless their multiplicity.

nordugrid-queue-gridqueued

Attribute value: number
Example: **nordugrid-queue-gridqueued: 11**
Related XRSL: none
UI role: ?

Description: The attribute gives the number of waiting Grid jobs in the batch queue. Each queuing job counts as one regardless their multiplicity.

nordugrid-queue-totalcpus

Attribute value: number
Example: **nordugrid-queue-totalcpus: 11**
Related XRSL: ?
UI role: ?

Description: Some of the batch systems provides the possibility of assigning nodes to queues. This attribute shows the total number of cpus exclusively dedicated to the queue within such batch system.

4.5 Grid jobs: nordugrid-job objectclass

In the NorduGrid/ARC information system every Grid job submitted to a grid-enabled resource is represented by a *job* entry. Job entries are generated and optionally cached in the local LDAP tree of the hosting resource. This implies that job information within ARC is coupled to the execution grid resource, namely for job status query or job monitoring the ldap server of the hosting resource has to be contacted, this way ARC implements a fully distributed job status monitoring system: no central database or service is used for job status query/monitoring.

A job entry is generated and stored in the local ldap tree for every existing grid job on a resource. The job entry is kept in the local ldap tree as long as the job is handled by the resource, when a job is removed from a resource the corresponding job entry is also deleted from the local ldap tree. This implies that the ARC information system contains no information about non-existing deleted grid jobs, another ARC service, the logging service is designed to store historical job information [8].

Job monitoring and status query of active grid jobs is entirely based upon the LDAP job entries stored in the local information trees. Job entries carry information collected from the grid layer running on the resource (read from the job control files of the ARC grid manager) and from the LRMS system. The attributes of the *nordugrid-job* objectclass are designed to provide all the necessary information.

nordugrid-job-globalid

Attribute value: URL
Example: `gsiftp://farm.hep.lu.se:2811/jobs/243361109008699845213642`
Related XRSL: none
UI role: used as a job handle in job management and as an URL in data movement

Description: ARC uses a gridftp URL as a unique global jobID. The globally unique gridftp URL is used as a handle in job manipulations such as rerun, kill or output retrieval. The gridftp URL can also be used to access the session directory of the grid job during the job's existence on the resource. The *nordugrid-job-globalid* attribute constitutes to the DN of the job entry.

nordugrid-job-globalowner

Attribute value: LDAP Distinguished Name
Example: `/O=Grid/O=NorduGrid/OU=nordugrid.org/CN=Lars Jenssen`
Related XRSL: none
UI role: used during the job discovery process of *ngsync*

Description: The LDAP Subject Name of the job owner as specified in his/her grid credentials. A Grid user or a client can easily find his/her own jobs on the Grid-enabled resource by issuing an ldap search with a filter of *nordugrid-job-globalowner=his/her SN*.

nordugrid-job-jobname

Attribute value: free form text
Example: `nordugrid-job-jobname: ngtest-job-80`
Related XRSL: *jobname*
UI role: *ngget* optionally makes use of it

Description: The jobname specified by the user with the *jobname* xRSL attribute. The client tools optionally can use the user-specified jobname as the name of the local copy of the session directory of the job.

nordugrid-job-execcluster

Attribute value: FQDN
Example: `nordugrid-job-execcluster: farm.hep.lu.se`
Related XRSL: ?
UI role: ?

Description: The name of the execution cluster specified as the fully qualified domain name of the frontend machine.

nordugrid-job-execqueue

Attribute value: string representing a queue name
Example: **nordugrid-job-execqueue: fastq**
Related XRSL: none
UI role: ?

Description: The name of the execution queue hosting the Grid job. Within ARC the queues are coupled to clusters and used together as submission targets. Therefore the execution queue is selected together with the executing cluster during the brokering process, which means that the value of the *nordugrid-job-execqueue* is known for all the accepted grid jobs even if they are not yet handed over to the local batch system. Also recall that grid job entries are linked under their hosting queue entries in the local LDAP tree.

nordugrid-job-executionnodes

Attribute value: string representing a node name
Example: **nordugrid-job-executionnodes: n3**
Example: **nordugrid-job-executionnodes: n4**
Example: **nordugrid-job-executionnodes: n5**
Related XRSL: none
UI role: none

Description: The multivalued attribute presents the local node names of the cluster nodes which are occupied by the running grid job. Every node being used by the job is listed with an attribute value pair. The shown example corresponds to a 3-node-job running on the nodes n3,n4,n5. Obviously, the *nordugrid-job-executionnodes* attribute is only available for jobs being run or already completed in the local batch system.

nordugrid-job-submissionui

Attribute value: fixed format string
Example: **nordugrid-job-submissionui: 130.235.91.118:45447;guest4.hep.lu.se**
Related XRSL: none
UI role: ?

Description: The attribute specifies client machine from where the job was submitted in a fixed format string. The string contains the submission host's IP, the port and the hostname.

nordugrid-job-submissiontime

Attribute value: GMT formatted timestamp
Example: **nordugrid-job-submissiontime: 20050220155311Z**
Related XRSL: none
UI role: ?

Description: The timestamp of the submission of the job specified in Globus MDS time format (GMT). Job submission is the process when the client handles over the job request to the selected resource and the resource returns a job handle (the globally unique job ID).

nordugrid-job-sessiondirerasetime

Attribute value: GMT formatted timestamp
Example: `nordugrid-job-sessiondirerasetime: 20050220165311Z`
Related XRSL: ?
UI role: none

Description: Within an ARC grid every grid job is confined to a dedicated area on the execution cluster which is called the *session directory*. After job completion the *session directory* of the grid job contains all the job and debugging output which was not requested to be uploaded to a storage element. The *session directory* can be accessed and the output data within the directory be downloaded for a limited time after the job completion. The date when the *session directory* is removed from the cluster is given in GMT time format by the *nordugrid-job-sessiondirerasetime* attribute.

nordugrid-job-proxyexpirationtime

Attribute value: GMT formatted timestamp
Example: `nordugrid-job-proxyexpirationtime: 20050222120449Z`
Related XRSL: none
UI role: ?

Description: The expiration time of the proxy assigned to the job displayed in GMT time format. A valid proxy is required for the stage-out phase of the grid job if the stage out target makes use of GSI-based authentication and authorization. Intelligent clients can use this attribute to check if the job possesses a valid proxy and automatically initiate proxy renewal in case a proxy expiration.

nordugrid-job-completiontime

Attribute value: GMT formatted timestamp
Example: `nordugrid-job-completiontime: 20050222120449Z`
Related XRSL: none
UI role: ?

Description: The completion time of the grid job expressed in GMT time format. Job completion refers to the *FINISHED* job state when the job completed all the requested operations including both job execution and stage out.

nordugrid-job-runtimeenvironment

Attribute value: string representing a valid RuntimeEnvironment
Example: `nordugrid-job-runtimeenvironment: APPS/CHEM/DALTON-1.2.1-1.0`
Related XRSL: `runtimeenvironment`
UI role: none

Description: The multivalued attribute lists the RuntimeEnvironments requested by the job.

nordugrid-job-gmlog

Attribute value: string representing a directory name
Example: `nordugrid-job-gmlog: grid_manager_logdir`
Related XRSL: `gmlog`
UI role: optionally used for status monitoring

Description: The name of the directory which contains the grid session related logs within the *session directory* of the job. The *gmlog* directory contains plenty of useful information for tracking or debugging the grid job being processed on the execution site.

nordugrid-job-clientsoftware

Attribute value: string
Example: `nordugrid-job-clientsoftware: nordugrid-0.5.21`
Related XRSL: `none`
UI role: `none`

Description: The client software which was used to submit the job. The client software needs to be able to communicate its version to the grid layer of the resource in order to have this attribute set.

nordugrid-job-stdout

Attribute value: string representing a file name
Example: `nordugrid-job-stdout: JG.out`
Related XRSL: `stdout`
UI role: `?`

Description: The name of the file which contains the stdout of the job.

nordugrid-job-stderr

Attribute value: string representing a file name
Example: `nordugrid-job-stderr: JG.err`
Related XRSL: `stderr`
UI role: `?`

Description: The name of the file which contains the stderr of the job.

nordugrid-job-stdin

Attribute value: string representing a file name
Example: `nordugrid-job-stdin: my.job_input`
Related XRSL: `stdin`
UI role: `?`

Description: The name of the file which is used as the stdin of the job.

nordugrid-job-cpucount

Attribute value: number

Example: `nordugrid-job-cpucount: 7`

Related XRSL: `count`

UI role: none

Description: The number of CPUs requested by the job.

nordugrid-job-reqcput

Attribute value: number showing the time interval in minutes

Example: `nordugrid-job-reqcput: 146`

Related XRSL: `cpuTime`

UI role: none

Description: The cputime request by the job specified in minutes.

nordugrid-job-queuerank

Attribute value: number

Example: `nordugrid-job-queuerank: 13`

Related XRSL: none

UI role: the information can be used to initiate resubmission

Description: The attribute displays the queue position of the grid job being idle in a batch queue. Most of the cases the given value is rather approximate since the majority of schedulers are not able to provide accurate information.

nordugrid-job-lrmscomment

Attribute value: free form text

Example: `nordugrid-job-lrmscomment: Job is not running no available resources`

Related XRSL: none

UI role: none

Description: The optional comment provided by the Local Resource Management System.

nordugrid-job-usedcputime

Attribute value: number showing the time interval in minutes

Example: `nordugrid-job-usedcputime: 144`

Related XRSL: none

UI role: none

Description: The consumed cputime of the job in minutes as it was reported by the local batch system.

nordugrid-job-usedwalltime

Attribute value: number showing the time interval in minutes

Example: `nordugrid-job-usedwalltime: 166`

Related XRSL: none

UI role: none

Description: The consumed walltime of the job in minutes as it was reported by the local batch system.

nordugrid-job-usedmem

Attribute value: number representing memory consumption in KBs

Example: `nordugrid-job-usedmem: 4376`

Related XRSL: none

UI role: none

Description: The memory usage of the job reported in KBs.

nordugrid-job-exitcode

Attribute value: number

Example: `nordugrid-job-exitcode: 127`

Related XRSL: none

UI role: used in job status monitoring

Description: The exit code of the executable of the job obtained from the Local Resource Management System.

nordugrid-job-errors

Attribute value: free form text

Example v0.4.x: `nordugrid-job-errors: JOB FAILURE: Failed extracting LRMS ID due to some internal error`

Example v.0.6: `nordugrid-job-errors: Failed extracting LRMS ID due to some internal error`

Related XRSL: none

UI role: used in job status monitoring

Description: Textual explanation of the job's failure, error message provided by the Grid layer running on the resource.

0.4.x release implementation: This attribute was/is used to determine the failure of the job, the presence of the attribute indicates a failure in the Grid job execution. The attribute text starts with the *JOB FAILURE:* prefix.

0.6 release implementation: The *JOB FAILURE:* prefix is dropped from the attribute value, new *FINISHED*, *KILLED*, *FAILED* final states were introduced, clients don't have to rely on the *nordugrid-job-errors* any longer to determine job failure.

nordugrid-job-status

Attribute value v0.4.x:	{ACCEPTED,PREPARING,SUBMITTING,INLRMS: X,FINISHING,FINISHED,CANCELLING, PENDING:ACCEPTED,PENDING:PREPARING,PENDING:INLRMS}
Attribute value v.0.6:	{ACCEPTING,ACCEPTED,PREPARING,PREPARED,SUBMITTING,INLRMS:X KILLING,EXECUTED FINISHING,FINISHED,FAILED,KILLED,DELETED}
Example v0.4.x:	nordugrid-job-status: FINISHED at: 20020402161013Z
Example v0.6:	nordugrid-job-status: FINISHED
Related XRSL:	none
UI role:	used in job status monitoring

Description: The status of the grid job. The job state representation is undergoing a major change with the upcoming 0.6 release.

0.4.x release implementation: The attribute fully exposes the internal grid-manager jobstates, for the explanation of the states *ACCEPTED*, *PREPARING*, *SUBMITTING*, *INLRMS*, *FINISHING*, *CANCELLING*, *FINISHED* consult the grid manager manual[4]. The internal *INLRMS* state, meaning the job is under the control of the Local Resource Management System, is expanded by the information system to display the batch system status of the job as well: *INLRMS: R* or *INLRMS: Q* states are used to represent grid jobs running or queuing in the local batch system.

Completed jobs are labeled by the *FINISHED* state regardless their success or failure. The *nordugrid-job-errors* attribute is used to distinguish between failed and successfully completed jobs. The *FINISHED* job state also carries information about the completion time of the job expressed in the GMT time format (see the example v0.4.x above)

0.6 release implementation: The Grid-manager internals are not fully exposed to the clients, new job states are introduced. The terminal job state is separated into three new states *FINISHED*, *KILLED*, *FAILED*. Furthermore, the *nordugrid-job-completiontime* attribute was introduced to separate the completion time from the *FINISHED* state.

ACCEPTING This is the initial job state The job has reached the cluster, a session directory was created, the UI has optionally started to upload some files to the sessiondir, the job waits to be detected by the grid manager (GM).

internal state: ACCEPTED

ACCEPTED The job has been detected by the GM but can't go to the next state due to an internal GM-limit

internal state: PENDING:ACCEPTED

PREPARING The input data is being gathered into the session directory (or to the cache), the GM downloads files specified in the user's xrsl. this is the grid-stagein process to the cluster. This is the latest state when the upload from the UI finishes. During this state, the UI can still upload files to the session directory.

internal state: PREPARING

PREPARED The stagein process has successfully completed, the job is held waiting in the GM's internal queue due to an exceeded internal GM limit.

internal state: PENDING:PREPARING

SUBMITTING The GM prepares the LRMS job submission script and submits the job to the LRMS.

internal state: SUBMITTING

INLRMS:X The job is in the local batch system, the job is controlled, managed by the LRMS. This state has several substates which are yet subject of discussion (Bug 255). Currently implemented substates:

INLRMS:Q The job is queuing in the LRMS.

internal state: INLRMS

INLRMS:R The job is running in the LRMS.

internal state: INLRMS

KILLING The job was requested to be killed and it is being killed by the GM, the GM interacts with the LRMS by running the job-cancel script

internal state: CANCELING

EXECUTED The job has completed in the batch system. There are two internal states corresponding to

this state:

The job left the LRMS but the GM has not yet recognized this fact. The infosys can't find the job in the batch system any longer but the GM still thinks the job is in the batch system (due to its latency).

internal state: INLRMS

The job has completed in the batch system AND the GM scanning process has recognized the job left the batch system BUT the job is held waiting in the GM internal queue due to an exceeded GM limit.

internal state: PENDING:INLRMS

FINISHING The GM is doing the grid stageout process, specified outputfiles are moved to their locations, GM is cleaning up the session directory removing everything which was not requested to be kept.

internal state: FINISHING

FINISHED The job has finished ALL its activity on the cluster AND no errors occurred during the grid job's lifetime. The state *FINISHED* corresponds to the successful grid job completion.

internal state: FINISHED

either successfully (this case there is no job.xx.failed file created in the control-dir, the nordugrid-job-errors infosys attribute is not set) or with errors (failure) internal state: FINISHED

FAILED The job has finished ALL its activity on the cluster AND there occurred some problem during the lifetime of the grid job. The *nordugrid-job-errors* and *nordugrid-job-exitcode* attributes contain more information about the job failure.

internal state: FINISHED

KILLED The job has finished ALL its activity on the cluster as a result of being killed by a client.

internal state: FINISHED

DELETED The job's session dir has been removed from the cluster due to the expired session-dir-lifetime, only minimal set of info is kept about such a job.

internal state: DELETED

4.6 Grid users: nordugrid-authuser objectclass

Within the ARC information model every authorized grid user of a resource is described by an *authuser* entry in the local tree. The user entries are used to present user-specific view of the resource, information such as free CPUs and available disk space are shown for every authorized grid user. The existence of an *nordugrid-authuser* entry implies the granted access to the queue of the resource for the corresponding grid identity.

nordugrid-authuser-name

Attribute value: string

Example: nordugrid-authuser-name: Lars Jenssen_8

Related XRSL: none

UI role: ?

Description: The Common Name of the authorized user appended by a local unique number. The Common Name is determined from the Certificate of the user. This *nordugrid-authuser-name* attribute constitutes to the DN of the user entry.

nordugrid-authuser-sn

Attribute value: LDAP Distinguished Name

Example: nordugrid-authuser-sn: /O=Grid/O=NorduGrid/OU=nordugrid.org/CN=Lars Jenssen

Related XRSL: none

UI role: used while searching for available resources of a user

Description: The LDAP Subject Name of the authorized grid user as specified in his/her grid credentials. A Grid user or a client can easily find the resources where he/she is authorized by issuing an ldap search with a filter of *nordugrid-authuser-sn=his/her SN*.

nordugrid-authuser-freecpus

Attribute value: fixed format string
Example: **nordugrid-authuser-freecpus: 2 4:25 5:180**
Related XRSL: **count**
UI role: used in brokering

Description: The number of freely available CPUs with their timelimits for the specific grid identity is given by this attribute according to the following syntax:

ncpus[:min] [ncpus:min] ... where the pair *ncpus:min* gives the number of free cpus with their timelimit in minutes. The timelimit information is optional.

nordugrid-authuser-diskspace

Attribute value: number showing the amount in MBs
Example: **nordugrid-authuser-diskspace: 13964**
Related XRSL: **disk**
UI role: used in the matchmaking

Description: The free diskpace available for the session directory of the user's grid job given in MBs.

nordugrid-authuser-queuelength

Attribute value: number
Example: **nordugrid-authuser-queuelength: 0**
Related XRSL: **none**
UI role: used in the brokering

Description: The queue length experienced by the user due to the accumulated grid and local jobs. This attribute should be used very cautiously in the brokering since the reliability and the relevance of the attribute value largely depends on the local scheduling policy which is not reflected in the attribute instead a simplistic FIFO estimate is given.

4.7 Storage Resources: the nordugrid-se objectclass

The *nordugrid-se* objectclass is used to describe storage resources within the NorduGrid/ARC model. A storage resource consists of physical data source (the storage space itself) plus the protocols, policies, services and interfaces which make the storage space available to the clients. The attributes of the objectclass are designed to describe all of these layers.

Some of the current attributes are not yet supported in the information system implementation. Furthermore the following attributes are being discussed to be added to the schema (bug report 181):

- *se-iospeed*: The average IO capability of the storage (MB/s)
- *se-networkspeed*: The network capability of the storage (MB/s)

- **se-architecture:** The hardware architecture of the Storage
Enumeration values: disk, raid of disks, memory, raid of memory, Tape, hierarchical storage, network storage
- **se-status:** The status of the storage service.
Enumeration values following glue status info: OK, Warning, Critical, Unknown, other. Most probable the OK and Critical is enough
- **se-load:** a numeric value representing the load on the storage element. load values from the unix top?
- **se-accessprotocol:** The protocol supported to access/transform files. E.G. the SRM flavour.
- **se-backupfrequency:** The backup service provided by the storage.
Enumeration values: never, occasionally, monthly, weekly, nightly.

nordugrid-se-name

Attribute value: fixed format string

Example: **nordugrid-se-name:** HEP:hathi.hep.lu.se

Related XRSL: none

Description: The globally unique name of the Storage Element composed as *local-name colon FQDN*. The *nordugrid-se-name* attribute constitutes to the DN of the se entry.

nordugrid-se-aliasname

Attribute value: free form text

Example: **nordugrid-se-aliasname:** Lund HEP SE

Related XRSL: none

Description: A free form text attribute displaying the alias name of the storage resource.

nordugrid-se-type

Attribute value: {gridftp, SSE, other}

Example: **nordugrid-se-type:** gridftp

Related XRSL: none

Description: The type of the storage element. ARC currently comes with two class of storage elements, the conventional gridftp-based and the Smart Storage Element (SSE)[11]

nordugrid-se-freespace

Attribute value: number showing the amount in MBs

Example: **nordugrid-se-freespace:** 253870

Related XRSL: none

Description: The total amount of free space available on the SE in MBs. Not all of this space may be available for every grid user.

nordugrid-se-totalspace

Attribute value: number showing the amount in MBs

Example: `nordugrid-se-totalspace: 1531381`

Related XRSL: none

Description: The total capacity of the storage resource displayed in MBs.

nordugrid-se-url

Attribute value: URL

Example: `nordugrid-se-url: gsiftp://hathi.hep.lu.se:2811/hep`

Related XRSL: none

Description: The URL to contact the Storage Element. Multivalued attribute, an SE can be accessed via several URLs.

nordugrid-se-location

Attribute value: Postal ZIP code with two letter country prefix

Example: `nordugrid-se-location: SE-22100`

Related XRSL: none

Description: The geographical location of the storage resource, preferably specified as a postal code with a two letter country prefix. Not yet supported.

nordugrid-se-owner

Attribute value: free form text

Example: `nordugrid-se-owner: Danish Center for Grid Computing`

Related XRSL: none

Description: The multivalued attribute is used to display the owner of the resource. Not yet supported.

nordugrid-se-issuerca

Attribute value: LDAP Distinguished Name

Example: `nordugrid-se-issuerca: /C=DE/O=GermanGrid/CN=GridKa-CA`

Related XRSL: none

UI role: ?

Description: The certificate issuer of the storage resource. The DN of the CA which issued the host certificate is shown by the attribute. Not yet supported.

nordugrid-se-middleware

Attribute value: free form string representing a software package

Example: `nordugrid-se-middleware: nordugrid-200501280505cvs`

Example: `nordugrid-cluster-middleware: globus-2.4.3-15ng`

Related XRSL: none

Description: The multivalued attribute specifies the middleware packages installed on the storage resource.

nordugrid-se-comment

Attribute value: free form text

Example: `nordugrid-se-comment: Dedicated HEP storage`

Related XRSL: none

Description: The free form attribute displays additional information about the storage. Sometimes it contains an URL where more information can be read about the resource.

nordugrid-se-authuser

Attribute value: LDAP Distinguished Name

Example: `/O=Grid/O=NorduGrid/OU=nordugrid.org/CN=Lars Jenssen`

Example: `/O=Grid/O=NorduGrid/OU=nordugrid.org/CN=Leif Jenssen`

Related XRSL: none

UI role: ?

Description: The multivalued attribute lists the DN's of the authorized users.

nordugrid-se-accesscontrol

Attribute value: {trivial, gac1, other}

Example: `nordugrid-se-accesscontrol: gac1`

Related XRSL: none

UI role: ?

Description: The access control framework provided by the storage element and can be utilized by the users. Currently ARC implements two type of access control frameworks, the *GACL* and a trivial one [4].

4.8 Other services: nordugrid-rc objectclass for data catalogues

Originally, the *nordugrid-rc* objectclass was introduced to describe the Replica Catalogue services. The objectclass was rarely used and by now it has become obsolete. The *nordugrid-rc* objectclass is to be deprecated and replaced by a more general concept of grid service.

For the sake of completeness the attributes of the *nordugrid-rc* are listed without proper description, please refer to the Storage Resource section or to the Appendix in case more information is needed.

The list of the *nordugrid-rc* attributes: `nordugrid-rc-name`, `nordugrid-rc-aliasname`, `nordugrid-rc-baseurl`, `nordugrid-rc-authuser`, `nordugrid-rc-location`, `nordugrid-rc-owner`, `nordugrid-rc-issuerca`.

5 Registration Processes, Index Services: Topology

The individual local information trees need to be connected and organized into some sort of topological structure in order to create a coherent information system. NorduGrid/ARC utilizes registration processes and Index Services to build a distributed information system out of the individual local information trees.

Connecting information sources together is usually referred to as the resource information aggregation. ARC implements a minimalistic aggregation process: An ARC Index Service collects only the contact information of the information resources and no information is gathered or cached from the local information trees.

```
ldapsearch -x
  -h host
  -p port
  -b basedn
  -scope base
  giisregistrationstatus
```

Figure 4: The special LDAP query to obtain the content of an Index Service.

The local Information Trees and Index Services are linked together via the *registration processes*. During a registration process the registrant (lower level) sends its registration packet to an Index service. A registration packet contains information about the host (the registrant) initiating the registration process and about the information service running on the registrant (either a local tree or an index service): the registration message is basically the LDAP contact URL of the information service running on the registrant (additionally some timing parameter is also transferred indicating how long the registration information is expected to be kept in the Index Service). The target Index Service can filter out registration processes coming from registrants, unfortunately the filtering capability of the current Index Service is rather limited, it is based only on the FQDN and NOT on the LDAP URL. Registrations are sent periodically to the target Index Services, thus the registration mechanism follows a periodic push model. Technically, the registrations are implemented as periodic *ldapadd* operations.

Index Services are used to maintain dynamic lists of available resources, containing the LDAP contact information of the registrants. A registrant can either be a Local Information Tree or another Index Service. The content of the Index Service, that is the information on the registrants, is periodically purged, this way maintaining a dynamic registrant list. The Index Services are implemented as a special purpose LDAP databases, the registration entries are stored as pseudo-ldap entries in the Globus GIIS LDAP back-end. Although the registration information is presented in a valid LDIF format the registration entries do not constitute a legitimate LDAP tree, therefore they are referred to as the pseudo-ldap registration entries of the Index Service. The periodic purging of the registrant entries are done by NOT removing the obsoleted entry BUT setting the *Mds-Reg-status: PURGED* attribute. ARC Index Services are purely used to maintain a set of pseudo-ldap registration entries shown in Figures 5,6. No any other information is stored in the ARC Indices. It is planned to replace the currently abused GIIS LDAP backend implementation of the ARC Index Service by something more suitable, the simplistic functionality of maintaining a list of registrant tables could be trivially done e.g. in native LDAP.

The pseudo-ldap registration entries stored in an Index Service running on *host*, *port* under the LDAP *basedn* can be obtained by a **specially crafted LDAP query** executed against the Index Service:

That is an anonymous (-x) ldapsearch against the ldap server of the Index Service with searchscope *base* AND asking for the *giisregistrationstatus* special attribute provides all the pseudo-ldap registration entries stored in the Index Service. Examples for Index Service queries can be found in the the Appendix B.

A valid pseudo-ldap registration entry, stored in an Index Service and obtained by the above described special ldap query, is shown on Figure 5. The LDAP contact URL of the Local Information Tree running on the *grid.tsl.uu.se* machine is given by the attributes *Mds-Service-hn*, *Mds-Service-port*, *Mds-Service-Ldap-suffix*. The *dn: nordugrid-cluster-name=grid.tsl.uu.se, Mds-Vo-name=Sweden,o=grid* of the registration entry indicates that the registration corresponds to computing resource registering to an Index Service called *Mds-Vo-name=Sweden,o=grid*. The *Mds-Reg-status* attribute shows the validity of the registration. Figure 6 shows another pseudo-ldap registration entry corresponding to a PURGED state registration of an (lower level) Index Service to another (higher level) Index Service.

The Local Information Trees and the Index Services of the NorduGrid/ARC Grid are organized into a multi-level tree hierarchy. The Local Information Trees describing the actual Storage or Computing resources represent the lowest level of the tree-like topology. Resources are registering to first level Index Services which are registering to Second level Services, so on so forth. The registration chain ends at the Top Level Indices which represent the root of the tree hierarchy. The structure is built from bottom to top: always the lower level registers to the higher one. The tree-like hierarchical structure is motivated by the natural geographical organization where resources belonging to the same region register under a region index, region indices are registering to the appropriate country index while country indices are grouped together and register to the top level grid index services. In order to avoid any single point of failure, NorduGrid/ARC


```

#grid.tsl.uu.se, Sweden, grid
dn: nordugrid-cluster-name=grid.tsl.uu.se, Mds-Vo-name=Sweden,o=grid
objectClass: Mds
objectClass: MdsVoOp
objectClass: MdsService
objectClass: MdsServiceLdap
Mds-Service-type: ldap
Mds-Service-hn: grid.tsl.uu.se
Mds-Service-port: 2135
Mds-Service-Ldap-suffix: nordugrid-cluster-name=grid.tsl.uu.se,
                        Mds-Vo-name=local, o=grid
Mds-Service-Ldap-sizelimit: 0
Mds-Service-Ldap-timeout: 45
Mds-Service-Ldap-cachettl: 15
Mds-Bind-Method-servers: ANONYM-ONLY
Mds-Reg-status: VALID

```

Figure 5: A pseudo-ldap registration entry obtained from the Sweden Index Service describing the valid registration of a computing resource

```

# SweGrid, Sweden, grid
dn: Mds-Vo-name=SweGrid, Mds-Vo-name=Sweden,o=grid
objectClass: Mds
objectClass: MdsVoOp
objectClass: MdsService
objectClass: MdsServiceLdap
Mds-Service-type: ldap
Mds-Service-hn: hagrid.it.uu.se
Mds-Service-port: 2135
Mds-Service-Ldap-suffix: Mds-Vo-name=SweGrid, o=grid
Mds-Service-Ldap-sizelimit: 0
Mds-Service-Ldap-timeout: 120
Mds-Service-Ldap-cachettl: 30
Mds-Bind-Method-servers: ANONYM-ONLY
Mds-Reg-status: PURGED

```

Figure 6: A pseudo-ldap registration entry obtained from the Sweden Index Service describing the PURGED registration of the SweGrid Index Service: The SweGrid Index Service is running on the *hagrid.it.uu.se* machine on port *2135* and with ldap base *Mds-Vo-name=SweGrid, o=grid*.

host	port	LDAP baseDN
index1.nordugrid.org	2135	mds-vo-name=nordugrid,o=grid
index2.nordugrid.org	2135	mds-vo-name=nordugrid,o=grid
index3.nordugrid.org	2135	mds-vo-name=nordugrid,o=grid
index4.nordugrid.org	2135	mds-vo-name=nordugrid,o=grid

Table 3: LDAP URL of the TOP Level ARC Index Services

operates a multi-rooted tree with several top-level Indices (Table 3 lists the LDAP contact URL of the Top Level Index Services). Figure 7 shows simplified schematic view of the multi-rooted tree topology of ARC-connected Resources and Index Services. Besides the geographical structuring there are some Index Services which group resources by specific application area or organization. These application/organization Index Services either link themselves to a country Index or register directly to a Top level Index.




Figure 7: Resources (hosts) and Index Services are linked via the registration process creating a multi-rooted tree topology

5.1 Resource discovery

Resource discovery is the process when clients walk through the Index Services organized in a tree topology (see Fig.7) and collect LDAP contact URLs of the Computing and Storage resources. The discovery process usually starts at the top of the tree by querying some of the Top Level Index Services (Table 3 lists the Top Indices). A Top Level Index Service is queried by a specially crafted ldapsearch (Figure 4) which results all the registration entries stored in the Index Service. Index Services contain registration information of both resources and other Index Services. In the second step the client has to separate the entries corresponding to Index Services from entries describing registrations of actual resources (Local Trees). The Figures 5,6 show a registration table of a Computing resource and an Index Service, respectively. The *Ldap-suffix* of a resource always contains the special string "*mds-vo-name=local,o=grid*" referring to the fact that the resource runs a Local Information Tree. Then, the client contact the newly discovered Index Services and obtains the registration tables. The tables are separated into Indices and Resources, again. The process is repeated until all the Index Services are queried and the full list of LDAP Contact URL of Resources are collected.

Once the client has collected a list of Resource LDAP Contact URLs from the Index Services, the second phase of the information collection begins: The client directly contacts every Resource and initiates an LDAP query against the Local Information Tree. This is the real information gathering process in contrast to the first phase in which only the LDAP URLs were collected. Remember, unlike other systems (Globus GIIS, GT4 aggregator, R-GMA, LCG-BDII) ARC has no service which caches or aggregates Resource specific information on a higher level, ARC Index Services are not used to store local information, Indices maintain only LDAP URLs.

A Clients of the ARC information system

The entire content of the Information system including both the local trees and the Index Services are presented via an LDAP interface. LDAP is a very well supported protocol, therefore it is very easy to construct clients making use of the ARC information system.

The Grid Monitor[9] is a very powerfull graphical interface to the Information System written in PHP. The monitor runs on a webserver and provides a browsable graphical representation of the information content of the Grid.

The matured command line client (UI)[10] or the Graphical UIs and ARCLIB bein developed provide another examples of straightforward interfaceability to the LDAP-based Information System.

B LDAP Examples

- LDAP query against a local tree with a filter for nordugrid-cluster objectclass:

```
ldapsearch -h bambi.hep.lu.se -p 2135 -x -b 'mds-vo-name=local,o=grid' 'objectclass=nordugrid-cluster'
version: 2

#
# filter: objectclass=nordugrid-cluster
# requesting: ALL
#

# bambi.hep.lu.se, local, grid
dn: nordugrid-cluster-name=bambi.hep.lu.se,Mds-Vo-name=local,o=grid
objectClass: Mds
objectClass: nordugrid-cluster
nordugrid-cluster-name: bambi.hep.lu.se
nordugrid-cluster-aliasname: Bambi Test Cluster
nordugrid-cluster-owner: EHEP
nordugrid-cluster-location: SE-221 00
nordugrid-cluster-issuerca: /O=Grid/O=NorduGrid/CN=NorduGrid Certification Authority
nordugrid-cluster-contactstring: gsiftp://bambi.hep.lu.se:2811/jobs
nordugrid-cluster-support: grid.support@mysite.org
nordugrid-cluster-support: grid.support@myproject.org
nordugrid-cluster-lrms-type: fork
nordugrid-cluster-lrms-config: single job per processor
nordugrid-cluster-architecture: i686
nordugrid-cluster-opsys: Mandrake-10.0
nordugrid-cluster-opsys: glibc-2.3.3-10mdk
nordugrid-cluster-benchmark: SPECINT2000 @ 222
nordugrid-cluster-benchmark: SPECFP2000 @ 333
nordugrid-cluster-homogeneity: True
nordugrid-cluster-nodecpu: Intel(R) Pentium(R) 4 CPU 3.00GHz @ 2993.100 Mhz
nordugrid-cluster-nodeaccess: inbound
nordugrid-cluster-nodeaccess: outbound
nordugrid-cluster-totalcpus: 2
nordugrid-cluster-usedcpus: 0
nordugrid-cluster-cpudistribution: 2cpu:1
nordugrid-cluster-queuedjobs: 0
nordugrid-cluster-totaljobs: 0
nordugrid-cluster-sessiondir-free: 13958
nordugrid-cluster-sessiondir-total: 26403
nordugrid-cluster-cache-free: 9536
nordugrid-cluster-cache-total: 9536
nordugrid-cluster-middleware: nordugrid-0.5.20
nordugrid-cluster-middleware: globus-2.4.3-12ng
nordugrid-cluster-middleware: my grid software
nordugrid-cluster-runtimeenvironment: tt
Mds-validfrom: 20050307103026Z
Mds-validto: 20050307103029Z

# search result
search: 2
result: 0 Success

# numResponses: 2
# numEntries: 1
```

- Query for active grid jobs stored in the local tree describing a computing resource:

```
ldapsearch -h quark.hep.lu.se -p 2135 -x -b 'mds-vo-name=local,o=grid' 'objectclass=nordugrid-job'
version: 2

#
# filter: objectclass=nordugrid-job
# requesting: ALL
#

# gsiftp://quark.hep.lu.se:2811/jobs/131601109950874935622127, jobs, pc, quark.hep.lu.se, local, grid
dn: nordugrid-job-globalid=gsiftp://quark.hep.lu.se:2811/jobs/131601109950874935622127,nordugrid-info-group-name=jobs,nordugrid-queue-name=pc,nordugrid-cluster-name=quark.hep.lu.se,Mds-Vo-name=local,o=grid
objectClass: Mds
objectClass: nordugrid-job
nordugrid-job-globalid: gsiftp://quark.hep.lu.se:2811/jobs/131601109950874935622127
nordugrid-job-globalowner: /O=Grid/O=NorduGrid/OU=comm.ki.se/CN=Roxana Merino
nordugrid-job-jobname: TFB52
nordugrid-job-submissiontime: 20050304154114Z
nordugrid-job-execcluster: quark.hep.lu.se
nordugrid-job-execqueue: pc
nordugrid-job-cpucount: 1
nordugrid-job-sessiondirerasetime: 20050305154232Z
nordugrid-job-stdout: tfbs.out
nordugrid-job-stderr: tfbs.out
nordugrid-job-gmlog: gmlog
nordugrid-job-runtimeenvironment: BIO-GEIJER-0.0.2
nordugrid-job-submissionui: 217.208.119.237:18236;10.0.0.1
nordugrid-job-clientsoftware: nordugrid-0.4.4
nordugrid-job-proxyexpirationtime: 20050304212024Z
nordugrid-job-status: DELETED
nordugrid-job-reqcpus: 2
nordugrid-job-executionnodes: node2
Mds-validfrom: 20050307110037Z
Mds-validto: 20050307110107Z

# gsiftp://quark.hep.lu.se:2811/jobs/5381111006551269125810, jobs, pclong, quark.hep.lu.se, local, grid
dn: nordugrid-job-globalid=gsiftp://quark.hep.lu.se:2811/jobs/5381111006551269125810,nordugrid-info-group-name=jobs,nordugrid-queue-name=pclong,nordugrid-cluster-name=quark.hep.lu.se,Mds-Vo-name=local,o=grid
objectClass: Mds
objectClass: nordugrid-job
nordugrid-job-globalid: gsiftp://quark.hep.lu.se:2811/jobs/5381111006551269125810
nordugrid-job-globalowner: /O=Grid/O=NorduGrid/OU=fys.ku.dk/CN=Brian Moller Andersen
```

```

nordugrid-job-jobname: selfconsistentMDSSAFNAF100slabonemu
nordugrid-job-submissiontime: 20050305233152Z
nordugrid-job-execcluster: quark.hep.lu.se
nordugrid-job-execqueue: pclong
nordugrid-job-cpucount: 1
nordugrid-job-stdout: output
nordugrid-job-stderr: output
nordugrid-job-submissionui: 130.225.102.149:33853;johansen.fys.ku.dk
nordugrid-job-clientsoftware: nordugrid-0.3.39
nordugrid-job-proxyexpirationtime: 20050306100826Z
nordugrid-job-status: INLRMS: R
nordugrid-job-usedmem: 30736
nordugrid-job-usedwalltime: 2127
nordugrid-job-usedcputime: 2125
nordugrid-job-reqcput: 10080
nordugrid-job-executionnodes: node1/0
nordugrid-job-lrmscomment: Job started on Sun Mar 06 at 00:32
Mds-validfrom: 20050307110038Z
Mds-validto: 20050307110108Z

# gsiftp://quark.hep.lu.se:2811/jobs/52301110065467612188831, jobs, pclong, q
uark.hep.lu.se, local, grid
dn: nordugrid-job-globalid=gsiftp://quark.hep.lu.se:2811/jobs/5230111006546761
2188831, nordugrid-info-group-name=jobs, nordugrid-queue-name=pclong,nordugri
d-cluster-name=quark.hep.lu.se,Mds-Vo-name=local,o=grid
objectClass: Mds
objectClass: nordugrid-job
nordugrid-job-globalid: gsiftp://quark.hep.lu.se:2811/jobs/5230111006546761218
8831
nordugrid-job-globalowner: /O=Grid/O=NorduGrid/OU=fys.ku.dk/CN=Brian Moller An
dersen
nordugrid-job-jobname: selfconsistentMDSSAFNAF100slabonemu
nordugrid-job-submissiontime: 20050305233107Z
nordugrid-job-execcluster: quark.hep.lu.se
nordugrid-job-execqueue: pclong
nordugrid-job-cpucount: 1
nordugrid-job-stdout: output
nordugrid-job-stderr: output
nordugrid-job-submissionui: 130.225.102.149:33846;johansen.fys.ku.dk
nordugrid-job-clientsoftware: nordugrid-0.3.39
nordugrid-job-proxyexpirationtime: 20050306100826Z
nordugrid-job-status: INLRMS: R
nordugrid-job-usedmem: 30736
nordugrid-job-usedwalltime: 2126
nordugrid-job-usedcputime: 2126
nordugrid-job-reqcput: 10080
nordugrid-job-executionnodes: node3/0
nordugrid-job-lrmscomment: Job started on Sun Mar 06 at 00:32
Mds-validfrom: 20050307110038Z
Mds-validto: 20050307110108Z

# gsiftp://quark.hep.lu.se:2811/jobs/49831110065360908977417, jobs, pclong, q
uark.hep.lu.se, local, grid
dn: nordugrid-job-globalid=gsiftp://quark.hep.lu.se:2811/jobs/4983111006536090
8977417, nordugrid-info-group-name=jobs, nordugrid-queue-name=pclong,nordugri
d-cluster-name=quark.hep.lu.se,Mds-Vo-name=local,o=grid
objectClass: Mds
objectClass: nordugrid-job
nordugrid-job-globalid: gsiftp://quark.hep.lu.se:2811/jobs/4983111006536090897
7417
nordugrid-job-globalowner: /O=Grid/O=NorduGrid/OU=fys.ku.dk/CN=Brian Moller An
dersen
nordugrid-job-jobname: selfconsistentMDSSAFNAF100slabonemu
nordugrid-job-submissiontime: 20050305232920Z
nordugrid-job-execcluster: quark.hep.lu.se
nordugrid-job-execqueue: pclong
nordugrid-job-cpucount: 1
nordugrid-job-stdout: output
nordugrid-job-stderr: output
nordugrid-job-submissionui: 130.225.102.149:33836;johansen.fys.ku.dk
nordugrid-job-clientsoftware: nordugrid-0.3.39
nordugrid-job-proxyexpirationtime: 20050306100826Z
nordugrid-job-status: INLRMS: R
nordugrid-job-usedmem: 30736
nordugrid-job-usedwalltime: 2128
nordugrid-job-usedcputime: 2128
nordugrid-job-reqcput: 8640
nordugrid-job-executionnodes: node2/0
nordugrid-job-lrmscomment: Job started on Sun Mar 06 at 00:30
Mds-validfrom: 20050307110038Z
Mds-validto: 20050307110108Z

# search result
search: 2
result: 0 Success

# numResponses: 5
# numEntries: 4

```

- LDAP query to obtain the registration entries stored in an Index Service:

```

ldapsearch -h quark.hep.lu.se -p 2135 -x -b 'mds-vo-name=Sweden,o=Grid' -s base giisregistrationstatus
version: 2

#
# filter: (objectclass=*)
# requesting: giisregistrationstatus
#

# sel:sel.hpc2n.umu.se, Sweden, grid
dn: nordugrid-se-name=sel:sel.hpc2n.umu.se, Mds-Vo-name=Sweden,o=grid
objectClass: Mds
objectClass: MdsVoOp
objectClass: MdsService
objectClass: MdsServiceLdap
Mds-Service-type: ldap
Mds-Service-hn: ido-i.hpc2n.umu.se
Mds-Service-port: 2135
Mds-Service-Ldap=suffix: nordugrid-se-name=sel:sel.hpc2n.umu.se, Mds-Vo-name=l
ocal, o=grid
Mds-Service-Ldap-sizelimit: 0
Mds-Service-Ldap-timeout: 45
Mds-Service-Ldap-cachettl: 15

```

```

Mds-Bind-Method-servers: ANONYM-ONLY
Mds-Reg-status: VALID

# bphysics:quark.hep.lu.se, Sweden, grid
dn: nordugrid-se-name=bphysics:quark.hep.lu.se, Mds-Vo-name=Sweden,o=grid
objectClass: Mds
objectClass: MdsVoOp
objectClass: MdsService
objectClass: MdsServiceLdap
Mds-Service-type: ldap
Mds-Service-hn: quark.hep.lu.se
Mds-Service-port: 2135
Mds-Service-Ldap-suffix: nordugrid-se-name=bphysics:quark.hep.lu.se, Mds-Vo-na
me=local, o=grid
Mds-Service-Ldap-sizelimit: 0
Mds-Service-Ldap-timeout: 45
Mds-Service-Ldap-cachettl: 15
Mds-Bind-Method-servers: ANONYM-ONLY
Mds-Reg-status: VALID

# Quark:quark.hep.lu.se, Sweden, grid
dn: nordugrid-se-name=Quark:quark.hep.lu.se, Mds-Vo-name=Sweden,o=grid
objectClass: Mds
objectClass: MdsVoOp
objectClass: MdsService
objectClass: MdsServiceLdap
Mds-Service-type: ldap
Mds-Service-hn: quark.hep.lu.se
Mds-Service-port: 2135
Mds-Service-Ldap-suffix: nordugrid-se-name=Quark:quark.hep.lu.se, Mds-Vo-name=
local, o=grid
Mds-Service-Ldap-sizelimit: 0
Mds-Service-Ldap-timeout: 45
Mds-Service-Ldap-cachettl: 15
Mds-Bind-Method-servers: ANONYM-ONLY
Mds-Reg-status: PURGED

# quark.hep.lu.se, Sweden, grid
dn: nordugrid-cluster-name=quark.hep.lu.se, Mds-Vo-name=Sweden,o=grid
objectClass: Mds
objectClass: MdsVoOp
objectClass: MdsService
objectClass: MdsServiceLdap
Mds-Service-type: ldap
Mds-Service-hn: quark.hep.lu.se
Mds-Service-port: 2135
Mds-Service-Ldap-suffix: nordugrid-cluster-name=quark.hep.lu.se, Mds-Vo-name=l
ocal, o=grid
Mds-Service-Ldap-sizelimit: 0
Mds-Service-Ldap-timeout: 45
Mds-Service-Ldap-cachettl: 0
Mds-Bind-Method-servers: ANONYM-ONLY
Mds-Reg-status: VALID

# files:grid.tsl.uu.se, Sweden, grid
dn: nordugrid-se-name=files:grid.tsl.uu.se, Mds-Vo-name=Sweden,o=grid
objectClass: Mds
objectClass: MdsVoOp
objectClass: MdsService
objectClass: MdsServiceLdap
Mds-Service-type: ldap
Mds-Service-hn: grid.tsl.uu.se
Mds-Service-port: 2135
Mds-Service-Ldap-suffix: nordugrid-se-name=files:grid.tsl.uu.se, Mds-Vo-name=l
ocal, o=grid
Mds-Service-Ldap-sizelimit: 0
Mds-Service-Ldap-timeout: 45
Mds-Service-Ldap-cachettl: 15
Mds-Bind-Method-servers: ANONYM-ONLY
Mds-Reg-status: PURGED

# toto7.lunarc.lu.se, Sweden, grid
dn: nordugrid-cluster-name=toto7.lunarc.lu.se, Mds-Vo-name=Sweden,o=grid
objectClass: Mds
objectClass: MdsVoOp
objectClass: MdsService
objectClass: MdsServiceLdap
Mds-Service-type: ldap
Mds-Service-hn: toto7.lunarc.lu.se
Mds-Service-port: 2135
Mds-Service-Ldap-suffix: nordugrid-cluster-name=toto7.lunarc.lu.se, Mds-Vo-nam
e=local, o=grid
Mds-Service-Ldap-sizelimit: 0
Mds-Service-Ldap-timeout: 45
Mds-Service-Ldap-cachettl: 0
Mds-Bind-Method-servers: ANONYM-ONLY
Mds-Reg-status: VALID

# Svegrid, Sweden, grid
dn: Mds-Vo-name=Svegrid, Mds-Vo-name=Sweden,o=grid
objectClass: Mds
objectClass: MdsVoOp
objectClass: MdsService
objectClass: MdsServiceLdap
Mds-Service-type: ldap
Mds-Service-hn: nexus.svegrid.se
Mds-Service-port: 2135
Mds-Service-Ldap-suffix: Mds-Vo-name=Svegrid, o=grid
Mds-Service-Ldap-sizelimit: 0
Mds-Service-Ldap-timeout: 120
Mds-Service-Ldap-cachettl: 30
Mds-Bind-Method-servers: ANONYM-ONLY
Mds-Reg-status: VALID

# search result
search: 2
result: 0 Success

# numResponses: 8
# numEntries: 7

```

C NorduGrid LDAP schema file

```
# attributes for the nordugrid-cluster objectclass
#
attributetype ( 1.3.6.1.4.1.11604.2.1.1.1
    NAME 'nordugrid-cluster-name'
    DESC 'The name of the cluster specified as the domain name of the frontend'
    EQUALITY caseIgnoreMatch
    ORDERING caseIgnoreOrderingMatch
    SUBSTR caseIgnoreSubstringsMatch
    SYNTAX 1.3.6.1.4.1.1466.115.121.1.44
    SINGLE-VALUE )

attributetype ( 1.3.6.1.4.1.11604.2.1.1.2
    NAME 'nordugrid-cluster-aliasname'
    DESC 'The alias name of the cluster'
    EQUALITY caseIgnoreMatch
    ORDERING caseIgnoreOrderingMatch
    SUBSTR caseIgnoreSubstringsMatch
    SYNTAX 1.3.6.1.4.1.1466.115.121.1.44
    SINGLE-VALUE )

attributetype ( 1.3.6.1.4.1.11604.2.1.1.3
    NAME 'nordugrid-cluster-contactstring'
    DESC 'The URL of the job submission service running on the cluster frontend'
    EQUALITY caseExactIA5Match
    SUBSTR caseExactIA5SubstringsMatch
    SYNTAX 1.3.6.1.4.1.1466.115.121.1.26
    SINGLE-VALUE )

attributetype ( 1.3.6.1.4.1.11604.2.1.1.4
    NAME 'nordugrid-cluster-support'
    DESC 'RFC822 email address of support'
    EQUALITY caseIgnoreIA5Match
    SYNTAX 1.3.6.1.4.1.1466.115.121.1.26{256})

attributetype ( 1.3.6.1.4.1.11604.2.1.1.5
    NAME 'nordugrid-cluster-lrms-type'
    DESC 'The type of the Local Resource Management System'
    EQUALITY caseIgnoreMatch
    ORDERING caseIgnoreOrderingMatch
    SUBSTR caseIgnoreSubstringsMatch
    SYNTAX 1.3.6.1.4.1.1466.115.121.1.44
    SINGLE-VALUE )

attributetype ( 1.3.6.1.4.1.11604.2.1.1.6
    NAME 'nordugrid-cluster-lrms-version'
    DESC 'The version of the Local Resource Management System'
    EQUALITY caseIgnoreMatch
    ORDERING caseIgnoreOrderingMatch
    SUBSTR caseIgnoreSubstringsMatch
    SYNTAX 1.3.6.1.4.1.1466.115.121.1.44
    SINGLE-VALUE )

attributetype ( 1.3.6.1.4.1.11604.2.1.1.7
    NAME 'nordugrid-cluster-lrms-config'
    DESC 'Additional remark on the LRMS config'
    EQUALITY caseIgnoreMatch
    ORDERING caseIgnoreOrderingMatch
    SUBSTR caseIgnoreSubstringsMatch
    SYNTAX 1.3.6.1.4.1.1466.115.121.1.44
    SINGLE-VALUE )

attributetype ( 1.3.6.1.4.1.11604.2.1.1.8
    NAME 'nordugrid-cluster-architecture'
    DESC 'The architecture of the cluster nodes'
    EQUALITY caseIgnoreMatch
    ORDERING caseIgnoreOrderingMatch
    SUBSTR caseIgnoreSubstringsMatch
    SYNTAX 1.3.6.1.4.1.1466.115.121.1.44
    SINGLE-VALUE )

attributetype ( 1.3.6.1.4.1.11604.2.1.1.9
    NAME 'nordugrid-cluster-opsys'
    DESC 'The operating system of the machines of the cluster'
    EQUALITY caseIgnoreMatch
    ORDERING caseIgnoreOrderingMatch
    SUBSTR caseIgnoreSubstringsMatch
    SYNTAX 1.3.6.1.4.1.1466.115.121.1.44)

attributetype ( 1.3.6.1.4.1.11604.2.1.1.10
    NAME 'nordugrid-cluster-homogeneity'
    DESC 'A logical flag indicating the homogeneity of the cluster nodes'
    EQUALITY caseIgnoreMatch
    SYNTAX 1.3.6.1.4.1.1466.115.121.1.7
    SINGLE-VALUE )

attributetype ( 1.3.6.1.4.1.11604.2.1.1.11
    NAME 'nordugrid-cluster-nodescpu'
    DESC 'The cpu type of the nodes expressed in a fixed form (model name + MHz)'
    EQUALITY integerMatch
    ORDERING caseIgnoreOrderingMatch
    SUBSTR caseIgnoreSubstringsMatch
    SYNTAX 1.3.6.1.4.1.1466.115.121.1.27
    SINGLE-VALUE )

attributetype ( 1.3.6.1.4.1.11604.2.1.1.12
    NAME 'nordugrid-cluster-nodememory'
    DESC 'The amount of memory which can be guaranteed to be available on the node in MB'
    EQUALITY integerMatch
    ORDERING caseIgnoreOrderingMatch
    SUBSTR caseIgnoreSubstringsMatch
    SYNTAX 1.3.6.1.4.1.1466.115.121.1.27
    SINGLE-VALUE )

attributetype ( 1.3.6.1.4.1.11604.2.1.1.13
    NAME 'nordugrid-cluster-totalcpus'
    DESC 'The total number of cpus in the cluster'
    EQUALITY integerMatch
    ORDERING caseIgnoreOrderingMatch
    SUBSTR caseIgnoreSubstringsMatch
    SYNTAX 1.3.6.1.4.1.1466.115.121.1.27
    SINGLE-VALUE )
```

```

attributetype ( 1.3.6.1.4.1.11604.2.1.1.14
  NAME 'nordugrid-cluster-cpudistribution'
  DESC 'The cpu distribution of the nodes given in the form of 1cpu:3 2cpu:4 4cpu:1'
  EQUALITY caseIgnoreMatch
  ORDERING caseIgnoreOrderingMatch
  SUBSTR caseIgnoreSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.44
  SINGLE-VALUE )

attributetype ( 1.3.6.1.4.1.11604.2.1.1.15
  NAME 'nordugrid-cluster-sessiondir-free'
  DESC 'Free diskpace in MB of the sessiondirectory on the cluster'
  EQUALITY caseIgnoreMatch
  ORDERING caseIgnoreOrderingMatch
  SUBSTR caseIgnoreSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.44
  SINGLE-VALUE )

attributetype ( 1.3.6.1.4.1.11604.2.1.1.16
  NAME 'nordugrid-cluster-sessiondir-total'
  DESC 'Total diskpace in MB of the sessiondirectory on the cluster'
  EQUALITY caseIgnoreMatch
  ORDERING caseIgnoreOrderingMatch
  SUBSTR caseIgnoreSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.44
  SINGLE-VALUE )

attributetype ( 1.3.6.1.4.1.11604.2.1.1.17
  NAME 'nordugrid-cluster-cache-free'
  DESC 'Free diskpace in MB of the cache area on the cluster'
  EQUALITY integerMatch
  ORDERING caseIgnoreOrderingMatch
  SUBSTR caseIgnoreSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.27
  SINGLE-VALUE )

attributetype ( 1.3.6.1.4.1.11604.2.1.1.18
  NAME 'nordugrid-cluster-cache-total'
  DESC 'Total diskpace in MB of the cache area on the cluster'
  EQUALITY integerMatch
  ORDERING caseIgnoreOrderingMatch
  SUBSTR caseIgnoreSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.27
  SINGLE-VALUE )

attributetype ( 1.3.6.1.4.1.11604.2.1.1.19
  NAME 'nordugrid-cluster-runtimeenvironment'
  DESC 'preinstalled software packages of the cluster'
  EQUALITY caseIgnoreMatch
  ORDERING caseIgnoreOrderingMatch
  SUBSTR caseIgnoreSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.44 )

attributetype ( 1.3.6.1.4.1.11604.2.1.1.20
  NAME 'nordugrid-cluster-locale'
  DESC 'The URL of a storage element considered to be local to the cluster'
  EQUALITY caseExactMatch
  ORDERING caseExactOrderingMatch
  SUBSTR caseExactSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.44 )

attributetype ( 1.3.6.1.4.1.11604.2.1.1.21
  NAME 'nordugrid-cluster-middleware'
  DESC 'The middleware packages on the cluster'
  EQUALITY caseIgnoreMatch
  ORDERING caseIgnoreOrderingMatch
  SUBSTR caseIgnoreSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.44 )

attributetype ( 1.3.6.1.4.1.11604.2.1.1.22
  NAME 'nordugrid-cluster-totaljobs'
  DESC 'The total number of jobs (Grid + non-Grid) in the cluster'
  EQUALITY integerMatch
  ORDERING caseIgnoreOrderingMatch
  SUBSTR caseIgnoreSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.27
  SINGLE-VALUE )

attributetype ( 1.3.6.1.4.1.11604.2.1.1.23
  NAME 'nordugrid-cluster-usedcpus'
  DESC 'The total number of occupied cpus in the cluster'
  EQUALITY integerMatch
  ORDERING caseIgnoreOrderingMatch
  SUBSTR caseIgnoreSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.27
  SINGLE-VALUE )

attributetype ( 1.3.6.1.4.1.11604.2.1.1.24
  NAME 'nordugrid-cluster-queuedjobs'
  DESC 'The total number of jobs (grid and non-grid) not-yet running: preparing or waiting to run on the cluster, either in the grid-manager or in the LRMS'
  EQUALITY integerMatch
  ORDERING caseIgnoreOrderingMatch
  SUBSTR caseIgnoreSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.27
  SINGLE-VALUE )

attributetype ( 1.3.6.1.4.1.11604.2.1.1.25
  NAME 'nordugrid-cluster-location'
  DESC 'The geographical location of the cluster expressed in terms of a Postal ZIP code'
  EQUALITY caseIgnoreMatch
  ORDERING caseIgnoreOrderingMatch
  SUBSTR caseIgnoreSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.44
  SINGLE-VALUE )

attributetype ( 1.3.6.1.4.1.11604.2.1.1.26
  NAME 'nordugrid-cluster-owner'
  DESC 'The owner of the resource'
  EQUALITY caseIgnoreMatch
  ORDERING caseIgnoreOrderingMatch
  SUBSTR caseIgnoreSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.44 )

attributetype ( 1.3.6.1.4.1.11604.2.1.1.27
  NAME 'nordugrid-cluster-issuerca'

```



```

DESC 'The DN of the Certificate Authority which issued the certificate of the cluster'
EQUALITY caseExactMatch
ORDERING caseExactOrderingMatch
SUBSTR caseExactSubstringsMatch
SYNTAX 1.3.6.1.4.1.1466.115.121.1.44
SINGLE-VALUE )

attributetype ( 1.3.6.1.4.1.11604.2.1.1.28
  NAME 'nordugrid-cluster-nodeaccess'
  DESC 'The inbound/outbound network accessibility of the nodes'
  EQUALITY caseIgnoreMatch
  ORDERING caseIgnoreOrderingMatch
  SUBSTR caseIgnoreSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.44 )

attributetype ( 1.3.6.1.4.1.11604.2.1.1.29
  NAME 'nordugrid-cluster-comment'
  DESC 'Free form comment'
  EQUALITY caseIgnoreMatch
  ORDERING caseIgnoreOrderingMatch
  SUBSTR caseIgnoreSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.44{256}
  SINGLE-VALUE )

attributetype ( 1.3.6.1.4.1.11604.2.1.1.30
  NAME 'nordugrid-cluster-interactive-contactstring'
  DESC 'The URL for interactive login'
  EQUALITY caseExactIA5Match
  SUBSTR caseExactIA5SubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.26 )

attributetype ( 1.3.6.1.4.1.11604.2.1.1.31
  NAME 'nordugrid-cluster-benchmark'
  DESC '0 separated benchmark_name, benchmark_value pair characterizing the cluster nodes'
  EQUALITY caseIgnoreMatch
  ORDERING caseIgnoreOrderingMatch
  SUBSTR caseIgnoreSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.44 )

objectclass ( 1.3.6.1.4.1.11604.2.1.1
  NAME 'nordugrid-cluster'
  DESC 'Description of a Nordugrid cluster'
  SUP 'Mds'
  STRUCTURAL
  MUST ( nordugrid-cluster-name $ nordugrid-cluster-contactstring )
  MAY ( nordugrid-cluster-aliasname $ nordugrid-cluster-support $
    nordugrid-cluster-lrms-type $ nordugrid-cluster-lrms-version $
    nordugrid-cluster-lrms-config $ nordugrid-cluster-architecture $
    nordugrid-cluster-opsys $ nordugrid-cluster-homogeneity $
    nordugrid-cluster-nodecpu $ nordugrid-cluster-nodememory $
    nordugrid-cluster-totalcpus $ nordugrid-cluster-cpudistribution $
    nordugrid-cluster-sessiondir-free $ nordugrid-cluster-sessiondir-total $
    nordugrid-cluster-cache-free $ nordugrid-cluster-cache-total $
    nordugrid-cluster-runtimeenvironment $ nordugrid-cluster-locale $
    nordugrid-cluster-middleware $ nordugrid-cluster-totaljobs $
    nordugrid-cluster-usedcpus $ nordugrid-cluster-queuedjobs $
    nordugrid-cluster-location $ nordugrid-cluster-owner $
    nordugrid-cluster-issuerca $ nordugrid-cluster-nodeaccess $
    nordugrid-cluster-comment $ nordugrid-cluster-interactive-contactstring $
    nordugrid-cluster-benchmark ) )

#-----
# attributes for the nordugrid-info-group objectclass
#
attributetype ( 1.3.6.1.4.1.11604.2.1.2.1
  NAME 'nordugrid-info-group-name'
  DESC 'Locally unique info group name'
  EQUALITY caseIgnoreMatch
  ORDERING caseIgnoreOrderingMatch
  SUBSTR caseIgnoreSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.44
  SINGLE-VALUE )

objectclass ( 1.3.6.1.4.1.11604.2.1.2
  NAME 'nordugrid-info-group'
  DESC 'A general entry for grouping together MDS entries'
  SUP 'Mds'
  STRUCTURAL
  MUST ( nordugrid-info-group-name )

#-----
# attributes for the nordugrid-queue objectclass
#
attributetype ( 1.3.6.1.4.1.11604.2.1.3.1
  NAME 'nordugrid-queue-name'
  DESC 'The queue name'
  EQUALITY caseExactMatch
  ORDERING caseExactOrderingMatch
  SUBSTR caseExactSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.44
  SINGLE-VALUE )

attributetype ( 1.3.6.1.4.1.11604.2.1.3.2
  NAME 'nordugrid-queue-status'
  DESC 'The queue status'
  EQUALITY caseIgnoreMatch
  ORDERING caseIgnoreOrderingMatch
  SUBSTR caseIgnoreSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.44
  SINGLE-VALUE )

attributetype ( 1.3.6.1.4.1.11604.2.1.3.3
  NAME 'nordugrid-queue-running'
  DESC 'Number of running jobs (Grid + non-Grid) in the queue with multi-node jobs multiplicity'
  EQUALITY integerMatch
  ORDERING caseIgnoreOrderingMatch
  SUBSTR caseIgnoreSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.27
  SINGLE-VALUE )

attributetype ( 1.3.6.1.4.1.11604.2.1.3.4
  NAME 'nordugrid-queue-queued'
  DESC 'The number of jobs (Grid + non-Grid) waiting in the queue'
  EQUALITY integerMatch
  ORDERING caseIgnoreOrderingMatch
  SUBSTR caseIgnoreSubstringsMatch

```

```

SYNTAX 1.3.6.1.4.1.1466.115.121.1.27
SINGLE-VALUE )

attributetype ( 1.3.6.1.4.1.11604.2.1.3.5
  NAME 'nordugrid-queue-maxrunning'
  DESC 'The maximum number of jobs allowed to run from this queue'
  EQUALITY integerMatch
  ORDERING caseIgnoreOrderingMatch
  SUBSTR caseIgnoreSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.27
  SINGLE-VALUE )

attributetype ( 1.3.6.1.4.1.11604.2.1.3.6
  NAME 'nordugrid-queue-maxqueueable'
  DESC 'The maximum number of jobs allowed to reside in the queue'
  EQUALITY integerMatch
  ORDERING caseIgnoreOrderingMatch
  SUBSTR caseIgnoreSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.27
  SINGLE-VALUE )

attributetype ( 1.3.6.1.4.1.11604.2.1.3.7
  NAME 'nordugrid-queue-maxuserrun'
  DESC 'Maximum number of jobs a user can run at the same time'
  EQUALITY integerMatch
  ORDERING caseIgnoreOrderingMatch
  SUBSTR caseIgnoreSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.27
  SINGLE-VALUE )

attributetype ( 1.3.6.1.4.1.11604.2.1.3.8
  NAME 'nordugrid-queue-maxcputime'
  DESC 'The maximum cputime allowed in this queue (in minutes)'
  EQUALITY integerMatch
  ORDERING caseIgnoreOrderingMatch
  SUBSTR caseIgnoreSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.27
  SINGLE-VALUE )

attributetype ( 1.3.6.1.4.1.11604.2.1.3.9
  NAME 'nordugrid-queue-mincputime'
  DESC 'The minimum possible cputime of this queue (in minutes)'
  EQUALITY integerMatch
  ORDERING caseIgnoreOrderingMatch
  SUBSTR caseIgnoreSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.27
  SINGLE-VALUE )

attributetype ( 1.3.6.1.4.1.11604.2.1.3.10
  NAME 'nordugrid-queue-defaultcputime'
  DESC 'The default cputime assigned to this queue (in minutes)'
  EQUALITY integerMatch
  ORDERING caseIgnoreOrderingMatch
  SUBSTR caseIgnoreSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.27
  SINGLE-VALUE )

attributetype ( 1.3.6.1.4.1.11604.2.1.3.11
  NAME 'nordugrid-queue-schedulingpolicy'
  DESC 'The scheduling policy of the queue (i.e. FIFO)'
  EQUALITY caseIgnoreMatch
  ORDERING caseIgnoreOrderingMatch
  SUBSTR caseIgnoreSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.44
  SINGLE-VALUE )

attributetype ( 1.3.6.1.4.1.11604.2.1.3.12
  NAME 'nordugrid-queue-totalcpus'
  DESC 'Total number of cpus assigned to the queue'
  EQUALITY integerMatch
  ORDERING caseIgnoreOrderingMatch
  SUBSTR caseIgnoreSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.27
  SINGLE-VALUE )

attributetype ( 1.3.6.1.4.1.11604.2.1.3.13
  NAME 'nordugrid-queue-nodectpu'
  DESC 'The cpu type of the nodes assigned to the queue (model name + MHz)'
  EQUALITY caseIgnoreMatch
  ORDERING caseIgnoreOrderingMatch
  SUBSTR caseIgnoreSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.44
  SINGLE-VALUE )

attributetype ( 1.3.6.1.4.1.11604.2.1.3.14
  NAME 'nordugrid-queue-nodememory'
  DESC 'The installed memory of a node assigned to the queue in MB'
  EQUALITY integerMatch
  ORDERING caseIgnoreOrderingMatch
  SUBSTR caseIgnoreSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.27
  SINGLE-VALUE )

attributetype ( 1.3.6.1.4.1.11604.2.1.3.15
  NAME 'nordugrid-queue-architecture'
  DESC 'The architecture of the machines in the queue'
  EQUALITY caseIgnoreMatch
  ORDERING caseIgnoreOrderingMatch
  SUBSTR caseIgnoreSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.44
  SINGLE-VALUE )

attributetype ( 1.3.6.1.4.1.11604.2.1.3.16
  NAME 'nordugrid-queue-opsys'
  DESC 'The operating system of the nodes in the queue'
  EQUALITY caseIgnoreMatch
  ORDERING caseIgnoreOrderingMatch
  SUBSTR caseIgnoreSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.44
  SINGLE-VALUE )

attributetype ( 1.3.6.1.4.1.11604.2.1.3.17
  NAME 'nordugrid-queue-gridrunning'
  DESC 'Number of running Grid jobs in the queue with multi-node jobs multiplicity'
  EQUALITY integerMatch
  ORDERING caseIgnoreOrderingMatch

```

```

SUBSTR caseIgnoreSubstringsMatch
SYNTAX 1.3.6.1.4.1.1466.115.121.1.27
SINGLE-VALUE )

attributetype ( 1.3.6.1.4.1.11604.2.1.3.18
  NAME 'nordugrid-queue-gridqueued'
  DESC 'The number of Grid jobs waiting in the queue'
  EQUALITY integerMatch
  ORDERING caseIgnoreOrderingMatch
  SUBSTR caseIgnoreSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.27
  SINGLE-VALUE )

attributetype ( 1.3.6.1.4.1.11604.2.1.3.19
  NAME 'nordugrid-queue-comment'
  DESC 'Free form comment'
  EQUALITY caseIgnoreMatch
  ORDERING caseIgnoreOrderingMatch
  SUBSTR caseIgnoreSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.44{256}
  SINGLE-VALUE )

attributetype ( 1.3.6.1.4.1.11604.2.1.3.20
  NAME 'nordugrid-queue-benchmark'
  DESC 'Colon separated benchmark_name, benchmark_value pair characterizing the queue'
  EQUALITY caseIgnoreMatch
  ORDERING caseIgnoreOrderingMatch
  SUBSTR caseIgnoreSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.44 )

attributetype ( 1.3.6.1.4.1.11604.2.1.3.21
  NAME 'nordugrid-queue-homogeneity'
  DESC 'A logical flag indicating the homogeneity of the queue nodes'
  EQUALITY caseIgnoreMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.7
  SINGLE-VALUE )

objectclass ( 1.3.6.1.4.1.11604.2.1.3
  NAME 'nordugrid-queue'
  DESC 'An LRMS queue'
  SUP 'Mds'
  STRUCTURAL
  MUST ( nordugrid-queue-name $ nordugrid-queue-status )
  MAY ( nordugrid-queue-running $ nordugrid-queue-queued $
        nordugrid-queue-maxrunning $ nordugrid-queue-maxqueueable $
        nordugrid-queue-maxuserun $ nordugrid-queue-maxcputime $
        nordugrid-queue-mincputime $ nordugrid-queue-defaultcputime $
        nordugrid-queue-schedulingpolicy $ nordugrid-queue-totalcpus $
        nordugrid-queue-nodecpu $ nordugrid-queue-nodememory $
        nordugrid-queue-opsys $ nordugrid-queue-architecture $
        nordugrid-queue-gridrunning $ nordugrid-queue-gridqueued $
        nordugrid-queue-comment $ nordugrid-queue-benchmark $
        nordugrid-queue-homogeneity ) )

#-----
#Attributes for the nordugrid-job objectclass
#
attributetype ( 1.3.6.1.4.1.11604.2.1.4.1
  NAME 'nordugrid-job-globalid'
  DESC 'The global job identifier string'
  EQUALITY caseExactIA5Match
  SUBSTR caseExactIA5SubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.26
  SINGLE-VALUE )

attributetype ( 1.3.6.1.4.1.11604.2.1.4.2
  NAME 'nordugrid-job-globalowner'
  DESC 'The SubjectName of the job owner'
  EQUALITY caseExactMatch
  ORDERING caseExactOrderingMatch
  SUBSTR caseExactSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.44
  SINGLE-VALUE )

attributetype ( 1.3.6.1.4.1.11604.2.1.4.3
  NAME 'nordugrid-job-execcluster'
  DESC 'The name of the execution cluster'
  EQUALITY caseIgnoreMatch
  ORDERING caseIgnoreOrderingMatch
  SUBSTR caseIgnoreSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.44
  SINGLE-VALUE )

attributetype ( 1.3.6.1.4.1.11604.2.1.4.4
  NAME 'nordugrid-job-execqueue'
  DESC 'The name of the execution queue'
  EQUALITY caseIgnoreMatch
  ORDERING caseIgnoreOrderingMatch
  SUBSTR caseIgnoreSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.44
  SINGLE-VALUE )

attributetype ( 1.3.6.1.4.1.11604.2.1.4.5
  NAME 'nordugrid-job-stdout'
  DESC 'The name of the file which contains the stdout'
  EQUALITY caseExactMatch
  ORDERING caseExactOrderingMatch
  SUBSTR caseExactSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.44
  SINGLE-VALUE )

attributetype ( 1.3.6.1.4.1.11604.2.1.4.6
  NAME 'nordugrid-job-stderr'
  DESC 'The name of the file which contains the stderr'
  EQUALITY caseExactMatch
  ORDERING caseExactOrderingMatch
  SUBSTR caseExactSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.44
  SINGLE-VALUE )

attributetype ( 1.3.6.1.4.1.11604.2.1.4.7
  NAME 'nordugrid-job-stdin'
  DESC 'The name of the file which contains the stdin'
  EQUALITY caseExactMatch
  ORDERING caseExactOrderingMatch
  SUBSTR caseExactSubstringsMatch

```

```

SYNTAX 1.3.6.1.4.1.1466.115.121.1.44
SINGLE-VALUE )

attributetype ( 1.3.6.1.4.1.11604.2.1.4.8
  NAME 'nordugrid-job-reqcpur'
  DESC 'The cputime request by the job in minutes'
  EQUALITY integerMatch
  ORDERING caseIgnoreOrderingMatch
  SUBSTR caseIgnoreSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.27
  SINGLE-VALUE )

attributetype ( 1.3.6.1.4.1.11604.2.1.4.9
  NAME 'nordugrid-job-status'
  DESC 'The status of the grid job'
  EQUALITY caseIgnoreMatch
  ORDERING caseIgnoreOrderingMatch
  SUBSTR caseIgnoreSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.44
  SINGLE-VALUE )

attributetype ( 1.3.6.1.4.1.11604.2.1.4.10
  NAME 'nordugrid-job-queuerank'
  DESC 'The queue position of the job'
  EQUALITY integerMatch
  ORDERING caseIgnoreOrderingMatch
  SUBSTR caseIgnoreSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.27
  SINGLE-VALUE )

attributetype ( 1.3.6.1.4.1.11604.2.1.4.11
  NAME 'nordugrid-job-lrmscomment'
  DESC 'The jobcomment of the LRMS'
  EQUALITY caseIgnoreMatch
  ORDERING caseIgnoreOrderingMatch
  SUBSTR caseIgnoreSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.44
  SINGLE-VALUE )

attributetype ( 1.3.6.1.4.1.11604.2.1.4.12
  NAME 'nordugrid-job-submissionui'
  DESC 'The name of the UI from where the job was submitted'
  EQUALITY caseIgnoreMatch
  ORDERING caseIgnoreOrderingMatch
  SUBSTR caseIgnoreSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.44
  SINGLE-VALUE )

attributetype ( 1.3.6.1.4.1.11604.2.1.4.13
  NAME 'nordugrid-job-submissiontime'
  DESC 'The submission time of the job in GMT'
  EQUALITY generalizedTimeMatch
  ORDERING generalizedTimeOrderingMatch
  SUBSTR caseIgnoreSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.24
  SINGLE-VALUE )

attributetype ( 1.3.6.1.4.1.11604.2.1.4.14
  NAME 'nordugrid-job-usedcputime'
  DESC 'The consumed cputime of the job in minutes'
  EQUALITY integerMatch
  ORDERING caseIgnoreOrderingMatch
  SUBSTR caseIgnoreSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.27
  SINGLE-VALUE )

attributetype ( 1.3.6.1.4.1.11604.2.1.4.15
  NAME 'nordugrid-job-usedwalltime'
  DESC 'The consumed walltime of the job in minutes'
  EQUALITY integerMatch
  ORDERING caseIgnoreOrderingMatch
  SUBSTR caseIgnoreSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.27
  SINGLE-VALUE )

attributetype ( 1.3.6.1.4.1.11604.2.1.4.16
  NAME 'nordugrid-job-sessiondirerasetime'
  DESC 'The date when the session dir will be deleted in GMT'
  EQUALITY generalizedTimeMatch
  ORDERING generalizedTimeOrderingMatch
  SUBSTR caseIgnoreSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.24
  SINGLE-VALUE )

attributetype ( 1.3.6.1.4.1.11604.2.1.4.17
  NAME 'nordugrid-job-usedmem'
  DESC 'The memory usage of the job (in KB)'
  EQUALITY integerMatch
  ORDERING caseIgnoreOrderingMatch
  SUBSTR caseIgnoreSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.27
  SINGLE-VALUE )

attributetype ( 1.3.6.1.4.1.11604.2.1.4.18
  NAME 'nordugrid-job-errors'
  DESC 'Error messages from the cluster'
  EQUALITY caseIgnoreMatch
  ORDERING caseIgnoreOrderingMatch
  SUBSTR caseIgnoreSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.44
  SINGLE-VALUE )

attributetype ( 1.3.6.1.4.1.11604.2.1.4.19
  NAME 'nordugrid-job-jobname'
  DESC 'The jobname specified by the user with the jobname RSL attribute'
  EQUALITY caseIgnoreMatch
  ORDERING caseIgnoreOrderingMatch
  SUBSTR caseIgnoreSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.44
  SINGLE-VALUE )

attributetype ( 1.3.6.1.4.1.11604.2.1.4.20
  NAME 'nordugrid-job-runtimeenvironment'
  DESC 'The runtimeenvironment requested by the job'
  EQUALITY caseIgnoreMatch
  ORDERING caseIgnoreOrderingMatch

```

```

SUBSTR caseIgnoreSubstringsMatch
SYNTAX 1.3.6.1.4.1.1466.115.121.1.44 )

attributetype ( 1.3.6.1.4.1.11604.2.1.4.21
  NAME 'nordugrid-job-cpucount'
  DESC 'The number of CPUs requested by the job'
  EQUALITY caseIgnoreMatch
  ORDERING caseIgnoreOrderingMatch
  SUBSTR caseIgnoreSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.44
  SINGLE-VALUE )

attributetype ( 1.3.6.1.4.1.11604.2.1.4.22
  NAME 'nordugrid-job-executionnodes'
  DESC 'The list of nodenames where the job is running'
  EQUALITY caseIgnoreMatch
  ORDERING caseIgnoreOrderingMatch
  SUBSTR caseIgnoreSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.44 )

attributetype ( 1.3.6.1.4.1.11604.2.1.4.23
  NAME 'nordugrid-job-gmlog'
  DESC 'The name of the directory which contains the grid session related logs'
  EQUALITY caseExactMatch
  ORDERING caseExactOrderingMatch
  SUBSTR caseExactSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.44
  SINGLE-VALUE )

attributetype ( 1.3.6.1.4.1.11604.2.1.4.24
  NAME 'nordugrid-job-clientsoftware'
  DESC 'The client software which submitted the job'
  EQUALITY caseIgnoreMatch
  ORDERING caseIgnoreOrderingMatch
  SUBSTR caseIgnoreSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.44)

attributetype ( 1.3.6.1.4.1.11604.2.1.4.25
  NAME 'nordugrid-job-proxyexpirationtime'
  DESC 'The expiration time of the proxy of the job in GMT'
  EQUALITY generalizedTimeMatch
  ORDERING generalizedTimeOrderingMatch
  SUBSTR caseIgnoreSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.24
  SINGLE-VALUE )

attributetype ( 1.3.6.1.4.1.11604.2.1.4.26
  NAME 'nordugrid-job-completiontime'
  DESC 'The completion time of the grid job in GMT'
  EQUALITY generalizedTimeMatch
  ORDERING generalizedTimeOrderingMatch
  SUBSTR caseIgnoreSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.24
  SINGLE-VALUE )

attributetype ( 1.3.6.1.4.1.11604.2.1.4.27
  NAME 'nordugrid-job-exitcode'
  DESC 'The exit code of the executable of the job obtained from the LRMS'
  EQUALITY caseIgnoreMatch
  ORDERING caseIgnoreOrderingMatch
  SUBSTR caseIgnoreSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.44
  SINGLE-VALUE )

objectclass ( 1.3.6.1.4.1.11604.2.1.4
  NAME 'NorduGrid-job'
  DESC 'A Grid job'
  SUP 'Mds'
  STRUCTURAL
  MUST ( nordugrid-job-globalid $ nordugrid-job-globalowner $
    nordugrid-job-status )
  MAY ( nordugrid-job-queuerank $ nordugrid-job-submissionui $
    nordugrid-job-submissiontime $
    nordugrid-job-usedcputime $ nordugrid-job-usedwalltime $
    nordugrid-job-usedmem $ nordugrid-job-lrmscomment $
    nordugrid-job-execcluster $ nordugrid-job-execqueue $
    nordugrid-job-stdout $ nordugrid-job-stderr $
    nordugrid-job-stdin $
    nordugrid-job-sessiondirerasetime $ nordugrid-job-reqcpus $
    nordugrid-job-errors $ nordugrid-job-jobname $
    nordugrid-job-runtimeenvironment $ nordugrid-job-cpuaccount $
    nordugrid-job-executionnodes $ nordugrid-job-gmlog $
    nordugrid-job-clientsoftware $ nordugrid-job-proxyexpirationtime $
    nordugrid-job-completiontime $ nordugrid-job-exitcode ))

#-----
# attributes for the nordugrid-authuser objectclass
#

attributetype ( 1.3.6.1.4.1.11604.2.1.5.1
  NAME 'nordugrid-authuser-name'
  DESC 'The Common Name of the authorized user plus a local unique number'
  EQUALITY caseExactMatch
  ORDERING caseExactOrderingMatch
  SUBSTR caseExactSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.44
  SINGLE-VALUE )

attributetype ( 1.3.6.1.4.1.11604.2.1.5.2
  NAME 'nordugrid-authuser-sn'
  DESC 'The SubjectName of the authorized user'
  EQUALITY caseExactMatch
  ORDERING caseExactOrderingMatch
  SUBSTR caseExactSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.44
  SINGLE-VALUE )

attributetype ( 1.3.6.1.4.1.11604.2.1.5.3
  NAME 'nordugrid-authuser-freecpus'
  DESC 'The number of freely available cpus with their timelimits in minutes
    for a user in the queue. Given in the form ncpus:min,
    min is optional (example: 2 4:25 5:180)'
  EQUALITY caseIgnoreMatch
  ORDERING caseIgnoreOrderingMatch
  SUBSTR caseIgnoreSubstringsMatch

```

```

SYNTAX 1.3.6.1.4.1.1466.115.121.1.44
SINGLE-VALUE )

attributetype ( 1.3.6.1.4.1.11604.2.1.5.4
  NAME 'nordugrid-authuser-diskspace'
  DESC 'The free disk space available for the job (in MB)'
  EQUALITY integerMatch
  ORDERING caseIgnoreOrderingMatch
  SUBSTR caseIgnoreSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.27
  SINGLE-VALUE )

attributetype ( 1.3.6.1.4.1.11604.2.1.5.5
  NAME 'nordugrid-authuser-queuelength'
  DESC 'The queuelength experienced by the user due to its local unix mapping'
  EQUALITY integerMatch
  ORDERING caseIgnoreOrderingMatch
  SUBSTR caseIgnoreSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.27
  SINGLE-VALUE )

objectclass ( 1.3.6.1.4.1.11604.2.1.5
  NAME 'nordugrid-authuser'
  DESC 'An authorised user of a NorduGrid cluster'
  SUP 'Mds'
  STRUCTURAL
  MUST ( nordugrid-authuser-name $ nordugrid-authuser-en )
  MAY ( nordugrid-authuser-queuelength $ nordugrid-authuser-diskspace $
        nordugrid-authuser-freecpus )

#-----
#
# nordugrid-se

attributetype ( 1.3.6.1.4.1.11604.2.1.6.1
  NAME 'nordugrid-se-name'
  DESC 'The name of the Storage Element'
  EQUALITY caseIgnoreMatch
  ORDERING caseIgnoreOrderingMatch
  SUBSTR caseIgnoreSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.44
  SINGLE-VALUE )

attributetype ( 1.3.6.1.4.1.11604.2.1.6.2
  NAME 'nordugrid-se-aliasname'
  DESC 'The alias name of the SE'
  EQUALITY caseIgnoreMatch
  ORDERING caseIgnoreOrderingMatch
  SUBSTR caseIgnoreSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.44
  SINGLE-VALUE )

attributetype ( 1.3.6.1.4.1.11604.2.1.6.3
  NAME 'nordugrid-se-type'
  DESC 'The type of the SE'
  EQUALITY caseIgnoreMatch
  ORDERING caseIgnoreOrderingMatch
  SUBSTR caseIgnoreSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.44
  SINGLE-VALUE )

attributetype ( 1.3.6.1.4.1.11604.2.1.6.4
  NAME 'nordugrid-se-freespace'
  DESC 'The free space available in the SE (in MB)'
  EQUALITY integerMatch
  ORDERING caseIgnoreOrderingMatch
  SUBSTR caseIgnoreSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.27
  SINGLE-VALUE )

attributetype ( 1.3.6.1.4.1.11604.2.1.6.5
  NAME 'nordugrid-se-baseurl'
  DESC 'The URL to contact the Storage Element'
  EQUALITY caseIgnoreMatch
  ORDERING caseIgnoreOrderingMatch
  SUBSTR caseIgnoreSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.44
  SINGLE-VALUE )

attributetype ( 1.3.6.1.4.1.11604.2.1.6.6
  NAME 'nordugrid-se-authuser'
  DESC 'The DN of an authorized user'
  EQUALITY caseExactMatch
  ORDERING caseExactOrderingMatch
  SUBSTR caseExactSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.44 )

attributetype ( 1.3.6.1.4.1.11604.2.1.6.7
  NAME 'nordugrid-se-location'
  DESC 'The geographical location of the SE expressed in terms of a Postal ZIP code: SE-22363'
  EQUALITY caseIgnoreMatch
  ORDERING caseIgnoreOrderingMatch
  SUBSTR caseIgnoreSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.44 )

attributetype ( 1.3.6.1.4.1.11604.2.1.6.8
  NAME 'nordugrid-se-owner'
  DESC 'The owner of the resource'
  EQUALITY caseIgnoreMatch
  ORDERING caseIgnoreOrderingMatch
  SUBSTR caseIgnoreSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.44 )

attributetype ( 1.3.6.1.4.1.11604.2.1.6.9
  NAME 'nordugrid-se-issuerca'
  DESC 'The DN of the Certificate Authority which issued the certificate of the SE'
  EQUALITY caseExactMatch
  ORDERING caseExactOrderingMatch
  SUBSTR caseExactSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.44 )

attributetype ( 1.3.6.1.4.1.11604.2.1.6.10
  NAME 'nordugrid-se-totalspace'
  DESC 'The total capacity of the SE (in MB)'
  EQUALITY integerMatch

```

```

ORDERING caseIgnoreOrderingMatch
SUBSTR caseIgnoreSubstringsMatch
SYNTAX 1.3.6.1.4.1.1466.115.121.1.27
SINGLE-VALUE )

attributetype ( 1.3.6.1.4.1.11604.2.1.6.11
  NAME 'nordugrid-se-middleware'
  DESC 'The middleware packages on the SE'
  EQUALITY caseIgnoreMatch
  ORDERING caseIgnoreOrderingMatch
  SUBSTR caseIgnoreSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.44 )

attributetype ( 1.3.6.1.4.1.11604.2.1.6.12
  NAME 'nordugrid-se-comment'
  DESC 'Free form comment'
  EQUALITY caseIgnoreMatch
  ORDERING caseIgnoreOrderingMatch
  SUBSTR caseIgnoreSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.44{256}
  SINGLE-VALUE )

objectclass ( 1.3.6.1.4.1.11604.2.1.6
  NAME 'nordugrid-se'
  DESC 'A storage element in the Nordugrid'
  SUP 'Mds'
  STRUCTURAL
  MUST ( nordugrid-se-name $ nordugrid-se-baseurl )
  MAY ( nordugrid-se-aliasname $ nordugrid-se-type $
        nordugrid-se-freespace $ nordugrid-se-authuser $
        nordugrid-se-location $ nordugrid-se-owner $
        nordugrid-se-issuerca $ nordugrid-se-totalspace $
        nordugrid-se-middleware $ nordugrid-se-comment ) )

#-----
# nordugrid-rc
#
attributetype ( 1.3.6.1.4.1.11604.2.1.7.1
  NAME 'nordugrid-rc-name'
  DESC 'The domain name of the machine hosting the Replica Catalog'
  EQUALITY caseIgnoreMatch
  ORDERING caseIgnoreOrderingMatch
  SUBSTR caseIgnoreSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.44
  SINGLE-VALUE )

attributetype ( 1.3.6.1.4.1.11604.2.1.7.2
  NAME 'nordugrid-rc-aliasname'
  DESC 'The alias name of the rc'
  EQUALITY caseIgnoreMatch
  ORDERING caseIgnoreOrderingMatch
  SUBSTR caseIgnoreSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.44
  SINGLE-VALUE )

attributetype ( 1.3.6.1.4.1.11604.2.1.7.3
  NAME 'nordugrid-rc-baseurl'
  DESC 'The URL of the Replica Catalog'
  EQUALITY caseIgnoreMatch
  ORDERING caseIgnoreOrderingMatch
  SUBSTR caseIgnoreSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.44
  SINGLE-VALUE )

attributetype ( 1.3.6.1.4.1.11604.2.1.7.4
  NAME 'nordugrid-rc-authuser'
  DESC 'An authorized user of the replica catalog'
  EQUALITY caseExactMatch
  ORDERING caseExactOrderingMatch
  SUBSTR caseExactSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.44 )

attributetype ( 1.3.6.1.4.1.11604.2.1.7.5
  NAME 'nordugrid-rc-location'
  DESC 'The geographical location of the RC expressed in terms of a Postal ZIP code'
  EQUALITY caseIgnoreMatch
  ORDERING caseIgnoreOrderingMatch
  SUBSTR caseIgnoreSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.44 )

attributetype ( 1.3.6.1.4.1.11604.2.1.7.6
  NAME 'nordugrid-rc-owner'
  DESC 'The owner of the resource'
  EQUALITY caseIgnoreMatch
  ORDERING caseIgnoreOrderingMatch
  SUBSTR caseIgnoreSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.44 )

attributetype ( 1.3.6.1.4.1.11604.2.1.7.7
  NAME 'nordugrid-rc-issuerca'
  DESC 'The DN of the Certificate Authority which issued the certificate of the RC'
  EQUALITY caseExactMatch
  ORDERING caseExactOrderingMatch
  SUBSTR caseExactSubstringsMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.44 )

objectclass ( 1.3.6.1.4.1.11604.2.1.7
  NAME 'nordugrid-rc'
  DESC 'A replica catalogue in the Nordugrid'
  SUP 'Mds'
  STRUCTURAL
  MUST ( nordugrid-rc-name $ nordugrid-rc-baseurl )
  MAY ( nordugrid-rc-aliasname $ nordugrid-rc-authuser $
        nordugrid-rc-location $ nordugrid-rc-owner $
        nordugrid-rc-issuerca ) )

```

References

- [1] NorduGrid project. <http://www.nordugrid.org>
- [2] Openldap. <http://www.openldap.org>
- [3] Monitoring and Discovery Services. <http://www.globus.org/mds/mds2/>
- [4] The NorduGrid Grid Manager And GridFTP Server: Description And Administrator's Manual. <http://www.nordugrid.org/papers.html>
- [5] The NorduGrid Brokering Algorithm, M.Ellert, <http://www.nordugrid.org/papers.html>
- [6] XRSL (Extended Resource Specification Language), O.Smirnova, <http://www.nordugrid.org/papers.html>
- [7] Runtime Environment Registry, <http://www.csc.fi/grid/rer/>
- [8] Usage statistics and usage patterns on the NorduGrid, K.Pajchel, <http://www.nordugrid.org/papers.html>
- [9] The Grid Monitor: Usage Manual, <http://www.nordugrid.org/documents/monitor.pdf>
- [10] The NorduGrid Toolkit User Interface: User's Manual <http://www.nordugrid.org/documents/NorduGrid-UI.pdf>
- [11] The NorduGrid "Smart" Storage Element, A.Konstantinov, <http://www.nordugrid.org/papers.html>