

## Hosting Environment (Daemon) Services

Generated by Doxygen 1.7.1

Fri Oct 22 2010 15:26:32



# Contents

<b>1</b>	<b>Namespace Index</b>	<b>1</b>
1.1	Namespace List . . . . .	1
<b>2</b>	<b>Data Structure Index</b>	<b>3</b>
2.1	Class Hierarchy . . . . .	3
<b>3</b>	<b>Data Structure Index</b>	<b>7</b>
3.1	Data Structures . . . . .	7
<b>4</b>	<b>File Index</b>	<b>11</b>
4.1	File List . . . . .	11
<b>5</b>	<b>Namespace Documentation</b>	<b>15</b>
5.1	DREService Namespace Reference . . . . .	15
5.1.1	Detailed Description . . . . .	15
<b>6</b>	<b>Data Structure Documentation</b>	<b>17</b>
6.1	ARex::ARexGMConfig Class Reference . . . . .	17
6.2	ARex::ARexJob Class Reference . . . . .	17
6.2.1	Detailed Description . . . . .	18
6.2.2	Constructor & Destructor Documentation . . . . .	18
6.2.2.1	ARexJob . . . . .	18
6.2.2.2	ARexJob . . . . .	18
6.2.3	Member Function Documentation . . . . .	18
6.2.3.1	Cancel . . . . .	18
6.2.3.2	ChooseSessionDir . . . . .	18
6.2.3.3	Clean . . . . .	18
6.2.3.4	CreateFile . . . . .	18
6.2.3.5	Failed . . . . .	18
6.2.3.6	Failure . . . . .	19

6.2.3.7	GetDescription . . . . .	19
6.2.3.8	ID . . . . .	19
6.2.3.9	Jobs . . . . .	19
6.2.3.10	LogDir . . . . .	19
6.2.3.11	LogFiles . . . . .	19
6.2.3.12	OpenDir . . . . .	19
6.2.3.13	OpenFile . . . . .	19
6.2.3.14	OpenLogFile . . . . .	19
6.2.3.15	Resume . . . . .	19
6.2.3.16	SessionDir . . . . .	19
6.2.3.17	State . . . . .	20
6.2.3.18	State . . . . .	20
6.2.3.19	TotalJobs . . . . .	20
6.2.3.20	UpdateCredentials . . . . .	20
6.3	ARex::ARexService Class Reference . . . . .	20
6.4	AuthEvaluator Class Reference . . . . .	20
6.5	AuthUser Class Reference . . . . .	20
6.6	AuthVO Class Reference . . . . .	21
6.7	CacheConfig Class Reference . . . . .	21
6.7.1	Detailed Description . . . . .	21
6.7.2	Constructor & Destructor Documentation . . . . .	21
6.7.2.1	CacheConfig . . . . .	21
6.7.3	Member Function Documentation . . . . .	21
6.7.3.1	parseINICnf . . . . .	21
6.7.3.2	setCacheDirs . . . . .	21
6.8	CacheConfigException Class Reference . . . . .	22
6.8.1	Detailed Description . . . . .	22
6.9	ArcSec::Charon Class Reference . . . . .	22
6.9.1	Detailed Description . . . . .	22
6.10	CommFIFO Class Reference . . . . .	22
6.11	ARex::ConfGrp Class Reference . . . . .	22
6.12	ARex::Config Class Reference . . . . .	23
6.12.1	Detailed Description . . . . .	23
6.12.2	Member Function Documentation . . . . .	23
6.12.2.1	ConfValue . . . . .	23
6.12.2.2	FirstConfValue . . . . .	23

6.12.2.3	GetConfigs . . . . .	23
6.13	ARex::ConfigError Class Reference . . . . .	23
6.13.1	Detailed Description . . . . .	23
6.13.2	Constructor & Destructor Documentation . . . . .	24
6.13.2.1	ConfigError . . . . .	24
6.14	ARex::ConfigIO Class Reference . . . . .	24
6.14.1	Detailed Description . . . . .	24
6.14.2	Member Function Documentation . . . . .	24
6.14.2.1	Read . . . . .	24
6.14.2.2	Write . . . . .	24
6.15	ConfigSections Class Reference . . . . .	25
6.16	gridftp::ConfigSections Class Reference . . . . .	25
6.17	ContinuationPlugins Class Reference . . . . .	25
6.18	ARex::CountedResource Class Reference . . . . .	25
6.19	gridftp::Daemon Class Reference . . . . .	25
6.20	DirectAccess::diraccess_t Struct Reference . . . . .	25
6.21	DirectAccess Class Reference . . . . .	26
6.22	DirectFilePlugin Class Reference . . . . .	26
6.23	DirEntry Class Reference . . . . .	26
6.24	DREService::DREWebService Class Reference . . . . .	26
6.24.1	Constructor & Destructor Documentation . . . . .	27
6.24.1.1	DREWebService . . . . .	27
6.24.1.2	~DREWebService . . . . .	27
6.24.2	Member Function Documentation . . . . .	27
6.24.2.1	makeFault . . . . .	27
6.24.2.2	process . . . . .	27
6.24.3	Field Documentation . . . . .	27
6.24.3.1	logger . . . . .	27
6.24.3.2	ns_ . . . . .	28
6.25	Entry Class Reference . . . . .	28
6.26	ARex::FileChunks Class Reference . . . . .	28
6.26.1	Detailed Description . . . . .	28
6.26.2	Member Function Documentation . . . . .	28
6.26.2.1	Release . . . . .	28
6.26.2.2	Remove . . . . .	28
6.27	ARex::FileChunksList Class Reference . . . . .	29

6.27.1 Detailed Description . . . . .	29
6.27.2 Member Function Documentation . . . . .	29
6.27.2.1 Get . . . . .	29
6.27.2.2 GetStuck . . . . .	29
6.28 FileData Class Reference . . . . .	29
6.29 FileNode Class Reference . . . . .	30
6.30 FilePlugin Class Reference . . . . .	30
6.31 FileRoot Class Reference . . . . .	30
6.32 GACLPlugin Class Reference . . . . .	30
6.33 gm_dirs_ Struct Reference . . . . .	31
6.34 GMEEnvironment Class Reference . . . . .	31
6.34.1 Member Function Documentation . . . . .	31
6.34.1.1 nordugrid_config_loc . . . . .	31
6.34.1.2 support_mail_address . . . . .	31
6.35 gridftp::GMEEnvironment Class Reference . . . . .	31
6.35.1 Member Function Documentation . . . . .	31
6.35.1.1 nordugrid_config_loc . . . . .	31
6.35.1.2 support_mail_address . . . . .	32
6.36 GridFTP_Commands Class Reference . . . . .	32
6.37 GridFTP_Commands_timeout Class Reference . . . . .	32
6.38 ARex::GridManager Class Reference . . . . .	32
6.39 Hopi::Hopi Class Reference . . . . .	32
6.40 Identity Class Reference . . . . .	33
6.41 IdentityGACL Class Reference . . . . .	33
6.42 IdentityItemDN Class Reference . . . . .	33
6.43 IdentityItemVOMS Class Reference . . . . .	34
6.44 Index Class Reference . . . . .	34
6.45 ISIS::ISIService Class Reference . . . . .	34
6.46 ISIS::ISISecAttr Class Reference . . . . .	34
6.47 ObjectAccess::Item Class Reference . . . . .	34
6.48 Identity::Item Class Reference . . . . .	35
6.49 Janitor Class Reference . . . . .	35
6.49.1 Detailed Description . . . . .	35
6.49.2 Constructor & Destructor Documentation . . . . .	35
6.49.2.1 Janitor . . . . .	35
6.49.3 Member Function Documentation . . . . .	36

6.49.3.1	deploy . . . . .	36
6.49.3.2	remove . . . . .	36
6.49.3.3	result . . . . .	36
6.49.3.4	wait . . . . .	36
6.50	job_state_rec_t Struct Reference . . . . .	36
6.51	JobDescription Class Reference . . . . .	36
6.52	JobLocalDescription Class Reference . . . . .	37
6.53	JobLog Class Reference . . . . .	37
6.53.1	Detailed Description . . . . .	37
6.54	JobPlugin Class Reference . . . . .	37
6.55	ARex::JobRecord Class Reference . . . . .	37
6.56	JobsList Class Reference . . . . .	37
6.57	JobsListConfig Class Reference . . . . .	38
6.57.1	Detailed Description . . . . .	38
6.58	JobUser Class Reference . . . . .	38
6.59	JobUserHelper Class Reference . . . . .	38
6.60	JobUsers Class Reference . . . . .	38
6.61	gridftp::LdapQuery Class Reference . . . . .	38
6.61.1	Detailed Description . . . . .	39
6.61.2	Member Enumeration Documentation . . . . .	39
6.61.2.1	Scope . . . . .	39
6.61.3	Constructor & Destructor Documentation . . . . .	39
6.61.3.1	LdapQuery . . . . .	39
6.61.3.2	~LdapQuery . . . . .	39
6.61.4	Member Function Documentation . . . . .	39
6.61.4.1	Host . . . . .	39
6.61.4.2	Query . . . . .	39
6.61.4.3	Result . . . . .	40
6.62	gridftp::LdapQueryError Class Reference . . . . .	40
6.62.1	Detailed Description . . . . .	40
6.62.2	Constructor & Destructor Documentation . . . . .	40
6.62.2.1	LdapQueryError . . . . .	40
6.63	RunPlugin::lib_plugin_t Union Reference . . . . .	40
6.64	gridftp::RunPlugin::lib_plugin_t Union Reference . . . . .	40
6.65	ARex::LoggerClient Class Reference . . . . .	41
6.66	LRMSResult Class Reference . . . . .	41

6.67	ISIS::Neighbor_Container Class Reference . . . . .	41
6.68	ARex::NGConfig Class Reference . . . . .	41
6.68.1	Detailed Description . . . . .	41
6.68.2	Member Function Documentation . . . . .	41
6.68.2.1	Read . . . . .	41
6.68.2.2	Write . . . . .	42
6.69	numvalue_for_shell Class Reference . . . . .	42
6.70	ObjectAccess Class Reference . . . . .	42
6.71	ObjectAccessGACL Class Reference . . . . .	42
6.72	ARex::OptimizedInformationContainer Class Reference . . . . .	43
6.73	ARex::Option Class Reference . . . . .	43
6.74	gridftpd::ParallelLdapQueries Class Reference . . . . .	43
6.74.1	Detailed Description . . . . .	43
6.75	Hopi::PayloadBigFile Class Reference . . . . .	43
6.75.1	Constructor & Destructor Documentation . . . . .	43
6.75.1.1	PayloadBigFile . . . . .	43
6.75.1.2	~PayloadBigFile . . . . .	43
6.76	ARex::PayloadBigFile Class Reference . . . . .	44
6.76.1	Constructor & Destructor Documentation . . . . .	44
6.76.1.1	PayloadBigFile . . . . .	44
6.76.1.2	~PayloadBigFile . . . . .	44
6.77	Hopi::PayloadFile Class Reference . . . . .	44
6.77.1	Detailed Description . . . . .	44
6.77.2	Constructor & Destructor Documentation . . . . .	44
6.77.2.1	PayloadFile . . . . .	44
6.77.2.2	~PayloadFile . . . . .	44
6.78	ARex::PayloadFile Class Reference . . . . .	45
6.78.1	Detailed Description . . . . .	45
6.78.2	Constructor & Destructor Documentation . . . . .	45
6.78.2.1	PayloadFile . . . . .	45
6.78.2.2	~PayloadFile . . . . .	45
6.79	DREService::PerlProcessor Class Reference . . . . .	45
6.79.1	Constructor & Destructor Documentation . . . . .	45
6.79.1.1	PerlProcessor . . . . .	45
6.79.1.2	~PerlProcessor . . . . .	46
6.80	Permission Class Reference . . . . .	46



6.81	PermissionGACL Class Reference . . . . .	46
6.82	Policy Class Reference . . . . .	46
6.83	ArcSec::Charon::PolicyLocation Class Reference . . . . .	46
6.84	ContinuationPlugins::result_t Class Reference . . . . .	47
6.85	gridftpd::Run Class Reference . . . . .	47
6.86	gridftpd::RunElement Class Reference . . . . .	47
6.87	RunFunction Class Reference . . . . .	47
6.88	RunParallel Class Reference . . . . .	47
6.89	RunPlugin Class Reference . . . . .	47
6.90	gridftpd::RunPlugin Class Reference . . . . .	48
6.91	RunPlugins Class Reference . . . . .	48
6.92	gridftpd::RunPlugins Class Reference . . . . .	48
6.93	RunRedirected Class Reference . . . . .	48
6.94	Server Class Reference . . . . .	48
6.95	FileRoot::ServerParams Class Reference . . . . .	48
6.96	Arc::Service_JavaWrapper Class Reference . . . . .	48
6.96.1	Member Function Documentation . . . . .	49
6.96.1.1	process . . . . .	49
6.97	Arc::Service_PythonWrapper Class Reference . . . . .	49
6.97.1	Member Function Documentation . . . . .	49
6.97.1.1	process . . . . .	49
6.98	SimpleMap Class Reference . . . . .	49
6.99	DREService::Task Class Reference . . . . .	49
6.99.1	Constructor & Destructor Documentation . . . . .	49
6.99.1.1	Task . . . . .	49
6.99.1.2	~Task . . . . .	50
6.100	DREService::TaskQueue Class Reference . . . . .	50
6.100.1	Constructor & Destructor Documentation . . . . .	50
6.100.1.1	TaskQueue . . . . .	50
6.100.1.2	~TaskQueue . . . . .	50
6.100.2	Member Function Documentation . . . . .	50
6.100.2.1	pushTask . . . . .	50
6.100.2.2	shiftTask . . . . .	50
6.101	DREService::TaskSet Class Reference . . . . .	50
6.101.1	Constructor & Destructor Documentation . . . . .	51
6.101.1.1	TaskSet . . . . .	51

6.101.1.2 ~TaskSet . . . . .	51
6.101.2 Member Function Documentation . . . . .	51
6.101.2.1 removeTask . . . . .	51
6.102UnixMap Class Reference . . . . .	51
6.103gridftpd::UrlMapConfig Class Reference . . . . .	51
6.104UrlMapConfig Class Reference . . . . .	51
6.105userspec_t Class Reference . . . . .	52
6.106value_for_shell Class Reference . . . . .	52
6.107voms Struct Reference . . . . .	52
6.107.1 Detailed Description . . . . .	52
6.107.2 Field Documentation . . . . .	52
6.107.2.1 server . . . . .	52
6.107.2.2 std . . . . .	52
6.107.2.3 voname . . . . .	52
6.108voms_attrs Struct Reference . . . . .	53
6.108.1 Detailed Description . . . . .	53
6.108.2 Field Documentation . . . . .	53
6.108.2.1 cap . . . . .	53
6.108.2.2 group . . . . .	53
6.108.2.3 role . . . . .	53
6.109ARex::XMLConfig Class Reference . . . . .	53
6.109.1 Detailed Description . . . . .	54
6.109.2 Member Function Documentation . . . . .	54
6.109.2.1 Read . . . . .	54
6.109.2.2 Write . . . . .	54
<b>7 File Documentation . . . . .</b>	<b>55</b>
7.1 configcore.h File Reference . . . . .	55
7.1.1 Detailed Description . . . . .	55

# Chapter 1

## Namespace Index

### 1.1 Namespace List

Here is a list of all documented namespaces with brief descriptions:

<b>DREService</b> . . . . .	15
-----------------------------	----



## Chapter 2

# Data Structure Index

### 2.1 Class Hierarchy

This inheritance list is sorted roughly, but not completely, alphabetically:

ARex::ARexGMConfig . . . . .	17
ARex::ARexJob . . . . .	17
ARex::ARexService . . . . .	20
AuthEvaluator . . . . .	20
AuthUser . . . . .	20
AuthVO . . . . .	21
CacheConfig . . . . .	21
CacheConfigException . . . . .	22
ArcSec::Charon . . . . .	22
CommFIFO . . . . .	22
ARex::ConfGrp . . . . .	22
ARex::Config . . . . .	23
ARex::ConfigError . . . . .	23
ARex::ConfigIO . . . . .	24
ARex::NGConfig . . . . .	41
ARex::XMLConfig . . . . .	53
ConfigSections . . . . .	25
gridftpd::ConfigSections . . . . .	25
ContinuationPlugins . . . . .	25
ARex::CountedResource . . . . .	25
gridftpd::Daemon . . . . .	25
DirectAccess::diraccess_t . . . . .	25
DirectAccess . . . . .	26
DirEntry . . . . .	26
DREService::DREWebService . . . . .	26
Entry . . . . .	28
ARex::FileChunks . . . . .	28
ARex::FileChunksList . . . . .	29
FileData . . . . .	29
FileNode . . . . .	30
FilePlugin . . . . .	30
DirectFilePlugin . . . . .	26
GACLPlugin . . . . .	30

JobPlugin . . . . .	37
FileRoot . . . . .	30
gm_dirs_ . . . . .	31
GMEEnvironment . . . . .	31
gridftpd::GMEEnvironment . . . . .	31
GridFTP_Commands . . . . .	32
GridFTP_Commands_timeout . . . . .	32
ARex::GridManager . . . . .	32
Hopi::Hopi . . . . .	32
Identity . . . . .	33
IdentityGACL . . . . .	33
Index . . . . .	34
ISIS::ISISService . . . . .	34
ISIS::ISISecAttr . . . . .	34
Identity::Item . . . . .	35
IdentityItemDN . . . . .	33
IdentityItemVOMS . . . . .	34
ObjectAccess::Item . . . . .	34
Janitor . . . . .	35
job_state_rec_t . . . . .	36
JobDescription . . . . .	36
JobLocalDescription . . . . .	37
JobLog . . . . .	37
ARex::JobRecord . . . . .	37
JobsList . . . . .	37
JobsListConfig . . . . .	38
JobUser . . . . .	38
JobUserHelper . . . . .	38
JobUsers . . . . .	38
gridftpd::LdapQuery . . . . .	38
gridftpd::LdapQueryError . . . . .	40
RunPlugin::lib_plugin_t . . . . .	40
gridftpd::RunPlugin::lib_plugin_t . . . . .	40
ARex::LoggerClient . . . . .	41
LRMSResult . . . . .	41
ISIS::Neighbor_Container . . . . .	41
numvalue_for_shell . . . . .	42
ObjectAccess . . . . .	42
ObjectAccessGACL . . . . .	42
ARex::OptimizedInformationContainer . . . . .	43
ARex::Option . . . . .	43
gridftpd::ParallelLdapQueries . . . . .	43
Hopi::PayloadBigFile . . . . .	43
ARex::PayloadBigFile . . . . .	44
Hopi::PayloadFile . . . . .	44
ARex::PayloadFile . . . . .	45
DREService::PerlProcessor . . . . .	45
Permission . . . . .	46
PermissionGACL . . . . .	46
Policy . . . . .	46
ArcSec::Charon::PolicyLocation . . . . .	46
ContinuationPlugins::result_t . . . . .	47

gridftpd::Run . . . . .	47
gridftpd::RunElement . . . . .	47
RunFunction . . . . .	47
RunParallel . . . . .	47
RunPlugin . . . . .	47
gridftpd::RunPlugin . . . . .	48
RunPlugins . . . . .	48
gridftpd::RunPlugins . . . . .	48
RunRedirected . . . . .	48
Server . . . . .	48
FileRoot::ServerParams . . . . .	48
Arc::Service_JavaWrapper . . . . .	48
Arc::Service_PythonWrapper . . . . .	49
SimpleMap . . . . .	49
DREService::Task . . . . .	49
DREService::TaskQueue . . . . .	50
DREService::TaskSet . . . . .	50
UnixMap . . . . .	51
gridftpd::UrlMapConfig . . . . .	51
UrlMapConfig . . . . .	51
userspec_t . . . . .	52
value_for_shell . . . . .	52
voms . . . . .	52
voms_attrs . . . . .	53





## Chapter 3

# Data Structure Index

### 3.1 Data Structures

Here are the data structures with brief descriptions:

<b>ARex::ARexGMConfig</b>	17
<b>ARex::ARexJob</b>	17
<b>ARex::ARexService</b>	20
<b>AuthEvaluator</b>	20
<b>AuthUser</b>	20
<b>AuthVO</b>	21
<b>CacheConfig</b>	21
<b>CacheConfigException</b>	22
<b>ArcSec::Charon</b>	22
<b>CommFIFO</b>	22
<b>ARex::ConfGrp</b>	22
<b>ARex::Config</b>	23
<b>ARex::ConfigError</b>	23
<b>ARex::ConfigIO</b>	24
<b>ConfigSections</b>	25
<b>gridftpd::ConfigSections</b>	25
<b>ContinuationPlugins</b>	25
<b>ARex::CountedResource</b>	25
<b>gridftpd::Daemon</b>	25
<b>DirectAccess::diraccess_t</b>	25
<b>DirectAccess</b>	26
<b>DirectFilePlugin</b>	26
<b>DirEntry</b>	26
<b>DREService::DREWebService</b>	26
<b>Entry</b>	28
<b>ARex::FileChunks</b> (Representation of delivered file chunks )	28
<b>ARex::FileChunksList</b> (Container for <b>FileChunks</b> (p. 28) instances )	29
<b>FileData</b>	29
<b>FileNode</b>	30
<b>FilePlugin</b>	30
<b>FileRoot</b>	30
<b>GACLPlugin</b>	30
<b>gm_dirs_</b>	31

<b>GMEnvironment</b>	31
<b>gridftpd::GMEnvironment</b>	31
<b>GridFTP_Commands</b>	32
<b>GridFTP_Commands_timeout</b>	32
<b>ARex::GridManager</b>	32
<b>Hopi::Hopi</b>	32
<b>Identity</b>	33
<b>IdentityGACL</b>	33
<b>IdentityItemDN</b>	33
<b>IdentityItemVOMS</b>	34
<b>Index</b>	34
<b>ISIS::ISISService</b>	34
<b>ISIS::ISISecAttr</b>	34
<b>ObjectAccess::Item</b>	34
<b>Identity::Item</b>	35
<b>Janitor</b> (Class to communicate with <b>Janitor</b> (p. 35) - Dynmaic Runtime Environment handler )	35
<b>job_state_rec_t</b>	36
<b>JobDescription</b>	36
<b>JobLocalDescription</b>	37
<b>JobLog</b>	37
<b>JobPlugin</b>	37
<b>ARex::JobRecord</b>	37
<b>JobsList</b>	37
<b>JobsListConfig</b>	38
<b>JobUser</b>	38
<b>JobUserHelper</b>	38
<b>JobUsers</b>	38
<b>gridftpd::LdapQuery</b>	38
<b>gridftpd::LdapQueryError</b>	40
<b>RunPlugin::lib_plugin_t</b>	40
<b>gridftpd::RunPlugin::lib_plugin_t</b>	40
<b>ARex::LoggerClient</b>	41
<b>LRMSResult</b>	41
<b>ISIS::Neighbor_Container</b>	41
<b>ARex::NGConfig</b>	41
<b>numvalue_for_shell</b>	42
<b>ObjectAccess</b>	42
<b>ObjectAccessGACL</b>	42
<b>ARex::OptimizedInformationContainer</b>	43
<b>ARex::Option</b>	43
<b>gridftpd::ParallelLdapQueries</b>	43
<b>Hopi::PayloadBigFile</b>	43
<b>ARex::PayloadBigFile</b>	44
<b>Hopi::PayloadFile</b>	44
<b>ARex::PayloadFile</b>	45
<b>DREService::PerlProcessor</b>	45
<b>Permission</b>	46
<b>PermissionGACL</b>	46
<b>Policy</b>	46
<b>ArcSec::Charon::PolicyLocation</b>	46
<b>ContinuationPlugins::result_t</b>	47
<b>gridftpd::Run</b>	47
<b>gridftpd::RunElement</b>	47
<b>RunFunction</b>	47

<b>RunParallel</b>	47
<b>RunPlugin</b>	47
<b>gridftpd::RunPlugin</b>	48
<b>RunPlugins</b>	48
<b>gridftpd::RunPlugins</b>	48
<b>RunRedirected</b>	48
<b>Server</b>	48
<b>FileRoot::ServerParams</b>	48
<b>Arc::Service_JavaWrapper</b>	48
<b>Arc::Service_PythonWrapper</b>	49
<b>SimpleMap</b>	49
<b>DREService::Task</b>	49
<b>DREService::TaskQueue</b>	50
<b>DREService::TaskSet</b>	50
<b>UnixMap</b>	51
<b>gridftpd::UrlMapConfig</b>	51
<b>UrlMapConfig</b>	51
<b>userspec_t</b>	52
<b>value_for_shell</b>	52
<b>voms</b>	52
<b>voms_attrs</b>	53
<b>ARex::XMLConfig</b>	53



# Chapter 4

## File Index

### 4.1 File List

Here is a list of all documented files with brief descriptions:

<b>arex.h</b>	??
<b>auth.h</b>	??
<b>a-rex/grid-manager/misc/canonical_dir.h</b>	??
<b>gridftpd/misc/canonical_dir.h</b>	??
<b>charon.h</b>	??
<b>client.h</b>	??
<b>commands.h</b>	??
<b>commfifo.h</b>	??
<b>a-rex/grid-manager/conf/conf.h</b>	??
<b>gridftpd/conf/conf.h</b>	??
<b>gridftpd/conf.h</b>	??
<b>conf_cache.h</b>	??
<b>conf_file.h</b>	??
<b>a-rex/grid-manager/conf/conf_map.h</b>	??
<b>gridftpd/conf/conf_map.h</b>	??
<b>conf_pre.h</b>	??
<b>a-rex/grid-manager/conf/conf_sections.h</b>	??
<b>gridftpd/conf/conf_sections.h</b>	??
<b>conf_vo.h</b>	??
<b>configcore.h</b>	55
<b>configio.h</b>	??
<b>daemon.h</b>	??
<b>delete.h</b>	??
<b>dREWebService.h</b>	??
<b>Entry.h</b>	??
<b>a-rex/grid-manager/conf/environment.h</b>	??
<b>gridftpd/conf/environment.h</b>	??
<b>a-rex/grid-manager/misc/escaped.h</b>	??
<b>gridftpd/misc/escaped.h</b>	??
<b>FileChunks.h</b>	??
<b>fileplugin.h</b>	??
<b>fileroot.h</b>	??
<b>a-rex/gacl.h</b>	??

gridftpd/external/gacl/gacl.h	??
gacl_auth.h	??
gaclplugin.h	??
grid_manager.h	??
a-rex/grid-manager/conf/gridmap.h	??
gridftpd/conf/gridmap.h	??
hopi.h	??
identity.h	??
identity_dn.h	??
identity_gacl.h	??
identity_voms.h	??
Index.h	??
info_files.h	??
info_log.h	??
info_types.h	??
isis.h	??
janitor.h	??
javawrapper.h	??
grid-manager/jobs/job.h	??
job.h	??
job_desc.h	??
job_log.h	??
job_request.h	??
jobplugin.h	??
JobRecord.h	??
ldapquery.h	??
LDIFtoXML.h	??
misc.h	??
names.h	??
ngconfig.h	??
object_access.h	??
object_access_gacl.h	??
a-rex/PayloadFile.h	??
hopi/PayloadFile.h	??
PerlProcessor.h	??
permission.h	??
permission_gacl.h	??
plugins.h	??
Policy.h	??
a-rex/grid-manager/misc/proxy.h	??
gridftpd/misc/proxy.h	??
pythonwrapper.h	??
run.h	??
run_function.h	??
run_parallel.h	??
a-rex/grid-manager/run/run_plugin.h	??
gridftpd/run/run_plugin.h	??
run_redirected.h	??
security.h	??
send_mail.h	??
Server.h	??
simplemap.h	??
states.h	??
Task.h	??

---

<b>TaskQueue.h</b>	??
<b>TaskSet.h</b>	??
<b>tools.h</b>	??
<b>unixmap.h</b>	??
<b>users.h</b>	??
<b>userspec.h</b>	??
<b>util++.h</b>	??
<b>util.h</b>	??
<b>xmlconfig.h</b>	??





## Chapter 5

# Namespace Documentation

### 5.1 DREService Namespace Reference

#### Data Structures

- class **DREWebService**
- class **PerlProcessor**
- class **Task**
- class **TaskQueue**
- class **TaskSet**

#### 5.1.1 Detailed Description

Implementation of a simple echo service

The reply of the echo service contains the string which was send to it.



# Chapter 6

## Data Structure Documentation

### 6.1 ARex::ARexGMConfig Class Reference

The documentation for this class was generated from the following file:

- job.h

### 6.2 ARex::ARexJob Class Reference

```
#include <job.h>
```

#### Public Member Functions

- **ARexJob** (const std::string &id, **ARexGMConfig** &config, Arc::Logger &logger, bool fast\_auth\_check=false)
- **ARexJob** (Arc::XMLNode jsdl, **ARexGMConfig** &config, const std::string &credentials, const std::string &clientid, Arc::Logger &logger, Arc::XMLNode migration=Arc::XMLNode())
- std::string **Failure** (void)
- std::string **ID** (void)
- bool **GetDescription** (Arc::XMLNode &jsdl)
- bool **Cancel** (void)
- bool **Clean** (void)
- bool **Resume** (void)
- std::string **State** (void)
- std::string **State** (bool &job\_pending)
- bool **Failed** (void)
- std::string **SessionDir** (void)
- std::string **LogDir** (void)
- int **CreateFile** (const std::string &filename)
- int **OpenFile** (const std::string &filename, bool for\_read, bool for\_write)
- int **OpenLogFile** (const std::string &name)
- Glib::Dir \* **OpenDir** (const std::string &dirname)
- std::list< std::string > **LogFiles** (void)
- bool **UpdateCredentials** (const std::string &credentials)
- bool **ChooseSessionDir** (const std::string &jobid, std::string &sessiondir)

## Static Public Member Functions

- static int **TotalJobs** (**ARexGMConfig** &config, Arc::Logger &logger)
- static std::list< std::string > **Jobs** (**ARexGMConfig** &config, Arc::Logger &logger)

### 6.2.1 Detailed Description

This class represents convenience interface to manage jobs handled by Grid Manager. It works mostly through corresponding classes and functions of Grid Manager.

### 6.2.2 Constructor & Destructor Documentation

**6.2.2.1** **ARex::ARexJob::ARexJob** ( const std::string & *id*, **ARexGMConfig** & *config*, Arc::Logger & *logger*, bool *fast\_auth\_check* = *false* )

Create instance which is an interface to existing job

**6.2.2.2** **ARex::ARexJob::ARexJob** ( Arc::XMLNode *jsdl*, **ARexGMConfig** & *config*, const std::string & *credentials*, const std::string & *clientid*, Arc::Logger & *logger*, Arc::XMLNode *migration* = *Arc::XMLNode()* )

Create new job with provided JSDL description

### 6.2.3 Member Function Documentation

**6.2.3.1** bool **ARex::ARexJob::Cancel** ( void )

Cancel processing/execution of job

**6.2.3.2** bool **ARex::ARexJob::ChooseSessionDir** ( const std::string & *jobid*, std::string & *sessiondir* )

Select a session dir to use for this job

**6.2.3.3** bool **ARex::ARexJob::Clean** ( void )

Remove job from local pool

**6.2.3.4** int **ARex::ARexJob::CreateFile** ( const std::string & *filename* )

Creates file in job's session directory and returns handler

**6.2.3.5** bool **ARex::ARexJob::Failed** ( void )

Returns true if job has failed

**6.2.3.6 std::string ARex::ARexJob::Failure ( void ) [inline]**

Returns textual description of failure of last operation

**6.2.3.7 bool ARex::ARexJob::GetDescription ( Arc::XMLNode & *jsdl* )**

Fills provided jsdl with job description

**6.2.3.8 std::string ARex::ARexJob::ID ( void ) [inline]**

Return ID assigned to job

**6.2.3.9 static std::list<std::string> ARex::ARexJob::Jobs ( ARexGMConfig & *config*, Arc::Logger & *logger* ) [static]**

Returns list of user's jobs. Fine-grained ACL is ignored.

**6.2.3.10 std::string ARex::ARexJob::LogDir ( void )**

Returns name of virtual log directory

**6.2.3.11 std::list<std::string> ARex::ARexJob::LogFiles ( void )**

Returns list of existing log files

**6.2.3.12 Glib::Dir\* ARex::ARexJob::OpenDir ( const std::string & *dirname* )**

Opens directory inside session directory

**6.2.3.13 int ARex::ARexJob::OpenFile ( const std::string & *filename*, bool *for\_read*, bool *for\_write* )**

Opens file in job's session directory and returns handler

**6.2.3.14 int ARex::ARexJob::OpenLogFile ( const std::string & *name* )**

Opens log file in control directory

**6.2.3.15 bool ARex::ARexJob::Resume ( void )**

Resume execution of job after error

**6.2.3.16 std::string ARex::ARexJob::SessionDir ( void )**

Returns path to session directory

**6.2.3.17** `std::string ARex::ARexJob::State ( bool & job_pending )`

Returns current state of job and sets *job\_pending* to true if job is pending due to external limits

**6.2.3.18** `std::string ARex::ARexJob::State ( void )`

Returns current state of job

**6.2.3.19** `static int ARex::ARexJob::TotalJobs ( ARexGMConfig & config, Arc::Logger & logger ) [static]`

Return number of jobs associated with this configuration. TODO: total for all user configurations.

**6.2.3.20** `bool ARex::ARexJob::UpdateCredentials ( const std::string & credentials )`

Updates job credentials

The documentation for this class was generated from the following file:

- `job.h`

## 6.3 ARex::ARexService Class Reference

The documentation for this class was generated from the following file:

- `arex.h`

## 6.4 AuthEvaluator Class Reference

The documentation for this class was generated from the following file:

- `auth.h`

## 6.5 AuthUser Class Reference

### Data Structures

- class `group_t`
- struct `source_t`

The documentation for this class was generated from the following file:

- `auth.h`

## 6.6 AuthVO Class Reference

### Friends

- class **AuthUser**

The documentation for this class was generated from the following file:

- `auth.h`

## 6.7 CacheConfig Class Reference

```
#include <conf_cache.h>
```

### Public Member Functions

- **CacheConfig** (const **GMEEnvironment** &env, std::string username="")
- void **parseINIConf** (std::string username, **ConfigSections** \*cf)
- void **setCacheDirs** (std::vector< std::string > cache\_dirs)

### 6.7.1 Detailed Description

Reads conf file and provides methods to obtain cache info from it.

### 6.7.2 Constructor & Destructor Documentation

#### 6.7.2.1 **CacheConfig::CacheConfig** ( const **GMEEnvironment** & *env*, std::string *username* = " " )

Create a new **CacheConfig** (p. 21) instance. Read the config file and fill in private member variables with cache parameters. If different users are defined in the conf file, use the cache parameters for the given username.

### 6.7.3 Member Function Documentation

#### 6.7.3.1 **void CacheConfig::parseINIConf** ( std::string *username*, **ConfigSections** \* *cf* )

Parsers for the two different conf styles

#### 6.7.3.2 **void CacheConfig::setCacheDirs** ( std::vector< std::string > *cache\_dirs* ) **[inline]**

To allow for substitutions done during configuration

The documentation for this class was generated from the following file:

- `conf_cache.h`

## 6.8 CacheConfigException Class Reference

```
#include <conf_cache.h>
```

### 6.8.1 Detailed Description

Exception thrown by constructor caused by bad cache params in conf file

The documentation for this class was generated from the following file:

- `conf_cache.h`

## 6.9 ArcSec::Charon Class Reference

```
#include <charon.h>
```

### Data Structures

- class `PolicyLocation`

### 6.9.1 Detailed Description

A Service which includes the ArcPDP functionality; it can be deployed as an independent service to provide request evaluation functionality for the other remote services

The documentation for this class was generated from the following file:

- `charon.h`

## 6.10 CommFIFO Class Reference

### Data Structures

- class `elem_t`

The documentation for this class was generated from the following file:

- `commfifo.h`

## 6.11 ARex::ConfGrp Class Reference

The documentation for this class was generated from the following file:

- `configcore.h`



## 6.12 ARex::Config Class Reference

```
#include <configcore.h>
```

### Public Member Functions

- `const std::list< ConfGrp > & GetConfigs () const`
- `std::list< std::string > ConfValue (const std::string &path) const`
- `std::string FirstConfValue (const std::string &path) const`

### 6.12.1 Detailed Description

Core configuration class.

### 6.12.2 Member Function Documentation

#### 6.12.2.1 `std::list<std::string> ARex::Config::ConfValue ( const std::string & path ) const`

Get the configuration values from key.

#### 6.12.2.2 `std::string ARex::Config::FirstConfValue ( const std::string & path ) const`

Get the first configuration value from key. This is meant as a short cut when it is known that the key is not multivalued.

#### 6.12.2.3 `const std::list<ConfGrp>& ARex::Config::GetConfigs ( ) const`

Returns the parsed options.

The documentation for this class was generated from the following file:

- `configcore.h`

## 6.13 ARex::ConfigError Class Reference

```
#include <configcore.h>
```

### Public Member Functions

- `ConfigError (std::string message)`

### 6.13.1 Detailed Description

Error configuration class.

## 6.13.2 Constructor & Destructor Documentation

### 6.13.2.1 ARex::ConfigError::ConfigError ( std::string *message* ) [inline]

Constructor for the **ConfigError** (p. 23) exception. Calls the corresponding constructor in ARCLibError.


The documentation for this class was generated from the following file:

- **configcore.h**

## 6.14 ARex::ConfigIO Class Reference

```
#include <configio.h>
```

Inheritance diagram for ARex::ConfigIO:



### Public Member Functions

- virtual **Config Read** (std::istream &is)=0
- virtual void **Write** (const **Config** &conf, std::ostream &os)=0

### 6.14.1 Detailed Description

Virtual base-class for reading and writing configuration files. Concrete instances include **NGConfig** (p. 41) and **XMLConfig** (p. 53).

### 6.14.2 Member Function Documentation

#### 6.14.2.1 virtual Config ARex::ConfigIO::Read ( std::istream & *is* ) [pure virtual]

Read the named configuration source.

Implemented in **ARex::NGConfig** (p. 41), and **ARex::XMLConfig** (p. 54).

#### 6.14.2.2 virtual void ARex::ConfigIO::Write ( const Config & *conf*, std::ostream & *os* ) [pure virtual]

Write configuration to named configuration destination.

Implemented in **ARex::NGConfig** (p. 42), and **ARex::XMLConfig** (p. 54).

The documentation for this class was generated from the following file:

- **configio.h**

## 6.15 ConfigSections Class Reference

The documentation for this class was generated from the following file:

- a-rex/grid-manager/conf/conf\_sections.h

## 6.16 gridftpd::ConfigSections Class Reference

The documentation for this class was generated from the following file:

- gridftpd/conf/conf\_sections.h

## 6.17 ContinuationPlugins Class Reference

### Data Structures

- class **command\_t**
- class **result\_t**

The documentation for this class was generated from the following file:

- plugins.h

## 6.18 ARex::CountedResource Class Reference

The documentation for this class was generated from the following file:

- arex.h

## 6.19 gridftpd::Daemon Class Reference

The documentation for this class was generated from the following file:

- daemon.h

## 6.20 DirectAccess::diraccess\_t Struct Reference

The documentation for this struct was generated from the following file:

- fileplugin.h

## 6.21 DirectAccess Class Reference

### Data Structures


- struct **diraccess\_t**

The documentation for this class was generated from the following file:

- fileplugin.h

## 6.22 DirectFilePlugin Class Reference

Inheritance diagram for DirectFilePlugin:



The documentation for this class was generated from the following file:

- fileplugin.h

## 6.23 DirEntry Class Reference

The documentation for this class was generated from the following file:

- fileroot.h

## 6.24 DREService::DREWebService Class Reference

### Public Member Functions

- **DREWebService** (Arc::Config \*cfg)
- virtual **~DREWebService** (void)
- virtual Arc::MCC\_Status **process** (Arc::Message &inmsg, Arc::Message &outmsg)

### Protected Member Functions

- Arc::MCC\_Status **makeFault** (Arc::Message &outmsg, const std::string &reason)

### Protected Attributes

- Arc::NS **ns\_**

## Static Protected Attributes

- static Arc::Logger **logger**

## 6.24.1 Constructor & Destructor Documentation

### 6.24.1.1 DREService::DREWebService::DREWebService ( Arc::Config \* *cfg* )

Constructor which is capable to extract prefix and suffix for the echo service.

### 6.24.1.2 virtual DREService::DREWebService::~~DREWebService ( void ) [virtual]

Destructor.

## 6.24.2 Member Function Documentation

### 6.24.2.1 Arc::MCC\_Status DREService::DREWebService::makeFault ( Arc::Message & *outmsg*, const std::string & *reason* ) [protected]

Method to return an error. Creates a fault message and returns a status.

#### Parameters

*outmsg* outgoing message

#### Returns

Status of the result achieved

### 6.24.2.2 virtual Arc::MCC\_Status DREService::DREWebService::process ( Arc::Message & *inmsg*, Arc::Message & *outmsg* ) [virtual]

Implementation of the virtual method defined in MCCInterface (to be found in MCC.h).

#### Parameters

*inmsg* incoming message

*inmsg* outgoing message

#### Returns

Status of the result achieved

## 6.24.3 Field Documentation

### 6.24.3.1 Arc::Logger DREService::DREWebService::logger [static, protected]

Arc-intern logger. Generates output into the file specified in the arched configuration file used to invoke arched services.

### 6.24.3.2 Arc::NS DREService::DREWebService::ns\_ [protected]

Class which specifies a XML namespace i.e. "echo". Needed to extract the content out of the incoming message

The documentation for this class was generated from the following file:

- dREWebService.h

## 6.25 Entry Class Reference

The documentation for this class was generated from the following file:

- Entry.h

## 6.26 ARex::FileChunks Class Reference

Representation of delivered file chunks.

```
#include <FileChunks.h>
```

### Public Member Functions

- std::string **Path** (void)
- void **Size** (off\_t size)
- off\_t **Size** (void)
- void **Add** (off\_t start, size\_t csize)
- bool **Complete** (void)
- void **Print** (void)
- void **Release** (void)
- void **Remove** (void)

### 6.26.1 Detailed Description

Representation of delivered file chunks.

### 6.26.2 Member Function Documentation

#### 6.26.2.1 void ARex::FileChunks::Release ( void )

Release reference obtained through **FileChunksList::Get()** (p. 29) method. This operation may lead to destruction of FileChunk instance hence previously obtained refrence mus tnot be used.

#### 6.26.2.2 void ARex::FileChunks::Remove ( void )

Relases reference obtained through Get() method and destroys its instance. Normally this method to be called instead of **Release()** (p. 28) after whole file is delivered in order to free resources associated with **FileChunks** (p. 28) instance.

The documentation for this class was generated from the following file:

- FileChunks.h

## 6.27 ARex::FileChunksList Class Reference

Container for **FileChunks** (p. 28) instances.

```
#include <FileChunks.h>
```

### Public Member Functions

- **FileChunks & Get** (std::string path)
- void **Timeout** (int t)
- **FileChunks \* GetStuck** (void)
- **FileChunks \* GetFirst** (void)

#### 6.27.1 Detailed Description

Container for **FileChunks** (p. 28) instances.

#### 6.27.2 Member Function Documentation

##### 6.27.2.1 FileChunks& ARex::FileChunksList::Get ( std::string *path* )

Returns previously created **FileChunks** (p. 28) object with associated path. If such instance does not exist new one is created. Obtained reference may be used for other operations. Obtained reference must be Release()ed after it is not longer needed.

##### 6.27.2.2 FileChunks\* ARex::FileChunksList::GetStuck ( void )

Returns pointer to first stuck file. File is considred stuck if its Add method was last called more timeout seconds ago.

The documentation for this class was generated from the following file:

- FileChunks.h

## 6.28 FileData Class Reference

The documentation for this class was generated from the following file:

- info\_types.h


## 6.29 FileNode Class Reference

The documentation for this class was generated from the following file:

- fileroot.h

## 6.30 FilePlugin Class Reference

Inheritance diagram for FilePlugin:



The documentation for this class was generated from the following file:

- fileroot.h

## 6.31 FileRoot Class Reference

### Data Structures

- class **ServerParams**

### Friends


- class **GridFTP\_Commands**

The documentation for this class was generated from the following file:

- fileroot.h

## 6.32 GACLPlugin Class Reference

Inheritance diagram for GACLPlugin:



The documentation for this class was generated from the following file:

- gacplugin.h



## 6.33 gm\_dirs\_ Struct Reference

The documentation for this struct was generated from the following file:

- jobplugin.h

## 6.34 GMEEnvironment Class Reference

### Public Member Functions

- std::string **nordugrid\_loc** (void) const
- std::string **nordugrid\_libexec\_loc** (void) const
- std::string **nordugrid\_config\_loc** (void) const
- std::string **support\_mail\_address** (void) const

### 6.34.1 Member Function Documentation

#### 6.34.1.1 std::string GMEEnvironment::nordugrid\_config\_loc ( void ) const

ARC configuration file /etc/arc.conf \$ARC\_LOCATION/etc/arc.conf

#### 6.34.1.2 std::string GMEEnvironment::support\_mail\_address ( void ) const

Email address of person responsible for this ARC installation grid.manager, it can also be set from configuration file

The documentation for this class was generated from the following file:

- a-rex/grid-manager/conf/environment.h

## 6.35 gridftpd::GMEEnvironment Class Reference

### Public Member Functions

- std::string **nordugrid\_loc** (void) const
- std::string **nordugrid\_libexec\_loc** (void) const
- std::string **nordugrid\_config\_loc** (void) const
- std::string **support\_mail\_address** (void) const

### 6.35.1 Member Function Documentation

#### 6.35.1.1 std::string gridftpd::GMEEnvironment::nordugrid\_config\_loc ( void ) const

ARC configuration file /etc/arc.conf \$ARC\_LOCATION/etc/arc.conf

### 6.35.1.2 std::string gridftp::GEnvironment::support\_mail\_address ( void ) const

Email address of person responsible for this ARC installation grid.manager, it can also be set from configuration file

The documentation for this class was generated from the following file:

- gridftp/conf/environment.h

## 6.36 GridFTP\_Commands Class Reference

### Data Structures

- class **close\_semaphore\_t**
- struct **data\_buffer\_t**

### Friends

- class **GridFTP\_Commands\_timeout**

The documentation for this class was generated from the following file:

- commands.h

## 6.37 GridFTP\_Commands\_timeout Class Reference

The documentation for this class was generated from the following file:

- commands.h

## 6.38 ARex::GridManager Class Reference

The documentation for this class was generated from the following file:

- grid\_manager.h


## 6.39 Hopi::Hopi Class Reference

The documentation for this class was generated from the following file:

- hopi.h

## 6.40 Identity Class Reference

Inheritance diagram for Identity:



### Data Structures


- class **Item**

The documentation for this class was generated from the following file:

- identity.h

## 6.41 IdentityGACL Class Reference

Inheritance diagram for IdentityGACL:




The documentation for this class was generated from the following file:

- identity\_gacl.h

## 6.42 IdentityItemDN Class Reference

Inheritance diagram for IdentityItemDN:




The documentation for this class was generated from the following file:

- identity\_dn.h

## 6.43 IdentityItemVOMS Class Reference

Inheritance diagram for IdentityItemVOMS:



The documentation for this class was generated from the following file:

- identity\_voms.h

## 6.44 Index Class Reference

The documentation for this class was generated from the following file:

- Index.h

## 6.45 ISIS::ISIService Class Reference

The documentation for this class was generated from the following file:

- isis.h


## 6.46 ISIS::ISISecAttr Class Reference

The documentation for this class was generated from the following file:

- security.h

## 6.47 ObjectAccess::Item Class Reference

Inheritance diagram for ObjectAccess::Item:




The documentation for this class was generated from the following file:

- object\_access.h

## 6.48 Identity::Item Class Reference

Inheritance diagram for Identity::Item:



The documentation for this class was generated from the following file:

- identity.h

## 6.49 Janitor Class Reference

Class to communicate with **Janitor** (p. 35) - Dynmaic Runtime Environment handler.

```
#include <janitor.h>
```

### Public Member Functions

- **Janitor** (const std::string &id, const std::string &cdir, const **GMEEnvironment** &env)
- bool **enabled** ()
- **operator bool** (void)
- bool **operator!** (void)
- bool **deploy** (void)
- bool **remove** (void)
- bool **wait** (int timeout)
- Result **result** (void)

### 6.49.1 Detailed Description

Class to communicate with **Janitor** (p. 35) - Dynmaic Runtime Environment handler.

### 6.49.2 Constructor & Destructor Documentation

#### 6.49.2.1 Janitor::Janitor ( const std::string & *id*, const std::string & *cdir*, const GMEEnvironment & *env* )

Creates instance representing job entry in **Janitor** (p. 35) database.

Takes id for job identifier and cdir for the control directory of A-Rex. constructor does not register job in the **Janitor** (p. 35). It only associates job with this instance.

### 6.49.3 Member Function Documentation

#### 6.49.3.1 `bool Janitor::deploy ( void )`

Registers associated job with **Janitor** (p. 35) and deploys dynamic RTEs.

This operation is asynchronous. Returned true means **Janitor** (p. 35) will be contacted and deployment will start soon. For obtaining result of operation see methods **wait()** (p. 36) and **result()** (p. 36). During this operation janitor utility is called with command register and optionally deploy.

#### 6.49.3.2 `bool Janitor::remove ( void )`

Removes job from those handled by **Janitor** (p. 35) and releases associated RTEs.

This operation is asynchronous. Returned true means **Janitor** (p. 35) will be contacted and removal will start soon. For obtaining result of operation see methods **wait()** (p. 36) and **result()** (p. 36). During this operation janitor utility is called with command remove.

#### 6.49.3.3 `Result Janitor::result ( void )`

Returns true if operation initiated by **deploy()** (p. 36) or **remove()** (p. 36) succeeded.

It should be called after **wait()** (p. 36) returned true.

#### 6.49.3.4 `bool Janitor::wait ( int timeout )`

Wait till operation initiated by **deploy()** (p. 36) or **remove()** (p. 36) finished.

This operation returns true if operation finished or false if timeout seconds passed. It may be called repeatedly and even after it previously returned true. If no operation is running it returns true immediately.

The documentation for this class was generated from the following file:

- janitor.h

## 6.50 `job_state_rec_t` Struct Reference

The documentation for this struct was generated from the following file:

- grid-manager/jobs/job.h

## 6.51 JobDescription Class Reference

### Friends

- class **JobsList**

The documentation for this class was generated from the following file:

- grid-manager/jobs/job.h

## 6.52 JobLocalDescription Class Reference

The documentation for this class was generated from the following file:

- info\_types.h

## 6.53 JobLog Class Reference

```
#include <job_log.h>
```

### 6.53.1 Detailed Description


Put short information into log when every job starts/finishes. And store more detailed information for Reporter.

The documentation for this class was generated from the following file:

- job\_log.h

## 6.54 JobPlugin Class Reference

Inheritance diagram for JobPlugin:



The documentation for this class was generated from the following file:

- jobplugin.h

## 6.55 ARex::JobRecord Class Reference

The documentation for this class was generated from the following file:

- JobRecord.h

## 6.56 JobsList Class Reference

The documentation for this class was generated from the following file:

- states.h

## 6.57 JobsListConfig Class Reference

```
#include <states.h>
```

### Friends

- class **JobsList**

### 6.57.1 Detailed Description

Class to represent information read from configuration.

The documentation for this class was generated from the following file:

- states.h

## 6.58 JobUser Class Reference

The documentation for this class was generated from the following file:

- users.h

## 6.59 JobUserHelper Class Reference

The documentation for this class was generated from the following file:

- users.h

## 6.60 JobUsers Class Reference

The documentation for this class was generated from the following file:

- users.h

## 6.61 gridftp::LdapQuery Class Reference

```
#include <ldapquery.h>
```

### Public Types

- enum **Scope**



## Public Member Functions

- **LdapQuery** (const std::string &ldaphost, int ldapport, bool anonymous=true, const std::string &usersn="", int timeout=20)
- **~LdapQuery** ()
- void **Query** (const std::string &base, const std::string &filter="(objectclass=\*)", const std::vector< std::string > &attributes=std::vector< std::string >(), **Scope** scope=subtree) throw (LdapQueryError)
- void **Result** (ldap\_callback callback, void \*ref) throw (LdapQueryError)
- std::string **Host** ()

### 6.61.1 Detailed Description

**LdapQuery** (p. 38) class; querying of LDAP servers.

### 6.61.2 Member Enumeration Documentation

#### 6.61.2.1 enum gridftp::LdapQuery::Scope

Scope for a LDAP queries. Use when querying.

### 6.61.3 Constructor & Destructor Documentation

#### 6.61.3.1 gridftp::LdapQuery::LdapQuery ( const std::string & *ldaphost*, int *ldapport*, bool *anonymous* = *true*, const std::string & *usersn* = "", int *timeout* = 20 )

Constructs a new **LdapQuery** (p. 38) object and sets connection options. The connection is first established when calling Query.

#### 6.61.3.2 gridftp::LdapQuery::~~LdapQuery ( )

Destructor. Will disconnect from the ldapserver if still connected.

### 6.61.4 Member Function Documentation

#### 6.61.4.1 std::string gridftp::LdapQuery::Host ( )

Returns the hostname of the ldap-server.

#### 6.61.4.2 void gridftp::LdapQuery::Query ( const std::string & *base*, const std::string & *filter* = "(objectclass=\*)", const std::vector< std::string > & *attributes* = std::vector< std::string >(), **Scope** *scope* = subtree ) throw (LdapQueryError)

Queries the ldap server.

#### 6.61.4.3 void gridftpd::LdapQuery::Result ( ldap\_callback *callback*, void \* *ref* ) throw (LdapQueryError)

Retrieves the result of the query from the ldap-server.

The documentation for this class was generated from the following file:

- ldapquery.h

## 6.62 gridftpd::LdapQueryError Class Reference

```
#include <ldapquery.h>
```

### Public Member Functions

- **LdapQueryError** (std::string *message*)

#### 6.62.1 Detailed Description

**LdapQuery** (p. 38) exception. Gets thrown whan an error occurs in a query.

#### 6.62.2 Constructor & Destructor Documentation

##### 6.62.2.1 gridftpd::LdapQueryError::LdapQueryError ( std::string *message* ) [inline]

Standard exception class constructor.

The documentation for this class was generated from the following file:

- ldapquery.h

## 6.63 RunPlugin::lib\_plugin\_t Union Reference

The documentation for this union was generated from the following file:

- a-rex/grid-manager/run/run\_plugin.h

## 6.64 gridftpd::RunPlugin::lib\_plugin\_t Union Reference

The documentation for this union was generated from the following file:

- gridftpd/run/run\_plugin.h

## 6.65 ARex::LoggerClient Class Reference

The documentation for this class was generated from the following file:

- client.h

## 6.66 LRMSResult Class Reference

The documentation for this class was generated from the following file:

- info\_types.h

## 6.67 ISIS::Neighbor\_Container Class Reference


The documentation for this class was generated from the following file:

- isis.h

## 6.68 ARex::NGConfig Class Reference

```
#include <ngconfig.h>
```

Inheritance diagram for ARex::NGConfig:



### Public Member Functions

- **Config Read** (std::istream &is)
- void **Write** (const **Config** &config, std::ostream &os)

### 6.68.1 Detailed Description

Configuration class used for reading configuration files ARC-style.

### 6.68.2 Member Function Documentation

#### 6.68.2.1 Config ARex::NGConfig::Read ( std::istream & is ) [virtual]

Read old arc.conf style configuration.

Implements ARex::ConfigIO (p. 24).

### 6.68.2.2 void ARex::NGConfig::Write ( const Config & *config*, std::ostream & *os* ) [virtual]

Write configuration to named file.

Implements **ARex::ConfigIO** (p. 24).

The documentation for this class was generated from the following file:

- ngconfig.h


## 6.69 numvalue\_for\_shell Class Reference

The documentation for this class was generated from the following file:

- job\_desc.h

## 6.70 ObjectAccess Class Reference

Inheritance diagram for ObjectAccess:



## Data Structures


- class **Item**

The documentation for this class was generated from the following file:

- object\_access.h

## 6.71 ObjectAccessGACL Class Reference

Inheritance diagram for ObjectAccessGACL:



The documentation for this class was generated from the following file:

- object\_access\_gacl.h

## 6.72 ARex::OptimizedInformationContainer Class Reference

The documentation for this class was generated from the following file:

- arex.h

## 6.73 ARex::Option Class Reference

The documentation for this class was generated from the following file:

- configcore.h

## 6.74 gridftpd::ParallelLdapQueries Class Reference

```
#include <ldapquery.h>
```

### 6.74.1 Detailed Description

General method to perform parallel ldap-queries to a set of clusters

The documentation for this class was generated from the following file:

- ldapquery.h

## 6.75 Hopi::PayloadBigFile Class Reference

### Public Member Functions

- **PayloadBigFile** (const char \*filename, Size\_t start, Size\_t end)
- virtual ~**PayloadBigFile** (void)

### 6.75.1 Constructor & Destructor Documentation

#### 6.75.1.1 Hopi::PayloadBigFile::PayloadBigFile ( const char \* filename, Size\_t start, Size\_t end )

Creates object associated with file for reading from it

#### 6.75.1.2 virtual Hopi::PayloadBigFile::~~PayloadBigFile ( void ) [virtual]

Creates object associated with file for writing into it. Use size=-1 for undefined size.

The documentation for this class was generated from the following file:

- hopi/PayloadFile.h

## 6.76 ARex::PayloadBigFile Class Reference

### Public Member Functions

- **PayloadBigFile** (const char \*filename, Size\_t start, Size\_t end)
- virtual **~PayloadBigFile** (void)

#### 6.76.1 Constructor & Destructor Documentation

##### 6.76.1.1 ARex::PayloadBigFile::PayloadBigFile ( const char \* *filename*, Size\_t *start*, Size\_t *end* )

Creates object associated with file for reading from it

##### 6.76.1.2 virtual ARex::PayloadBigFile::~~PayloadBigFile ( void ) [virtual]

Creates object associated with file for writing into it. Use size=-1 for undefined size.

The documentation for this class was generated from the following file:

- a-rex/PayloadFile.h

## 6.77 Hopi::PayloadFile Class Reference

```
#include <PayloadFile.h>
```

### Public Member Functions

- **PayloadFile** (const char \*filename, Size\_t start, Size\_t end)
- virtual **~PayloadFile** (void)

#### 6.77.1 Detailed Description

Implementation of PayloadRawInterface which provides access to ordinary file. Currently only read-only mode is supported.

#### 6.77.2 Constructor & Destructor Documentation

##### 6.77.2.1 Hopi::PayloadFile::PayloadFile ( const char \* *filename*, Size\_t *start*, Size\_t *end* )

Creates object associated with file for reading from it. Use end=-1 for full size.

##### 6.77.2.2 virtual Hopi::PayloadFile::~~PayloadFile ( void ) [virtual]

Creates object associated with file for writing into it. Use size=-1 for undefined size.

The documentation for this class was generated from the following file:

- `hopi/PayloadFile.h`

## 6.78 ARex::PayloadFile Class Reference

```
#include <PayloadFile.h>
```

### Public Member Functions

- **PayloadFile** (const char \*filename, Size\_t start, Size\_t end)
- virtual **~PayloadFile** (void)

### 6.78.1 Detailed Description

Implementation of PayloadRawInterface which provides access to ordinary file. Currently only read-only mode is supported.

### 6.78.2 Constructor & Destructor Documentation

#### 6.78.2.1 ARex::PayloadFile::PayloadFile ( const char \* *filename*, Size\_t *start*, Size\_t *end* )

Creates object associated with file for reading from it. Use end=-1 for full size.

#### 6.78.2.2 virtual ARex::PayloadFile::~~PayloadFile ( void ) [virtual]

Creates object associated with file for writing into it. Use size=-1 for undefined size.

The documentation for this class was generated from the following file:

- `a-rex/PayloadFile.h`

## 6.79 DREService::PerlProcessor Class Reference

### Data Structures

- struct **ThreadInterface**

### Public Member Functions

- **PerlProcessor** (int threadNumber, TaskQueue \*pTaskQueue, TaskSet \*pTaskSet)
- virtual **~PerlProcessor** (void)

### 6.79.1 Constructor & Destructor Documentation

#### 6.79.1.1 DREService::PerlProcessor::PerlProcessor ( int *threadNumber*, TaskQueue \* *pTaskQueue*, TaskSet \* *pTaskSet* )

Constructor which is capable to extract prefix and suffix for the echo service.

### 6.79.1.2 virtual DREService::PerlProcessor::~~PerlProcessor ( void ) [virtual]


Destructor.

The documentation for this class was generated from the following file:

- PerlProcessor.h

## 6.80 Permission Class Reference

Inheritance diagram for Permission:




The documentation for this class was generated from the following file:

- permission.h

## 6.81 PermissionGACL Class Reference

Inheritance diagram for PermissionGACL:



The documentation for this class was generated from the following file:

- permission\_gacl.h

## 6.82 Policy Class Reference

The documentation for this class was generated from the following file:

- Policy.h

## 6.83 ArcSec::Charon::PolicyLocation Class Reference

The documentation for this class was generated from the following file:

- charon.h



## 6.84 ContinuationPlugins::result\_t Class Reference

The documentation for this class was generated from the following file:

- plugins.h

## 6.85 gridftpd::Run Class Reference

The documentation for this class was generated from the following file:

- run.h

## 6.86 gridftpd::RunElement Class Reference

### Friends

- class **RunParallel**

The documentation for this class was generated from the following file:

- run.h

## 6.87 RunFunction Class Reference

The documentation for this class was generated from the following file:

- run\_function.h

## 6.88 RunParallel Class Reference

The documentation for this class was generated from the following file:

- run\_parallel.h

## 6.89 RunPlugin Class Reference

### Data Structures

- union **lib\_plugin\_t**

The documentation for this class was generated from the following file:

- a-rex/grid-manager/run/run\_plugin.h

## 6.90 gridftpd::RunPlugin Class Reference

### Data Structures

- union `lib_plugin_t`

The documentation for this class was generated from the following file:

- `gridftpd/run/run_plugin.h`

## 6.91 RunPlugins Class Reference

The documentation for this class was generated from the following file:

- `a-rex/grid-manager/run/run_plugin.h`

## 6.92 gridftpd::RunPlugins Class Reference

The documentation for this class was generated from the following file:

- `gridftpd/run/run_plugin.h`

## 6.93 RunRedirected Class Reference

The documentation for this class was generated from the following file:

- `run_redirected.h`

## 6.94 Server Class Reference

The documentation for this class was generated from the following file:

- `Server.h`

## 6.95 FileRoot::ServerParams Class Reference

The documentation for this class was generated from the following file:

- `fileroot.h`

## 6.96 Arc::Service\_JavaWrapper Class Reference

### Public Member Functions

- virtual `Arc::MCC_Status process (Arc::Message &, Arc::Message &)`

## 6.96.1 Member Function Documentation

### 6.96.1.1 virtual Arc::MCC\_Status Arc::Service\_JavaWrapper::process ( Arc::Message & , Arc::Message & ) [virtual]

Service request processing routine

The documentation for this class was generated from the following file:

- javawrapper.h

## 6.97 Arc::Service\_PythonWrapper Class Reference

### Public Member Functions

- virtual Arc::MCC\_Status **process** (Arc::Message &, Arc::Message &)

## 6.97.1 Member Function Documentation

### 6.97.1.1 virtual Arc::MCC\_Status Arc::Service\_PythonWrapper::process ( Arc::Message & , Arc::Message & ) [virtual]

Service request processing routine

The documentation for this class was generated from the following file:

- pythonwrapper.h

## 6.98 SimpleMap Class Reference

The documentation for this class was generated from the following file:

- simplemap.h

## 6.99 DREService::Task Class Reference

### Public Member Functions

- **Task** (int taskID, Arc::Message \*request, Arc::Message \*response)
- virtual ~Task (void)

## 6.99.1 Constructor & Destructor Documentation

### 6.99.1.1 DREService::Task::Task ( int *taskID*, Arc::Message \* *request*, Arc::Message \* *response* )

Constructor which is capable to extract prefix and suffix for the echo service.

### 6.99.1.2 virtual DREService::Task::~~Task ( void ) [virtual]

Destructor.

The documentation for this class was generated from the following file:

- Task.h

## 6.100 DREService::TaskQueue Class Reference

### Public Member Functions

- **TaskQueue** (int length)
- virtual **~TaskQueue** (void)
- int **pushTask** (Task \*task)
- Task \* **shiftTask** ()

### 6.100.1 Constructor & Destructor Documentation

#### 6.100.1.1 DREService::TaskQueue::TaskQueue ( int *length* )

Constructor which is capable to extract prefix and suffix for the echo service.

#### 6.100.1.2 virtual DREService::TaskQueue::~~TaskQueue ( void ) [virtual]

Destructor.

### 6.100.2 Member Function Documentation

#### 6.100.2.1 int DREService::TaskQueue::pushTask ( Task \* *task* )

Blocks, if taskqueue is full. If task is stored in the queue and had a taskID == -1 it gets a fresh taskID.

#### 6.100.2.2 Task\* DREService::TaskQueue::shiftTask ( )

Shifts the first task from the queue (and removes it).

The documentation for this class was generated from the following file:

- TaskQueue.h

## 6.101 DREService::TaskSet Class Reference

### Public Member Functions

- **TaskSet** (int size)
- virtual **~TaskSet** (void)
- Task \* **removeTask** (int)

### 6.101.1 Constructor & Destructor Documentation

#### 6.101.1.1 DREService::TaskSet::TaskSet ( int *size* )

Constructor which is capable to extract prefix and suffix for the echo service.

#### 6.101.1.2 virtual DREService::TaskSet::~~TaskSet ( void ) [virtual]

Destructor.

### 6.101.2 Member Function Documentation

#### 6.101.2.1 Task\* DREService::TaskSet::removeTask ( int )

Checks wheter there is a task in the queue having that taskID in order to return it. If such a taskID is not available, themethod blocks until such a taskID is available. The task will be removed from the stack in that case.

The documentation for this class was generated from the following file:

- TaskSet.h

## 6.102 UnixMap Class Reference

### Data Structures

- struct **source\_t**
- class **unix\_user\_t**

The documentation for this class was generated from the following file:

- unixmap.h

## 6.103 gridftpd::UrlMapConfig Class Reference

The documentation for this class was generated from the following file:

- gridftpd/conf/conf\_map.h

## 6.104 UrlMapConfig Class Reference

The documentation for this class was generated from the following file:

- a-rex/grid-manager/conf/conf\_map.h

## 6.105 userspec\_t Class Reference

The documentation for this class was generated from the following file:

- userspec.h

## 6.106 value\_for\_shell Class Reference

The documentation for this class was generated from the following file:

- job\_desc.h

## 6.107 voms Struct Reference

```
#include <auth.h>
```

### Data Fields

- std::string **server**
- std::string **voname**
- std::vector< **voms\_attrs** > **std**

### 6.107.1 Detailed Description

VOMS data

### 6.107.2 Field Documentation

#### 6.107.2.1 std::string voms::server

The VOMS server DN, as from its certificate

#### 6.107.2.2 std::vector<voms\_attrs> voms::std

User's characteristics

#### 6.107.2.3 std::string voms::voname

The name of the VO to which the VOMS belongs

The documentation for this struct was generated from the following file:

- auth.h

## 6.108 voms\_attrs Struct Reference

```
#include <auth.h>
```

### Data Fields

- `std::string group`
- `std::string role`
- `std::string cap`

### 6.108.1 Detailed Description

VOMS attributes

### 6.108.2 Field Documentation

#### 6.108.2.1 `std::string voms_attrs::cap`

user's capability

#### 6.108.2.2 `std::string voms_attrs::group`

user's group

#### 6.108.2.3 `std::string voms_attrs::role`

user's role


The documentation for this struct was generated from the following file:

- `auth.h`

## 6.109 ARex::XMLConfig Class Reference

```
#include <xmlconfig.h>
```

Inheritance diagram for ARex::XMLConfig:



### Public Member Functions

- **Config Read** (`std::istream &is`)
- **void Write** (`const Config &config`, `std::ostream &os`)

### 6.109.1 Detailed Description

Class for reading in configuration files in xml-format. It uses libxml2 for xml-parsing.

### 6.109.2 Member Function Documentation

#### 6.109.2.1 Config ARex::XMLConfig::Read ( std::istream & *is* ) [virtual]

Read configuration.

Implements **ARex::ConfigIO** (p. 24).

#### 6.109.2.2 void ARex::XMLConfig::Write ( const Config & *config*, std::ostream & *os* ) [virtual]

Write configuration.

Implements **ARex::ConfigIO** (p. 24).

The documentation for this class was generated from the following file:

- xmlconfig.h



# Chapter 7

## File Documentation

### 7.1 configcore.h File Reference

```
#include <iostream>
#include <list>
#include <map>
#include <string>
#include <arc/Logger.h>
```

#### Data Structures

- class **ARex::ConfigError**
- class **ARex::Option**
- class **ARex::ConfGrp**
- class **ARex::Config**

#### Functions

- Config **ARex::ReadConfig** (std::istream &is)
- Config **ARex::ReadConfig** (const std::string &filename)

#### 7.1.1 Detailed Description

This file describes the core configuration

# Index

- ~DREWebService
  - DREService::DREWebService, 27
- ~LdapQuery
  - gridftpd::LdapQuery, 39
- ~PayloadBigFile
  - ARex::PayloadBigFile, 44
  - Hopi::PayloadBigFile, 43
- ~PayloadFile
  - ARex::PayloadFile, 45
  - Hopi::PayloadFile, 44
- ~PerlProcessor
  - DREService::PerlProcessor, 45
- ~Task
  - DREService::Task, 49
- ~TaskQueue
  - DREService::TaskQueue, 50
- ~TaskSet
  - DREService::TaskSet, 51
- Arc::Service\_JavaWrapper, 48
  - process, 49
- Arc::Service\_PythonWrapper, 49
  - process, 49
- ArcSec::Charon, 22
- ArcSec::Charon::PolicyLocation, 46
- ARex::ARexGMConfig, 17
- ARex::ARexJob, 17
  - ARexJob, 18
  - Cancel, 18
  - ChooseSessionDir, 18
  - Clean, 18
  - CreateFile, 18
  - Failed, 18
  - Failure, 18
  - GetDescription, 19
  - ID, 19
  - Jobs, 19
  - LogDir, 19
  - LogFiles, 19
  - OpenDir, 19
  - OpenFile, 19
  - OpenLogFile, 19
  - Resume, 19
  - SessionDir, 19
  - State, 19, 20
  - TotalJobs, 20
  - UpdateCredentials, 20
- ARex::ARexService, 20
- ARex::ConfGrp, 22
- ARex::Config, 23
  - ConfValue, 23
  - FirstConfValue, 23
  - GetConfigs, 23
- ARex::ConfigError, 23
  - ConfigError, 24
- ARex::ConfigIO, 24
  - Read, 24
  - Write, 24
- ARex::CountedResource, 25
- ARex::FileChunks, 28
  - Release, 28
  - Remove, 28
- ARex::FileChunksList, 29
  - Get, 29
  - GetStuck, 29
- ARex::GridManager, 32
- ARex::JobRecord, 37
- ARex::LoggerClient, 41
- ARex::NGConfig, 41
  - Read, 41
  - Write, 41
- ARex::OptimizedInformationContainer, 43
- ARex::Option, 43
- ARex::PayloadBigFile, 44
  - ~PayloadBigFile, 44
  - PayloadBigFile, 44
- ARex::PayloadFile, 45
  - ~PayloadFile, 45
  - PayloadFile, 45
- ARex::XMLConfig, 53
  - Read, 54
  - Write, 54
- ARexJob
  - ARex::ARexJob, 18
- AuthEvaluator, 20
- AuthUser, 20
- AuthVO, 21
- CacheConfig, 21
  - CacheConfig, 21

- parseINIConf, 21
  - setCacheDirs, 21
- CacheConfigException, 22
- Cancel
  - ARex::ARexJob, 18
- cap
  - voms\_attrs, 53
- ChooseSessionDir
  - ARex::ARexJob, 18
- Clean
  - ARex::ARexJob, 18
- CommFIFO, 22
- configcore.h, 55
- ConfigError
  - ARex::ConfigError, 24
- ConfigSections, 25
- ConfValue
  - ARex::Config, 23
- ContinuationPlugins, 25
- ContinuationPlugins::result\_t, 47
- CreateFile
  - ARex::ARexJob, 18
- deploy
  - Janitor, 36
- DirectAccess, 26
- DirectAccess::diraccess\_t, 25
- DirectFilePlugin, 26
- DirEntry, 26
- DREService, 15
- DREService::DREWebService, 26
  - ~DREWebService, 27
  - DREWebService, 27
  - logger, 27
  - makeFault, 27
  - ns\_, 27
  - process, 27
- DREService::PerlProcessor, 45
  - ~PerlProcessor, 45
  - PerlProcessor, 45
- DREService::Task, 49
  - ~Task, 49
  - Task, 49
- DREService::TaskQueue, 50
  - ~TaskQueue, 50
  - pushTask, 50
  - shiftTask, 50
  - TaskQueue, 50
- DREService::TaskSet, 50
  - ~TaskSet, 51
  - removeTask, 51
  - TaskSet, 51
- DREWebService
  - DREService::DREWebService, 27
- Entry, 28
- Failed
  - ARex::ARexJob, 18
- Failure
  - ARex::ARexJob, 18
- FileData, 29
- FileNode, 30
- FilePlugin, 30
- FileRoot, 30
- FileRoot::ServerParams, 48
- FirstConfValue
  - ARex::Config, 23
- GACLPlugin, 30
- Get
  - ARex::FileChunksList, 29
- GetConfigs
  - ARex::Config, 23
- GetDescription
  - ARex::ARexJob, 19
- GetStuck
  - ARex::FileChunksList, 29
- gm\_dirs\_, 31
- GMEnvironment, 31
  - nordugrid\_config\_loc, 31
  - support\_mail\_address, 31
- GridFTP\_Commands, 32
- GridFTP\_Commands\_timeout, 32
- gridftpd::ConfigSections, 25
- gridftpd::Daemon, 25
- gridftpd::GMEnvironment, 31
  - nordugrid\_config\_loc, 31
  - support\_mail\_address, 31
- gridftpd::LdapQuery, 38
  - ~LdapQuery, 39
  - Host, 39
  - LdapQuery, 39
  - Query, 39
  - Result, 39
  - Scope, 39
- gridftpd::LdapQueryError, 40
  - LdapQueryError, 40
- gridftpd::ParallelLdapQueries, 43
- gridftpd::Run, 47
- gridftpd::RunElement, 47
- gridftpd::RunPlugin, 48
- gridftpd::RunPlugin::lib\_plugin\_t, 40
- gridftpd::RunPlugins, 48
- gridftpd::UrlMapConfig, 51
- group
  - voms\_attrs, 53
- Hopi::Hopi, 32

- Hopi::PayloadBigFile, 43
  - ~PayloadBigFile, 43
  - PayloadBigFile, 43
- Hopi::PayloadFile, 44
  - ~PayloadFile, 44
  - PayloadFile, 44
- Host
  - gridftpd::LdapQuery, 39
- ID
  - ARex::ARexJob, 19
- Identity, 33
- Identity::Item, 35
- IdentityGACL, 33
- IdentityItemDN, 33
- IdentityItemVOMS, 34
- Index, 34
- ISIS::ISISService, 34
- ISIS::ISISecAttr, 34
- ISIS::Neighbor\_Container, 41
- Janitor, 35
  - deploy, 36
  - Janitor, 35
  - remove, 36
  - result, 36
  - wait, 36
- job\_state\_rec\_t, 36
- JobDescription, 36
- JobLocalDescription, 37
- JobLog, 37
- JobPlugin, 37
- Jobs
  - ARex::ARexJob, 19
- JobsList, 37
- JobsListConfig, 38
- JobUser, 38
- JobUserHelper, 38
- JobUsers, 38
- LdapQuery
  - gridftpd::LdapQuery, 39
- LdapQueryError
  - gridftpd::LdapQueryError, 40
- LogDir
  - ARex::ARexJob, 19
- LogFiles
  - ARex::ARexJob, 19
- logger
  - DREService::DREWebService, 27
- LRMSResult, 41
- makeFault
  - DREService::DREWebService, 27
- nordugrid\_config\_loc
  - GMEEnvironment, 31
  - gridftpd::GMEEnvironment, 31
- ns\_
  - DREService::DREWebService, 27
- numvalue\_for\_shell, 42
- ObjectAccess, 42
- ObjectAccess::Item, 34
- ObjectAccessGACL, 42
- OpenDir
  - ARex::ARexJob, 19
- OpenFile
  - ARex::ARexJob, 19
- OpenLogFile
  - ARex::ARexJob, 19
- parseINIConf
  - CacheConfig, 21
- PayloadBigFile
  - ARex::PayloadBigFile, 44
  - Hopi::PayloadBigFile, 43
- PayloadFile
  - ARex::PayloadFile, 45
  - Hopi::PayloadFile, 44
- PerlProcessor
  - DREService::PerlProcessor, 45
- Permission, 46
- PermissionGACL, 46
- Policy, 46
- process
  - Arc::Service\_JavaWrapper, 49
  - Arc::Service\_PythonWrapper, 49
  - DREService::DREWebService, 27
- pushTask
  - DREService::TaskQueue, 50
- Query
  - gridftpd::LdapQuery, 39
- Read
  - ARex::ConfigIO, 24
  - ARex::NGConfig, 41
  - ARex::XMLConfig, 54
- Release
  - ARex::FileChunks, 28
- Remove
  - ARex::FileChunks, 28
- remove
  - Janitor, 36
- removeTask
  - DREService::TaskSet, 51
- Result
  - gridftpd::LdapQuery, 39

---

result  
    Janitor, 36  
Resume  
    ARex::ARexJob, 19  
role  
    voms\_attrs, 53  
RunFunction, 47  
RunParallel, 47  
RunPlugin, 47  
RunPlugin::lib\_plugin\_t, 40  
RunPlugins, 48  
RunRedirected, 48  
  
Scope  
    gridftp::LdapQuery, 39  
Server, 48  
server  
    voms, 52  
SessionDir  
    ARex::ARexJob, 19  
setCacheDirs  
    CacheConfig, 21  
shiftTask  
    DREService::TaskQueue, 50  
SimpleMap, 49  
State  
    ARex::ARexJob, 19, 20  
std  
    voms, 52  
support\_mail\_address  
    GMEEnvironment, 31  
    gridftp::GMEEnvironment, 31  
  
Task  
    DREService::Task, 49  
TaskQueue  
    DREService::TaskQueue, 50  
TaskSet  
    DREService::TaskSet, 51  
TotalJobs  
    ARex::ARexJob, 20  
  
UnixMap, 51  
UpdateCredentials  
    ARex::ARexJob, 20  
UrlMapConfig, 51  
userspec\_t, 52  
  
value\_for\_shell, 52  
voms, 52  
    server, 52  
    std, 52  
    voname, 52  
voms\_attrs, 53  
    cap, 53  
    group, 53  
    role, 53  
voname  
    voms, 52  
  
wait  
    Janitor, 36  
Write  
    ARex::ConfigIO, 24  
    ARex::NGConfig, 41  
    ARex::XMLConfig, 54