

Hosting Environment (Daemon) Services

Generated by Doxygen 1.6.1

Wed May 5 18:33:38 2010

Contents

1	Namespace Index	1
1.1	Namespace List	1
2	Data Structure Index	3
2.1	Class Hierarchy	3
3	Data Structure Index	5
3.1	Data Structures	5
4	File Index	7
4.1	File List	7
5	Namespace Documentation	9
5.1	DREService Namespace Reference	9
5.1.1	Detailed Description	9
6	Data Structure Documentation	11
6.1	ARex::ARexGMConfig Class Reference	11
6.2	ARex::ARexJob Class Reference	12
6.2.1	Detailed Description	12
6.2.2	Constructor & Destructor Documentation	12
6.2.2.1	ARexJob	12
6.2.2.2	ARexJob	13
6.2.3	Member Function Documentation	13
6.2.3.1	Cancel	13
6.2.3.2	ChooseSessionDir	13
6.2.3.3	Clean	13
6.2.3.4	CreateFile	13
6.2.3.5	Failed	13
6.2.3.6	Failure	13

6.2.3.7	GetDescription	13
6.2.3.8	ID	13
6.2.3.9	Jobs	13
6.2.3.10	LogDir	14
6.2.3.11	LogFiles	14
6.2.3.12	OpenDir	14
6.2.3.13	OpenFile	14
6.2.3.14	OpenLogFile	14
6.2.3.15	Resume	14
6.2.3.16	SessionDir	14
6.2.3.17	State	14
6.2.3.18	State	14
6.2.3.19	TotalJobs	14
6.2.3.20	UpdateCredentials	14
6.3	ARex::ARexService Class Reference	16
6.4	CacheConfig Class Reference	17
6.4.1	Detailed Description	17
6.4.2	Constructor & Destructor Documentation	17
6.4.2.1	CacheConfig	17
6.4.3	Member Function Documentation	17
6.4.3.1	parseINIConf	17
6.4.3.2	setCacheDirs	17
6.5	CacheConfigException Class Reference	18
6.5.1	Detailed Description	18
6.6	ArcSec::Charon Class Reference	19
6.6.1	Detailed Description	19
6.7	CommFIFO Class Reference	20
6.8	ARex::ConfGrp Class Reference	21
6.9	ARex::Config Class Reference	22
6.9.1	Detailed Description	22
6.9.2	Member Function Documentation	22
6.9.2.1	ConfValue	22
6.9.2.2	FirstConfValue	22
6.9.2.3	GetConfigs	22
6.10	ARex::ConfigError Class Reference	23
6.10.1	Detailed Description	23

6.10.2	Constructor & Destructor Documentation	23
6.10.2.1	ConfigError	23
6.11	ARex::ConfigIO Class Reference	24
6.11.1	Detailed Description	24
6.11.2	Member Function Documentation	24
6.11.2.1	Read	24
6.11.2.2	Write	24
6.12	ConfigSections Class Reference	25
6.13	ContinuationPlugins Class Reference	26
6.14	ARex::CountedResource Class Reference	27
6.15	Daemon Class Reference	28
6.16	DREService::DREWebService Class Reference	29
6.16.1	Constructor & Destructor Documentation	29
6.16.1.1	DREWebService	29
6.16.1.2	~DREWebService	29
6.16.2	Member Function Documentation	29
6.16.2.1	makeFault	29
6.16.2.2	process	30
6.16.3	Field Documentation	30
6.16.3.1	logger	30
6.16.3.2	ns_	30
6.17	ARex::FileChunks Class Reference	31
6.17.1	Detailed Description	31
6.17.2	Member Function Documentation	31
6.17.2.1	Release	31
6.17.2.2	Remove	31
6.18	ARex::FileChunksList Class Reference	32
6.18.1	Detailed Description	32
6.18.2	Member Function Documentation	32
6.18.2.1	Get	32
6.18.2.2	GetStuck	32
6.19	FileData Class Reference	33
6.20	ARex::GridManager Class Reference	34
6.21	Hopi::Hopi Class Reference	35
6.22	ISIS::ISISService Class Reference	36
6.23	ISIS::ISISSecAttr Class Reference	37

6.24	Janitor Class Reference	38
6.24.1	Detailed Description	38
6.24.2	Constructor & Destructor Documentation	38
6.24.2.1	Janitor	38
6.24.3	Member Function Documentation	38
6.24.3.1	deploy	38
6.24.3.2	remove	38
6.24.3.3	result	38
6.24.3.4	wait	39
6.25	job_state_rec_t Struct Reference	40
6.26	JobDescription Class Reference	41
6.27	JobLocalDescription Class Reference	42
6.28	JobLog Class Reference	43
6.28.1	Detailed Description	43
6.29	ARex::JobRecord Class Reference	44
6.30	JobsList Class Reference	45
6.31	JobUser Class Reference	46
6.32	JobUserHelper Class Reference	47
6.33	JobUsers Class Reference	48
6.34	RunPlugin::lib_plugin_t Union Reference	49
6.35	ARex::LoggerClient Class Reference	50
6.36	LRMSResult Class Reference	51
6.37	ISIS::Neighbor_Container Class Reference	52
6.38	ARex::NGConfig Class Reference	53
6.38.1	Detailed Description	53
6.38.2	Member Function Documentation	53
6.38.2.1	Read	53
6.38.2.2	Write	53
6.39	numvalue_for_shell Class Reference	54
6.40	ARex::OptimizedInformationContainer Class Reference	55
6.41	ARex::Option Class Reference	56
6.42	ARex::PayloadBigFile Class Reference	57
6.42.1	Constructor & Destructor Documentation	57
6.42.1.1	PayloadBigFile	57
6.42.1.2	~PayloadBigFile	57
6.43	Hopi::PayloadBigFile Class Reference	58

6.43.1	Constructor & Destructor Documentation	58
6.43.1.1	PayloadBigFile	58
6.43.1.2	~PayloadBigFile	58
6.44	Hopi::PayloadFile Class Reference	59
6.44.1	Detailed Description	59
6.44.2	Constructor & Destructor Documentation	59
6.44.2.1	PayloadFile	59
6.44.2.2	~PayloadFile	59
6.45	ARex::PayloadFile Class Reference	60
6.45.1	Detailed Description	60
6.45.2	Constructor & Destructor Documentation	60
6.45.2.1	PayloadFile	60
6.45.2.2	~PayloadFile	60
6.46	DREService::PerlProcessor Class Reference	61
6.46.1	Constructor & Destructor Documentation	61
6.46.1.1	PerlProcessor	61
6.46.1.2	~PerlProcessor	61
6.47	ArcSec::Charon::PolicyLocation Class Reference	62
6.48	ContinuationPlugins::result_t Class Reference	63
6.49	RunFunction Class Reference	64
6.50	RunParallel Class Reference	65
6.51	RunPlugin Class Reference	66
6.52	RunPlugins Class Reference	67
6.53	RunRedirected Class Reference	68
6.54	Arc::Service_PythonWrapper Class Reference	69
6.54.1	Member Function Documentation	69
6.54.1.1	process	69
6.55	DREService::Task Class Reference	70
6.55.1	Constructor & Destructor Documentation	70
6.55.1.1	Task	70
6.55.1.2	~Task	70
6.56	DREService::TaskQueue Class Reference	71
6.56.1	Constructor & Destructor Documentation	71
6.56.1.1	TaskQueue	71
6.56.1.2	~TaskQueue	71
6.56.2	Member Function Documentation	71

6.56.2.1	pushTask	71
6.56.2.2	shiftTask	71
6.57	DREService::TaskSet Class Reference	72
6.57.1	Constructor & Destructor Documentation	72
6.57.1.1	TaskSet	72
6.57.1.2	~TaskSet	72
6.57.2	Member Function Documentation	72
6.57.2.1	removeTask	72
6.58	UrlMapConfig Class Reference	73
6.59	value_for_shell Class Reference	74
6.60	ARex::XMLConfig Class Reference	75
6.60.1	Detailed Description	75
6.60.2	Member Function Documentation	75
6.60.2.1	Read	75
6.60.2.2	Write	75
7	File Documentation	77
7.1	configcore.h File Reference	77
7.1.1	Detailed Description	77

Chapter 1

Namespace Index

1.1 Namespace List

Here is a list of all documented namespaces with brief descriptions:

DREService	9
-----------------------------	---

Chapter 2

Data Structure Index

2.1 Class Hierarchy

This inheritance list is sorted roughly, but not completely, alphabetically:

ARex::ARexGMConfig	11
ARex::ARexJob	12
ARex::ARexService	16
CacheConfig	17
CacheConfigException	18
ArcSec::Charon	19
CommFIFO	20
ARex::ConfGrp	21
ARex::Config	22
ARex::ConfigError	23
ARex::ConfigIO	24
ARex::NGConfig	53
ARex::XMLConfig	75
ConfigSections	25
ContinuationPlugins	26
ARex::CountedResource	27
Daemon	28
DREService::DREWebService	29
ARex::FileChunks	31
ARex::FileChunksList	32
FileData	33
ARex::GridManager	34
Hopi::Hopi	35
ISIS::ISISService	36
ISIS::ISISecAttr	37
Janitor	38
job_state_rec_t	40
JobDescription	41
JobLocalDescription	42
JobLog	43
ARex::JobRecord	44
JobsList	45
JobUser	46

JobUserHelper	47
JobUsers	48
RunPlugin::lib_plugin_t	49
ARex::LoggerClient	50
LRMSResult	51
ISIS::Neighbor_Container	52
numvalue_for_shell	54
ARex::OptimizedInformationContainer	55
ARex::Option	56
ARex::PayloadBigFile	57
Hopi::PayloadBigFile	58
Hopi::PayloadFile	59
ARex::PayloadFile	60
DREService::PerlProcessor	61
ArcSec::Charon::PolicyLocation	62
ContinuationPlugins::result_t	63
RunFunction	64
RunParallel	65
RunPlugin	66
RunPlugins	67
RunRedirected	68
Arc::Service_PythonWrapper	69
DREService::Task	70
DREService::TaskQueue	71
DREService::TaskSet	72
UrlMapConfig	73
value_for_shell	74

Chapter 3

Data Structure Index

3.1 Data Structures

Here are the data structures with brief descriptions:

ARex::ARexGMConfig	11
ARex::ARexJob	12
ARex::ARexService	16
CacheConfig	17
CacheConfigException	18
ArcSec::Charon	19
CommFIFO	20
ARex::ConfGrp	21
ARex::Config	22
ARex::ConfigError	23
ARex::ConfigIO	24
ConfigSections	25
ContinuationPlugins	26
ARex::CountedResource	27
Daemon	28
DREService::DREWebService	29
ARex::FileChunks (Representation of delivered file chunks)	31
ARex::FileChunksList (Container for FileChunks (p. 31) instances)	32
FileData	33
ARex::GridManager	34
Hopi::Hopi	35
ISIS::ISISService	36
ISIS::ISISSecAttr	37
Janitor (Class to communicate with Janitor (p. 38) - Dynmaic Runtime Environment handler)	38
job_state_rec_t	40
JobDescription	41
JobLocalDescription	42
JobLog	43
ARex::JobRecord	44
JobsList	45
JobUser	46
JobUserHelper	47
JobUsers	48

RunPlugin::lib_plugin_t	49
ARex::LoggerClient	50
LRMSResult	51
ISIS::Neighbor_Container	52
ARex::NGConfig	53
numvalue_for_shell	54
ARex::OptimizedInformationContainer	55
ARex::Option	56
ARex::PayloadBigFile	57
Hopi::PayloadBigFile	58
Hopi::PayloadFile	59
ARex::PayloadFile	60
DREService::PerlProcessor	61
ArcSec::Charon::PolicyLocation	62
ContinuationPlugins::result_t	63
RunFunction	64
RunParallel	65
RunPlugin	66
RunPlugins	67
RunRedirected	68
Arc::Service_PythonWrapper	69
DREService::Task	70
DREService::TaskQueue	71
DREService::TaskSet	72
UrlMapConfig	73
value_for_shell	74
ARex::XMLConfig	75

Chapter 4

File Index

4.1 File List

Here is a list of all documented files with brief descriptions:

arex.h	??
canonical_dir.h	??
charon.h	??
client.h	??
commfifo.h	??
conf.h	??
conf_cache.h	??
conf_file.h	??
conf_map.h	??
conf_pre.h	??
conf_sections.h	??
configcore.h	77
configio.h	??
daemon.h	??
delete.h	??
dREWebService.h	??
environment.h	??
escaped.h	??
FileChunks.h	??
gacl.h	??
grid_manager.h	??
gridmap.h	??
hopi.h	??
info_files.h	??
info_log.h	??
info_types.h	??
isis.h	??
janitor.h	??
grid-manager/jobs/job.h	??
job.h	??
job_desc.h	??
job_log.h	??
job_request.h	??

JobRecord.h	??
LDIFtoXML.h	??
ngconfig.h	??
a-rex/PayloadFile.h	??
hopi/PayloadFile.h	??
PerlProcessor.h	??
plugins.h	??
proxy.h	??
pythonwrapper.h	??
run_function.h	??
run_parallel.h	??
run_plugin.h	??
run_redirected.h	??
security.h	??
send_mail.h	??
states.h	??
Task.h	??
TaskQueue.h	??
TaskSet.h	??
tools.h	??
users.h	??
xmlconfig.h	??

Chapter 5

Namespace Documentation

5.1 DREService Namespace Reference

Data Structures

- class **DREWebService**
- class **PerlProcessor**
- class **Task**
- class **TaskQueue**
- class **TaskSet**

5.1.1 Detailed Description

Implementation of a simple echo service

The reply of the echo service contains the string which was send to it.

Chapter 6

Data Structure Documentation

6.1 ARex::ARexGMConfig Class Reference

The documentation for this class was generated from the following file:

- job.h

6.2 ARex::ARexJob Class Reference

```
#include <job.h>
```

Public Member Functions

- **ARexJob** (const std::string &id, **ARexGMConfig** &config, Arc::Logger &logger, bool fast_auth_check=false)
- **ARexJob** (Arc::XMLNode jsdl, **ARexGMConfig** &config, const std::string &credentials, const std::string &clientid, Arc::Logger &logger, Arc::XMLNode migration=Arc::XMLNode())
- std::string **Failure** (void)
- std::string **ID** (void)
- bool **GetDescription** (Arc::XMLNode &jsdl)
- bool **Cancel** (void)
- bool **Clean** (void)
- bool **Resume** (void)
- std::string **State** (void)
- std::string **State** (bool &job_pending)
- bool **Failed** (void)
- std::string **SessionDir** (void)
- std::string **LogDir** (void)
- int **CreateFile** (const std::string &filename)
- int **OpenFile** (const std::string &filename, bool for_read, bool for_write)
- int **OpenLogFile** (const std::string &name)
- Glib::Dir * **OpenDir** (const std::string &dirname)
- std::list< std::string > **LogFiles** (void)
- bool **UpdateCredentials** (const std::string &credentials)
- bool **ChooseSessionDir** (const std::string &jobid, std::string &sessiondir)

Static Public Member Functions

- static int **TotalJobs** (**ARexGMConfig** &config, Arc::Logger &logger)
- static std::list< std::string > **Jobs** (**ARexGMConfig** &config, Arc::Logger &logger)

6.2.1 Detailed Description

This class represents convenience interface to manage jobs handled by Grid Manager. It works mostly through corresponding classes and functions of Grid Manager.

6.2.2 Constructor & Destructor Documentation

6.2.2.1 ARex::ARexJob::ARexJob (const std::string &id, ARexGMConfig &config, Arc::Logger &logger, bool fast_auth_check = false)

Create instance which is an interface to existing job

6.2.2.2 `ARex::ARexJob::ARexJob (Arc::XMLNode jsdl, ARexGMConfig & config, const std::string & credentials, const std::string & clientid, Arc::Logger & logger, Arc::XMLNode migration = Arc::XMLNode ())`

Create new job with provided JSDL description

6.2.3 Member Function Documentation

6.2.3.1 `bool ARex::ARexJob::Cancel (void)`

Cancel processing/execution of job

6.2.3.2 `bool ARex::ARexJob::ChooseSessionDir (const std::string & jobid, std::string & sessiondir)`

Select a session dir to use for this job

6.2.3.3 `bool ARex::ARexJob::Clean (void)`

Remove job from local pool

6.2.3.4 `int ARex::ARexJob::CreateFile (const std::string & filename)`

Creates file in job's session directory and returns handler

6.2.3.5 `bool ARex::ARexJob::Failed (void)`

Returns true if job has failed

6.2.3.6 `std::string ARex::ARexJob::Failure (void) [inline]`

Returns textual description of failure of last operation

6.2.3.7 `bool ARex::ARexJob::GetDescription (Arc::XMLNode & jsdl)`

Fills provided jsdl with job description

6.2.3.8 `std::string ARex::ARexJob::ID (void) [inline]`

Return ID assigned to job

6.2.3.9 `static std::list<std::string> ARex::ARexJob::Jobs (ARexGMConfig & config, Arc::Logger & logger) [static]`

Returns list of user's jobs. Fine-grained ACL is ignored.

6.2.3.10 `std::string ARex::ARexJob::LogDir (void)`

Returns name of virtual log directory

6.2.3.11 `std::list<std::string> ARex::ARexJob::LogFiles (void)`

Returns list of existing log files

6.2.3.12 `Glib::Dir* ARex::ARexJob::OpenDir (const std::string & dirname)`

Opens directory inside session directory

6.2.3.13 `int ARex::ARexJob::OpenFile (const std::string & filename, bool for_read, bool for_write)`

Opens file in job's session directory and returns handler

6.2.3.14 `int ARex::ARexJob::OpenLogFile (const std::string & name)`

Opens log file in control directory

6.2.3.15 `bool ARex::ARexJob::Resume (void)`

Resume execution of job after error

6.2.3.16 `std::string ARex::ARexJob::SessionDir (void)`

Returns path to session directory

6.2.3.17 `std::string ARex::ARexJob::State (bool & job_pending)`

Returns current state of job and sets *job_pending* to true if job is pending due to external limits

6.2.3.18 `std::string ARex::ARexJob::State (void)`

Returns current state of job

6.2.3.19 `static int ARex::ARexJob::TotalJobs (ARexGMConfig & config, Arc::Logger & logger)
[static]`

Return number of jobs associated with this configuration. TODO: total for all user configurations.

6.2.3.20 `bool ARex::ARexJob::UpdateCredentials (const std::string & credentials)`

Updates job credentials

The documentation for this class was generated from the following file:

- `job.h`

6.3 ARex::ARexService Class Reference

The documentation for this class was generated from the following file:

- arex.h

6.4 CacheConfig Class Reference

```
#include <conf_cache.h>
```

Public Member Functions

- **CacheConfig** (std::string username="")
- void **parseINIConf** (std::string username, **ConfigSections** *cf)
- void **setCacheDirs** (std::vector< std::string > cache_dirs)

6.4.1 Detailed Description

Reads conf file and provides methods to obtain cache info from it.

6.4.2 Constructor & Destructor Documentation

6.4.2.1 CacheConfig::CacheConfig (std::string *username* = "")

Create a new **CacheConfig** (p. 17) instance. Read the config file and fill in private member variables with cache parameters. If different users are defined in the conf file, use the cache parameters for the given username.

6.4.3 Member Function Documentation

6.4.3.1 void CacheConfig::parseINIConf (std::string *username*, **ConfigSections** * *cf*)

Parsers for the two different conf styles

6.4.3.2 void CacheConfig::setCacheDirs (std::vector< std::string > *cache_dirs*) **[inline]**

To allow for substitutions done during configuration

The documentation for this class was generated from the following file:

- conf_cache.h

6.5 CacheConfigException Class Reference

```
#include <conf_cache.h>
```

6.5.1 Detailed Description

Exception thrown by constructor caused by bad cache params in conf file

The documentation for this class was generated from the following file:

- conf_cache.h

6.6 ArcSec::Charon Class Reference

```
#include <charon.h>
```

Data Structures

- class **PolicyLocation**

6.6.1 Detailed Description

A Service which includes the ArcPDP functionality; it can be deployed as an independent service to provide request evaluation functionality for the other remote services

The documentation for this class was generated from the following file:

- charon.h

6.7 CommFIFO Class Reference

Data Structures

- class `elem_t`

The documentation for this class was generated from the following file:

- `commfifo.h`

6.8 ARex::ConfGrp Class Reference

The documentation for this class was generated from the following file:

- **configcore.h**

6.9 ARex::Config Class Reference

```
#include <configcore.h>
```

Public Member Functions

- `const std::list< ConfGrp > & GetConfigs () const`
- `std::list< std::string > ConfValue (const std::string &path) const`
- `std::string FirstConfValue (const std::string &path) const`

6.9.1 Detailed Description

Core configuration class.

6.9.2 Member Function Documentation

6.9.2.1 `std::list<std::string> ARex::Config::ConfValue (const std::string & path) const`

Get the configuration values from key.

6.9.2.2 `std::string ARex::Config::FirstConfValue (const std::string & path) const`

Get the first configuration value from key. This is meant as a short cut when it is known that the key is not multivalued.

6.9.2.3 `const std::list<ConfGrp>& ARex::Config::GetConfigs () const`

Returns the parsed options.

The documentation for this class was generated from the following file:

- **configcore.h**

6.10 ARex::ConfigError Class Reference

```
#include <configcore.h>
```

Public Member Functions

- **ConfigError** (std::string message)

6.10.1 Detailed Description

Error configuration class.

6.10.2 Constructor & Destructor Documentation

6.10.2.1 ARex::ConfigError::ConfigError (std::string *message*) [inline]


Constructor for the **ConfigError** (p. 23) exception. Calls the corresponding constructor in ARCLibError.

The documentation for this class was generated from the following file:

- **configcore.h**

6.11 ARex::ConfigIO Class Reference

#include <configio.h> Inheritance diagram for ARex::ConfigIO::



Public Member Functions

- virtual **Config Read** (std::istream &is)=0
- virtual void **Write** (const **Config** &conf, std::ostream &os)=0

6.11.1 Detailed Description

Virtual base-class for reading and writing configuration files. Concrete instances include **NGConfig** (p. 53) and **XMLConfig** (p. 75).

6.11.2 Member Function Documentation

6.11.2.1 virtual Config ARex::ConfigIO::Read (std::istream &is) [pure virtual]

Read the named configuration source.

Implemented in **ARex::NGConfig** (p. 53), and **ARex::XMLConfig** (p. 75).

6.11.2.2 virtual void ARex::ConfigIO::Write (const Config &conf, std::ostream &os) [pure virtual]

Write configuration to named configuration destination.

Implemented in **ARex::NGConfig** (p. 53), and **ARex::XMLConfig** (p. 75).

The documentation for this class was generated from the following file:

- configio.h

6.12 ConfigSections Class Reference

The documentation for this class was generated from the following file:

- `conf_sections.h`

6.13 ContinuationPlugins Class Reference

Data Structures

- class **command_t**
- class **result_t**

The documentation for this class was generated from the following file:

- plugins.h

6.14 ARex::CountedResource Class Reference

The documentation for this class was generated from the following file:

- arex.h

6.15 Daemon Class Reference

The documentation for this class was generated from the following file:

- daemon.h

6.16 DREService::DREWebService Class Reference

Public Member Functions

- **DREWebService** (Arc::Config *cfg)
- virtual **~DREWebService** (void)
- virtual Arc::MCC_Status **process** (Arc::Message &inmsg, Arc::Message &outmsg)

Protected Member Functions

- Arc::MCC_Status **makeFault** (Arc::Message &outmsg, const std::string &reason)

Protected Attributes

- Arc::NS ns_

Static Protected Attributes

- static Arc::Logger **logger**

6.16.1 Constructor & Destructor Documentation

6.16.1.1 DREService::DREWebService::DREWebService (Arc::Config * cfg)

Constructor which is capable to extract prefix and suffix for the echo service.

6.16.1.2 virtual DREService::DREWebService::~~DREWebService (void) [virtual]

Destructor.

6.16.2 Member Function Documentation

6.16.2.1 Arc::MCC_Status DREService::DREWebService::makeFault (Arc::Message & outmsg, const std::string & reason) [protected]

Method to return an error. Creates a fault message and returns a status.

Parameters:

outmsg outgoing message

Returns:

Status of the result achieved

6.16.2.2 **virtual Arc::MCC_Status DREService::DREWebService::process (Arc::Message & *inmsg*, Arc::Message & *outmsg*) [virtual]**

Implementation of the virtual method defined in MCCInterface (to be found in MCC.h).

Parameters:

inmsg incoming message

inmsg outgoing message

Returns:

Status of the result achieved

6.16.3 Field Documentation

6.16.3.1 **Arc::Logger DREService::DREWebService::logger [static, protected]**

Arc-intern logger. Generates output into the file specified in the arched configuration file used to invoke arched services.

6.16.3.2 **Arc::NS DREService::DREWebService::ns_ [protected]**

Class which specifies a XML namespace i.e. "echo". Needed to extract the content out of the incoming message

The documentation for this class was generated from the following file:

- dREWebService.h

6.17 ARex::FileChunks Class Reference

Representation of delivered file chunks.

```
#include <FileChunks.h>
```

Public Member Functions

- `std::string Path` (void)
- `void Size` (off_t size)
- `off_t Size` (void)
- `void Add` (off_t start, size_t csize)
- `bool Complete` (void)
- `void Print` (void)
- `void Release` (void)
- `void Remove` (void)

6.17.1 Detailed Description

Representation of delivered file chunks.

6.17.2 Member Function Documentation

6.17.2.1 void ARex::FileChunks::Release (void)

Release reference obtained through **FileChunksList::Get()** (p. 32) method. This operation may lead to destruction of FileChunk instance hence previously obtained reference must not be used.

6.17.2.2 void ARex::FileChunks::Remove (void)

Relases reference obtained through Get() method and destroys its instance. Normally this method to be called instead of **Release()** (p. 31) after whole file is delivered in order to free resources associated with **FileChunks** (p. 31) instance.

The documentation for this class was generated from the following file:

- FileChunks.h

6.18 ARex::FileChunksList Class Reference

Container for **FileChunks** (p. 31) instances.

```
#include <FileChunks.h>
```

Public Member Functions

- **FileChunks & Get** (std::string path)
- void **Timeout** (int t)
- **FileChunks * GetStuck** (void)
- **FileChunks * GetFirst** (void)

6.18.1 Detailed Description

Container for **FileChunks** (p. 31) instances.

6.18.2 Member Function Documentation

6.18.2.1 FileChunks& ARex::FileChunksList::Get (std::string *path*)

Returns previously created **FileChunks** (p. 31) object with associated path. If such instance does not exist new one is created. Obtained reference may be used for other operations. Obtained reference must be Release()ed after it is not longer needed.

6.18.2.2 FileChunks* ARex::FileChunksList::GetStuck (void)

Returns pointer to first stuck file. File is considred stuck if its Add method was last called more timeout seconds ago.

The documentation for this class was generated from the following file:

- FileChunks.h

6.19 FileData Class Reference

The documentation for this class was generated from the following file:

- info_types.h

6.20 ARex::GridManager Class Reference

The documentation for this class was generated from the following file:

- grid_manager.h

6.21 Hopi::Hopi Class Reference

The documentation for this class was generated from the following file:

- `hopi.h`

6.22 ISIS::ISIService Class Reference

The documentation for this class was generated from the following file:

- isis.h

6.23 ISIS::ISISecAttr Class Reference

The documentation for this class was generated from the following file:

- security.h

6.24 Janitor Class Reference

Class to communicate with **Janitor** (p. 38) - Dynmaic Runtime Environment handler.

```
#include <janitor.h>
```

Public Member Functions

- **Janitor** (const std::string &id, const std::string &cdir)
- bool **enabled** ()
- **operator bool** (void)
- bool **operator!** (void)
- bool **deploy** (void)
- bool **remove** (void)
- bool **wait** (int timeout)
- Result **result** (void)

6.24.1 Detailed Description

Class to communicate with **Janitor** (p. 38) - Dynmaic Runtime Environment handler.

6.24.2 Constructor & Destructor Documentation

6.24.2.1 Janitor::Janitor (const std::string &id, const std::string &cdir)

Creates instance representing job entry in **Janitor** (p. 38) database. Takes id for job identifier and cdir for the control directory of A-Rex. constructor does not register job in the **Janitor** (p. 38). It only associates job with this instance.

6.24.3 Member Function Documentation

6.24.3.1 bool Janitor::deploy (void)

Registers associated job with **Janitor** (p. 38) and deploys dynamic RTEs. This operation is asynchronous. Returned true means **Janitor** (p. 38) will be contacted and deployment will start soon. For obtaining result of operation see methods **wait**() (p. 39) and **result**() (p. 38). During this operation janitor utility is called with command register and optionally deploy.

6.24.3.2 bool Janitor::remove (void)

Removes job from those handled by **Janitor** (p. 38) and releases associated RTEs. This operation is asynchronous. Returned true means **Janitor** (p. 38) will be contacted and removal will start soon. For obtaining result of operation see methods **wait**() (p. 39) and **result**() (p. 38). During this operation janitor utility is called with command remove.

6.24.3.3 Result Janitor::result (void)

Returns true if operation initiated by **deploy**() (p. 38) or **remove**() (p. 38) succeeded. It should be called after **wait**() (p. 39) returned true.

6.24.3.4 bool Janitor::wait (int *timeout*)

Wait till operation initiated by **deploy()** (p. 38) or **remove()** (p. 38) finished. This operation returns true if operation finished or false if timeout seconds passed. It may be called repeatedly and even after it previously returned true. If no operation is running it returns true immediately.

The documentation for this class was generated from the following file:

- janitor.h

6.25 `job_state_rec_t` Struct Reference

The documentation for this struct was generated from the following file:

- `grid-manager/jobs/job.h`

6.26 JobDescription Class Reference

Friends

- class **JobsList**

The documentation for this class was generated from the following file:

- grid-manager/jobs/job.h

6.27 JobLocalDescription Class Reference

The documentation for this class was generated from the following file:

- info_types.h

6.28 JobLog Class Reference

```
#include <job_log.h>
```

6.28.1 Detailed Description

Put short information into log when every job starts/finishes. And store more detailed information for Reporter.

The documentation for this class was generated from the following file:

- job_log.h

6.29 ARex::JobRecord Class Reference

The documentation for this class was generated from the following file:

- JobRecord.h

6.30 JobsList Class Reference

The documentation for this class was generated from the following file:

- `states.h`

6.31 JobUser Class Reference

The documentation for this class was generated from the following file:

- users.h

6.32 JobUserHelper Class Reference

The documentation for this class was generated from the following file:

- users.h

6.33 JobUsers Class Reference

The documentation for this class was generated from the following file:

- users.h

6.34 RunPlugin::lib_plugin_t Union Reference

The documentation for this union was generated from the following file:

- run_plugin.h

6.35 ARex::LoggerClient Class Reference

The documentation for this class was generated from the following file:

- client.h

6.36 LRMSResult Class Reference

The documentation for this class was generated from the following file:

- info_types.h


6.37 ISIS::Neighbor_Container Class Reference

The documentation for this class was generated from the following file:

- isis.h

6.38 ARex::NGConfig Class Reference

#include <ngconfig.h> Inheritance diagram for ARex::NGConfig::



Public Member Functions

- **Config Read** (std::istream &is)
- void **Write** (const **Config** &config, std::ostream &os)

6.38.1 Detailed Description

Configuration class used for reading configuration files ARC-style.

6.38.2 Member Function Documentation

6.38.2.1 Config ARex::NGConfig::Read (std::istream & is) [virtual]

Read old arc.conf style configuration.

Implements **ARex::ConfigIO** (p. 24).

6.38.2.2 void ARex::NGConfig::Write (const Config & config, std::ostream & os) [virtual]

Write configuration to named file.

Implements **ARex::ConfigIO** (p. 24).

The documentation for this class was generated from the following file:

- ngconfig.h

6.39 numvalue_for_shell Class Reference

The documentation for this class was generated from the following file:

- job_desc.h

6.40 ARex::OptimizedInformationContainer Class Reference

The documentation for this class was generated from the following file:

- arex.h

6.41 ARex::Option Class Reference

The documentation for this class was generated from the following file:

- **configcore.h**

6.42 ARex::PayloadBigFile Class Reference

Public Member Functions

- **PayloadBigFile** (const char *filename, Size_t start, Size_t end)
- virtual **~PayloadBigFile** (void)

6.42.1 Constructor & Destructor Documentation

6.42.1.1 ARex::PayloadBigFile::PayloadBigFile (const char * *filename*, Size_t *start*, Size_t *end*)

Creates object associated with file for reading from it

6.42.1.2 virtual ARex::PayloadBigFile::~~PayloadBigFile (void) [virtual]

Creates object associated with file for writing into it. Use size=-1 for undefined size.

The documentation for this class was generated from the following file:

- a-rex/PayloadFile.h

6.43 Hopi::PayloadBigFile Class Reference

Public Member Functions

- **PayloadBigFile** (const char *filename, Size_t start, Size_t end)
- virtual **~PayloadBigFile** (void)

6.43.1 Constructor & Destructor Documentation

6.43.1.1 Hopi::PayloadBigFile::PayloadBigFile (const char **filename*, Size_t *start*, Size_t *end*)

Creates object associated with file for reading from it

6.43.1.2 virtual Hopi::PayloadBigFile::~~PayloadBigFile (void) **[virtual]**

Creates object associated with file for writing into it. Use size=-1 for undefined size.

The documentation for this class was generated from the following file:

- hopi/PayloadFile.h

6.44 Hopi::PayloadFile Class Reference

```
#include <PayloadFile.h>
```

Public Member Functions

- **PayloadFile** (const char *filename, Size_t start, Size_t end)
- virtual **~PayloadFile** (void)

6.44.1 Detailed Description

Implementation of PayloadRawInterface which provides access to ordinary file. Currently only read-only mode is supported.

6.44.2 Constructor & Destructor Documentation

6.44.2.1 Hopi::PayloadFile::PayloadFile (const char *filename, Size_t start, Size_t end)

Creates object associated with file for reading from it. Use end=-1 for full size.

6.44.2.2 virtual Hopi::PayloadFile::~~PayloadFile (void) [virtual]

Creates object associated with file for writing into it. Use size=-1 for undefined size.

The documentation for this class was generated from the following file:

- hopi/PayloadFile.h

6.45 ARex::PayloadFile Class Reference

```
#include <PayloadFile.h>
```

Public Member Functions

- **PayloadFile** (const char *filename, Size_t start, Size_t end)
- virtual **~PayloadFile** (void)

6.45.1 Detailed Description

Implementation of PayloadRawInterface which provides access to ordinary file. Currently only read-only mode is supported.

6.45.2 Constructor & Destructor Documentation

6.45.2.1 ARex::PayloadFile::PayloadFile (const char * *filename*, Size_t *start*, Size_t *end*)

Creates object associated with file for reading from it. Use end=-1 for full size.

6.45.2.2 virtual ARex::PayloadFile::~~PayloadFile (void) [virtual]

Creates object associated with file for writing into it. Use size=-1 for undefined size.

The documentation for this class was generated from the following file:

- a-rex/PayloadFile.h

6.46 DREService::PerlProcessor Class Reference

Data Structures

- struct **ThreadInterface**

Public Member Functions

- **PerlProcessor** (int threadNumber, **TaskQueue** *pTaskQueue, **TaskSet** *pTaskSet)
- virtual **~PerlProcessor** (void)

6.46.1 Constructor & Destructor Documentation

6.46.1.1 DREService::PerlProcessor::PerlProcessor (int *threadNumber*, TaskQueue * *pTaskQueue*, TaskSet * *pTaskSet*)

Constructor which is capable to extract prefix and suffix for the echo service.

6.46.1.2 virtual DREService::PerlProcessor::~~PerlProcessor (void) [virtual]

Destructor.

The documentation for this class was generated from the following file:

- PerlProcessor.h

6.47 ArcSec::Charon::PolicyLocation Class Reference

The documentation for this class was generated from the following file:

- charon.h

6.48 ContinuationPlugins::result_t Class Reference

The documentation for this class was generated from the following file:

- plugins.h

6.49 RunFunction Class Reference

The documentation for this class was generated from the following file:

- `run_function.h`

6.50 RunParallel Class Reference

The documentation for this class was generated from the following file:

- run_parallel.h

6.51 RunPlugin Class Reference

Data Structures

- union `lib_plugin_t`

The documentation for this class was generated from the following file:

- `run_plugin.h`

6.52 RunPlugins Class Reference

The documentation for this class was generated from the following file:

- run_plugin.h

6.53 RunRedirected Class Reference

The documentation for this class was generated from the following file:

- run_redirected.h

6.54 Arc::Service_PythonWrapper Class Reference

Public Member Functions

- virtual Arc::MCC_Status **process** (Arc::Message &, Arc::Message &)

6.54.1 Member Function Documentation

6.54.1.1 virtual Arc::MCC_Status Arc::Service_PythonWrapper::process (Arc::Message &, Arc::Message &) [**virtual**]

Service request processing routine

The documentation for this class was generated from the following file:

- pythonwrapper.h

6.55 DREService::Task Class Reference

Public Member Functions

- **Task** (int taskID, Arc::Message *request, Arc::Message *response)
- virtual **~Task** (void)

6.55.1 Constructor & Destructor Documentation

6.55.1.1 DREService::Task::Task (int *taskID*, Arc::Message * *request*, Arc::Message * *response*)

Constructor which is capable to extract prefix and suffix for the echo service.

6.55.1.2 virtual DREService::Task::~~Task (void) **[virtual]**

Destructor.

The documentation for this class was generated from the following file:

- Task.h

6.56 DREService::TaskQueue Class Reference

Public Member Functions

- **TaskQueue** (int length)
- virtual **~TaskQueue** (void)
- int **pushTask** (Task *task)
- Task * **shiftTask** ()

6.56.1 Constructor & Destructor Documentation

6.56.1.1 DREService::TaskQueue::TaskQueue (int *length*)

Constructor which is capable to extract prefix and suffix for the echo service.

6.56.1.2 virtual DREService::TaskQueue::~~TaskQueue (void) [**virtual**]

Destructor.

6.56.2 Member Function Documentation

6.56.2.1 int DREService::TaskQueue::pushTask (Task * *task*)

Blocks, if taskqueue is full. If task is stored in the queue and had a taskID == -1 it gets a fresh taskID.

6.56.2.2 Task* DREService::TaskQueue::shiftTask ()

Shifts the first task from the queue (and removes it).

The documentation for this class was generated from the following file:

- TaskQueue.h

6.57 DREService::TaskSet Class Reference

Public Member Functions

- **TaskSet** (int size)
- virtual **~TaskSet** (void)
- **Task * removeTask** (int)

6.57.1 Constructor & Destructor Documentation

6.57.1.1 DREService::TaskSet::TaskSet (int *size*)

Constructor which is capable to extract prefix and suffix for the echo service.

6.57.1.2 virtual DREService::TaskSet::~~TaskSet (void) **[virtual]**

Destructor.

6.57.2 Member Function Documentation

6.57.2.1 Task* DREService::TaskSet::removeTask (int)

Checks wheter there is a task in the queue having that taskID in order to return it. If such a taskID is not available, themethod blocks until such a taskID is available. The task will be removed from the stack in that case.

The documentation for this class was generated from the following file:

- TaskSet.h

6.58 UrlMapConfig Class Reference

The documentation for this class was generated from the following file:

- `conf_map.h`


6.59 value_for_shell Class Reference

The documentation for this class was generated from the following file:

- job_desc.h

6.60 ARex::XMLConfig Class Reference

#include <xmlconfig.h> Inheritance diagram for ARex::XMLConfig::



Public Member Functions

- **Config Read** (std::istream &is)
- void **Write** (const **Config** &config, std::ostream &os)

6.60.1 Detailed Description

Class for reading in configuration files in xml-format. It uses libxml2 for xml-parsing.

6.60.2 Member Function Documentation

6.60.2.1 Config ARex::XMLConfig::Read (std::istream &is) [virtual]

Read configuration.

Implements **ARex::ConfigIO** (p. 24).

6.60.2.2 void ARex::XMLConfig::Write (const Config &config, std::ostream &os) [virtual]

Write configuration.

Implements **ARex::ConfigIO** (p. 24).

The documentation for this class was generated from the following file:

- xmlconfig.h

Chapter 7

File Documentation

7.1 configcore.h File Reference

```
#include <iostream>
#include <list>
#include <map>
#include <string>
#include <arc/Logger.h>
```

Data Structures

- class **ARex::ConfigError**
- class **ARex::Option**
- class **ARex::ConfGrp**
- class **ARex::Config**

Functions

- Config **ARex::ReadConfig** (std::istream &is)
- Config **ARex::ReadConfig** (const std::string &filename)

7.1.1 Detailed Description

This file describes the core configuration

Index

- ~DREWebService
 - DREService::DREWebService, 29
- ~PayloadBigFile
 - ARex::PayloadBigFile, 57
 - Hopi::PayloadBigFile, 58
- ~PayloadFile
 - ARex::PayloadFile, 60
 - Hopi::PayloadFile, 59
- ~PerlProcessor
 - DREService::PerlProcessor, 61
- ~Task
 - DREService::Task, 70
- ~TaskQueue
 - DREService::TaskQueue, 71
- ~TaskSet
 - DREService::TaskSet, 72
- Arc::Service_PythonWrapper, 69
 - process, 69
- ArcSec::Charon, 19
- ArcSec::Charon::PolicyLocation, 62
- ARex::ARexGMConfig, 11
- ARex::ARexJob, 12
 - ARexJob, 12
 - Cancel, 13
 - ChooseSessionDir, 13
 - Clean, 13
 - CreateFile, 13
 - Failed, 13
 - Failure, 13
 - GetDescription, 13
 - ID, 13
 - Jobs, 13
 - LogDir, 13
 - LogFiles, 14
 - OpenDir, 14
 - OpenFile, 14
 - OpenLogFile, 14
 - Resume, 14
 - SessionDir, 14
 - State, 14
 - TotalJobs, 14
 - UpdateCredentials, 14
- ARex::ARexService, 16
- ARex::ConfGrp, 21
- ARex::Config, 22
 - ConfValue, 22
 - FirstConfValue, 22
 - GetConfigs, 22
- ARex::ConfigError, 23
 - ConfigError, 23
- ARex::ConfigIO, 24
 - Read, 24
 - Write, 24
- ARex::CountedResource, 27
- ARex::FileChunks, 31
 - Release, 31
 - Remove, 31
- ARex::FileChunksList, 32
 - Get, 32
 - GetStuck, 32
- ARex::GridManager, 34
- ARex::JobRecord, 44
- ARex::LoggerClient, 50
- ARex::NGConfig, 53
 - Read, 53
 - Write, 53
- ARex::OptimizedInformationContainer, 55
- ARex::Option, 56
- ARex::PayloadBigFile, 57
 - ~PayloadBigFile, 57
 - PayloadBigFile, 57
- ARex::PayloadFile, 60
 - ~PayloadFile, 60
 - PayloadFile, 60
- ARex::XMLConfig, 75
 - Read, 75
 - Write, 75
- ARexJob
 - ARex::ARexJob, 12
- CacheConfig, 17
 - CacheConfig, 17
 - parseINIconf, 17
 - setCacheDirs, 17
- CacheConfigException, 18
- Cancel
 - ARex::ARexJob, 13
- ChooseSessionDir
 - ARex::ARexJob, 13

- Clean
 - ARex::ARexJob, 13
- CommFIFO, 20
- configcore.h, 77
- ConfigError
 - ARex::ConfigError, 23
- ConfigSections, 25
- ConfValue
 - ARex::Config, 22
- ContinuationPlugins, 26
- ContinuationPlugins::result_t, 63
- CreateFile
 - ARex::ARexJob, 13
- Daemon, 28
- deploy
 - Janitor, 38
- DREService, 9
- DREService::DREWebService, 29
 - ~DREWebService, 29
 - DREWebService, 29
 - logger, 30
 - makeFault, 29
 - ns_, 30
 - process, 29
- DREService::PerlProcessor, 61
 - ~PerlProcessor, 61
 - PerlProcessor, 61
- DREService::Task, 70
 - ~Task, 70
 - Task, 70
- DREService::TaskQueue, 71
 - ~TaskQueue, 71
 - pushTask, 71
 - shiftTask, 71
 - TaskQueue, 71
- DREService::TaskSet, 72
 - ~TaskSet, 72
 - removeTask, 72
 - TaskSet, 72
- DREWebService
 - DREService::DREWebService, 29
- Failed
 - ARex::ARexJob, 13
- Failure
 - ARex::ARexJob, 13
- FileData, 33
- FirstConfValue
 - ARex::Config, 22
- Get
 - ARex::FileChunksList, 32
- GetConfigs
 - ARex::Config, 22
- GetDescription
 - ARex::ARexJob, 13
- GetStuck
 - ARex::FileChunksList, 32
- Hopi::Hopi, 35
- Hopi::PayloadBigFile, 58
 - ~PayloadBigFile, 58
 - PayloadBigFile, 58
- Hopi::PayloadFile, 59
 - ~PayloadFile, 59
 - PayloadFile, 59
- ID
 - ARex::ARexJob, 13
- ISIS::ISISService, 36
- ISIS::ISISSecAttr, 37
- ISIS::Neighbor_Container, 52
- Janitor, 38
 - deploy, 38
 - Janitor, 38
 - remove, 38
 - result, 38
 - wait, 38
- job_state_rec_t, 40
- JobDescription, 41
- JobLocalDescription, 42
- JobLog, 43
- Jobs
 - ARex::ARexJob, 13
- JobsList, 45
- JobUser, 46
- JobUserHelper, 47
- JobUsers, 48
- LogDir
 - ARex::ARexJob, 13
- LogFiles
 - ARex::ARexJob, 14
- logger
 - DREService::DREWebService, 30
- LRMSResult, 51
- makeFault
 - DREService::DREWebService, 29
- ns_
 - DREService::DREWebService, 30
- numvalue_for_shell, 54
- OpenDir
 - ARex::ARexJob, 14
- OpenFile

- ARex::ARexJob, 14
- OpenLogFile
 - ARex::ARexJob, 14
- parseINIConf
 - CacheConfig, 17
- PayloadBigFile
 - ARex::PayloadBigFile, 57
 - Hopi::PayloadBigFile, 58
- PayloadFile
 - ARex::PayloadFile, 60
 - Hopi::PayloadFile, 59
- PerlProcessor
 - DREService::PerlProcessor, 61
- process
 - Arc::Service_PythonWrapper, 69
 - DREService::DREWebService, 29
- pushTask
 - DREService::TaskQueue, 71
- Read
 - ARex::ConfigIO, 24
 - ARex::NGConfig, 53
 - ARex::XMLConfig, 75
- Release
 - ARex::FileChunks, 31
- Remove
 - ARex::FileChunks, 31
- remove
 - Janitor, 38
- removeTask
 - DREService::TaskSet, 72
- result
 - Janitor, 38
- Resume
 - ARex::ARexJob, 14
- RunFunction, 64
- RunParallel, 65
- RunPlugin, 66
- RunPlugin::lib_plugin_t, 49
- RunPlugins, 67
- RunRedirected, 68
- SessionDir
 - ARex::ARexJob, 14
- setCacheDirs
 - CacheConfig, 17
- shiftTask
 - DREService::TaskQueue, 71
- State
 - ARex::ARexJob, 14
- Task
 - DREService::Task, 70
- TaskQueue
 - DREService::TaskQueue, 71
- TaskSet
 - DREService::TaskSet, 72
- TotalJobs
 - ARex::ARexJob, 14
- UpdateCredentials
 - ARex::ARexJob, 14
- UrlMapConfig, 73
- value_for_shell, 74
- wait
 - Janitor, 38
- Write
 - ARex::ConfigIO, 24
 - ARex::NGConfig, 53
 - ARex::XMLConfig, 75